INTERFACE DESIGN AND DEVELOPMENT

Unit-2

2 Marks questions

```
1. write the Javascript to print "Good Day" using IF-ELSE condition.
   let hour: new Date (1. get Hours ();
   if (hourezo) f
      greeting : "Good day";
   } else f
      greeting = "Good evening;
2. What is a javascript statement? Give an example.
   A computer program to a liet of instructions to be executed by a computer.
           Programming language, these programming instructions are called
   etatements. A java script program is a list of
                                                     programming statements which
    are composed of : values, operators. Expression; telephonds and comments.
 s. Write some advantages of using Javascript.
   * speed
   * simplicity
   * popularity
   * interoperability
   * Gives the ability to create rich interfaces
 4 List the javoscript datatypes.
   java script
              datatypes:
    * string
    * Number
    * Big int
    * Boolean
    * undefined
    * null
     * symbol
     * object
  5. Differentiate the return and continue statements in java script.
     return is
                       within a method to return control out of the method. It
     may be followed by a value
                                       which is returned from the method to calling
     method immediately
                            preceding
                                      the
                                            Point of call.
            Continue statement
                                is used
                                           within a loop to start next
```

remaining statements in loop.

executing the

without

```
the statement to read the properties of an object in jourscript
  const person = {
   frame: "shon";
   Lname : "Due";
    age: 25;
    1.
   const name: person. frame+" "+ person. Iname;
7. Identify the built-in method returns the character at the specified index?
  string . charAt (index);
8. List out the properties to determine the size of the browser window
  window. innerwidth
  window inner height
9. Define Java script
  Javasaipt is a dynamic programming language that's used for web development,
  in web application, for game development, and lots more it allows
                                                                       you to
            dynamic features on web pages that cannot be done with
  only HTML and CSS. Harry browsers use Java script as a scripting language.
10. write the syntax to create an object in puascript
   Ill (const | variable name = dalq
11. Express the statement in java script to display content on webpage.
   <! DOCT YPE hbml>
   <html>
   < body >
   < 1) my first web fage <1/1>
   CP> My first paragraph <1P>
    <Pid = "demo"><1P>
    < script >
     document get Ebment By Id ("demo:). inner HTML = Stb;
     < 18cript>
     <1body>
     <11hbml>
12. connect the role of a callback function in performing a partial page
               an AJAX application.
   update in
```

we make the cell to the server we provide the name of a the time call back function that will be called when the response has beed occased the cell back function will receive the result and update various tage control accordingly.

is creat an appropriate journscript code an element (went φ remove element) from a DOM document. get Element By Id ("larget"). removes; 14. Write down the savascript code to swap the contents of the two test boxes cloim name = form ()> input text 1: simput type: "text" name : "A"> input text 2: comput type: "text" name: "B> <110im> var e= document. get Element. By Name ("A") [0]; document. get Element By Name ("A")[0]. value = document. get flument Bystame ("B") [o] value. document . get Flement By Mone ("B")[0] . e. value; 15. Summarize benefits of using javascript code in an HTML document & speed dient side it is very fast. * simplicity - It is simple to turn and implement so not bugh to maintain * It is a dynamic computer programming language