17 PHP form valedation:
-> form valedables
to for example: ofp: Name:
emer :
vebsite:
Comment ?
brevelor: o male
O Semale
0 other
(Subnit)
of 14 Contains the various Input trela Required
the Estitoral text Held
Radio buddon in caller ou a Optional

dend Reld . * And using Roules budden and Submit Buddon. PROGRAM & 1 home > 2 Hard > Mead> < baly> 23 plup // Define variables and set to Empty values & name = Bemost = & herolor = & Command = & (2) 2- El (9- Server [" request_method "] = = (" POST 4) 3 2-\$ name = beat : Enput (a post [" name "]) s \$ emost = text most (& post (h emos 117)) & Gender: beat Enput (& post [" Gendery); & Command = feat supert (\$ post (" Command ")); & website = teat input (& post [" website "]); Sunction feat Priput (& Doder) name : Zimput Dype = "teat" Nome = 4 name 4 email: Limput dyne = "text" name = "lemail" 17 website: Linput type = "bent" nome = "web" 17 herder: Linput type = "Roolso" name = "gender" Walue = "male" 1> L'input type = "Rodro" name = "geroler" value = Female 1/7

name of com " commend: 29 nput type " tentorea" L Papud type = " Bubonst" /> 2 Hoody > < thomas 12 PMP ckho 12h2> ceno & nome echo & ubr4> o offer: echo & email your Input echo = "br"> & website JK echo 2" bry> 9k2210Bgrow1-com echo & connect www. Sr. com eeko Z"br"> bery very echo & Gender noele echo Lubru>