### **Accenture Test 2**

### **Test Summary**

• No. of Sections: 4

No. of Questions: 80Total Duration: 80 min

# **Section 1 - Quantitative Aptitude**

Section S	Summary
-----------	---------

• No. of Questions: 20

• Duration: 20 min

						-		- •		
Λ	പപ	111	$\alpha$ r	ובו	ln	str	1117	<b>\</b> †1/	nn c	٠.
$\overline{}$	uu		OI.	ıaı		O LI	u		JIII	э.

None

Q1.	amit is 40 m south of ravialif	satish is 40 south east of ravi	. then satish is in which direction of ami
Q I.	arriit is 40 m south or lavi . II	Satisti is 40 south cast of favi .	. then satisfied in willow an estion of aim

east

west

north – east

south

Q2. In a box, there are 8 red, 7 blue and 6 green balls. One ball is picked up randomly. What is the probability that it is neither red nor green?

 1/3

 3/4

 7/19

 8/21

Q3. What is the probability of getting a sum 9 from two throws of a dice?

 1/6

 1/8

 1/9

 1/12

Q4. If the average of five consecutive numbers is 27, find the smallest number.

	23
	24
	25
	26
Q5.	By selling 20 articles for a rupee a man loses 10%. How many for a rupee did he buy?
	16
	18
	14
	12
Q6.	A boy runs 450m race in 60s. His speed is.
	6.4m/s
	7.5m/s
	8.6m/s
	9.2m/s
Q7.	A train travels at 48km/hr. How many metres will it travel in 15 min?
	850m
	900m
	1200m
	740m
Q8.	Find the ratio of the interest earned on Rs 10000 compounded half yearly at the rate of 5%,in six months
	2:1
	1:2
	1:3

	3:1	
Q9.	The heights of two poles are 80m and 62.5m if the line joining their tops makes an a distance between the poles	angle of 45° with the horizontal, then find the
	3.5m	
	8.5	
	12.5	
	17.5m	
Q10.	Two car are approaching from opposite direction to a flyover from the highest point depression is 30° and 45° what is the distance between cars	of the flyover which is 100 m the angle of
	545m	
	273m	
	130m	
	290m	
Q11.	The elevation angle of a hot air balloon flying at a height of 250m is 60°.what id the observation and the balloon	shortest distance between the point of
	300m	
	288.69 m	
	388.69 m	
	144.34m	
Q12.	Calculate the cost price if the selling price is is 125000 with a loss of 20%	
	Rs 150550	
	Rs 156250	
	Rs 155200	
	Rs 151000	

calculate the cost cost price if the selling price is 6500 with a loss of 48%

Q13.

	Rs 1240	
	Rs 1200	
	Rs 1230	
	Rs 1220	
Q14.	A man stand on the lop of a hill and observe a truck moving with a uniform speed of	irectly low what time the truck reaches him
	15.20m	
	19.25m	
	20.20m	
	15.25m	
Q15.	To do a certain work C alone takes twice as long as A and B together. A would take	B take separately?
	20,12,15 days	
	18,12,17 days	
	18,12,16 days	
	18,10,17 days	
Q16.	A Can do 1/3 of the work in 5 days and B can do 2/5 of the work in 10 days. In how	many days both A and B can do the work?
	75/8 days	
	26/3 days	
	49/9 days	
	48/5 days	
Q17.	. Calculate simple interest, The rate of interest per years is 3% for lending Rs 80000 for 2 years	
	Rs 4200	
	Rs 4800	
	Rs 3200	

	Rs 4501	
Q18.	A 24 m high lighthouse casts a shadow of 8m and a ship next to the lighthouse cast	s a shadow of 4 m. Find the height of the ship
	24m	
	12m	
	4m	
	2m	
Q19.	The banker's gain on a bill due 1 year hence at 12% per annum Is Rs. 6. The true disc	count Is
	Rs 72	
	Rs 36	
	Rs 54	
	Rs 50	
Q20.	if a quarter kg of potato costs 60 paise, how many paise will 200 gm cost?	
	48 paise	
	54 paise	
	56 paise	
	72 paise	
	Section 2 - Verbal	
Section  No. of Qu  Duration:		
<b>Addit</b> i None	onal Instructions:	
Q1.	the little girl said to her mother "did the sun rise in thje east"	
	a. the little girl said to her mother that the sun rose in the east	

b. the little girl said to her mother if the sun rose in the east

	d. the little girl said to her motherif the sun is in the east	
Q2.	statement In the order to bring punctuality in our office, we must provide conveyance allowance tells personnel manager Asseumptions 1. Conveyance allowance will not help bringing punctuality 2. Discipline and reward should always go hand in had	e to our employees – in charge of a company
	a.Only assumption I is impicit	
	b. Only assumption II is impicit	
	c.either I or II impicit	
	d.neither I nor II impicit	
Q3.	meaning the word -ARGUMENTATIVE	
	A.strident	
	b. controversial	
	c.irreverent	
	d.vociferous	
Q4.	Which word does not have a similar meaning to <b>amiss</b>	
	a.improper	
	b.unsutable	
	c.avoid	
	d.incorrect	
Q5.	find the odd one pair among the given pairs	
	A. SHOE -LEATHER	
	B.TABLE-WOOD	
	C.IRON-AXE	
Q6.	Statement: "In order to bring punctuality in our office, we must provide conveyance company tells Personnel manager.	allowance to our employees" - In charge

c. the little girl said to her mother if the sun roses in the east

	A. Only assumption I is implicit	
	B. Only assumption II is implicit	
	C. Either I or II is implicit	
	D. Neither is implicit	
Q7.	Please do not an offer made by the chairman.	
	A. Deny	
	B. Refuse	
	C. Refrain	
	D. None of these	
Q8.	In the questions below the sentence has been given In Active / Passive vote. From expresses the been sentence in Pass that 'Active yoke.  'After ahem professor Kumar to the museum she dropped him at his hotel' Response	the given allematNes. choose me ore wash best
	a. After, hemp drag° to the mascara. Professor Kumar was drooped al his hail	
	b. Professor kumar, w as being Owen trapped at IS need	
	c. Met she had driven professor Kumar I to the she had museum dropped him at is hote	
	d. after She wasgiven professor Kumar to the museum dropped him at is hotel	
Q9.	Find the correctly spelt word.	
	a.Efficient	
	b.treatmeant	

Assumptions:
I. Conveyance allowance will not help in bringing punctuality.
II. Discipline and reward should always go hand in hand.

	c.element
	d.employd
Q10.	Synonym for EMBEZZLE
	a. misapropriate
	b.balance
	c.remunearts
	d.clear
Q11.	Synonym for AUGUST
	a Cammon
	b. PettY
	c.retculaious
	d.dignified
Q12.	Antoryrn for OUIESCENT
	a.Damant
	b. Weak
	c.unconcerned
	d.active
Q13.	Synonym for <b>CANNY</b>
	a.obstinete
	b. Halftone
	c. Cautions
	d. Stout


Q14.

8. antonym tor **ENORMOUS** 

	a.soft	
	b. average	
	c.tiny	
	b.weak	
Q15.	Synonym for <b>BRIEF</b>	
	a.limited	
	b. Small	
	c. little	
	d. enoromous	
Q16.	In each question an imcomplete statement(stem) followed by fillers is given. Pick of incomplete stem correctly and meaningfully.  Devite his best efforts to conceal his anger?	out yhe best one which can complete
	a. we could detect Mel he was very happy	
	b.he failed to give us on impression of his agony	
	c.he succeedad in campouflaging his emotions	
	d. people came to know that he was annoyed	
Q17.	RELINQUISH	
	a.abdicate	
	b.renounce	
	possess	
	deny	
Q18.	Extreme old age when a man behaves like a fool	
	a.imbecility	
	b.senility	

c.dotage

	d.superannuation	
Q19.	find the correct spelling words	
	a.foreign	
	b.foreine	
	c.fariegn	
	d.forein	
Q20.	Each question consist of two words which have a certain relationship to each other the pair which has the same relationship. DIVA:OPERA	followed by four pairs of related words, Selec
	a.producer:theatre	
	b.director:drama	
	c.conductor:bus	
	d.thespian:play	
	Section 3 - Reasoning	
<ul><li>No. of Qu</li><li>Duration:</li></ul>		
Q1.	Pointing to boy surya said "he is the son of my grandfathers only son" how is the bo	y related to surya
	a.SON	
	b.NEPHEW	
	c.DATA INADEQUATE	
	d.None of these	



a.NORTH		
b.SOUTH		
C.EAST		
d.WEST		

Q3. If P denotes "multiplied by", T denotes "subracted from", M denotes "added to", and B denotes "divided by", then 28 B 7 P 8 T 6 M 4 = ?

A. - 3 / 2

B. 30

C. 32

D. 34

Q4. if 'SKY' is STAR is STAR is CLOUD is CLOUD is EARTH is TREE and TREE is BOOK then where do the birds fly

a.CLOUD

b.SKY

C.STAR

d.BOOK

Q5. REQUEST IS Written as S2R52TU ,then how will ACID be written

a.1394

b.B3J4		
C.1C94		
d.None of	these	
IF + means X Means / / means + Mean x 24x6-3/4+7		
a.9		
b.81		
c.121		
d.99		
west		
north – ea	et	
south		
Choose the	alternative which closely resembles the mirror Image el the given  ANS43012 (4) SNA34021 (4)	ANS43Q12
a.1		
b.2		
c.3		
d.4		

a.1

Q6.

Q7.

Q8.

Q9.

b.2	
c.3	
d.4	
Choose the box that is similar to the box formed from the given sheet of paper(x):	
(x) (1) (2) (3) (4)	
a.1I and 3 only	
b. I and 4 Only	
c. 2 and 4 only	
d.3and 4 only	
Choose the figure which different from the rest	
a.1	
b.2	
c.3	
d.4	
e.5	
Select a suitable fi3ure homily law that would complex Ma figure mania. Find out of figure matrix?	lo alarm Nunn (1), (2). (3) and (4) complete the
a.1	
b.2	
c.3	

Q10.

Q11.

Q12.

	a.A
	b.B
	c.C
	d.D
Q17.	Which playing the replace question mark
	a. 9 clubs
	b.2 of clubs
	c.7 of clubs
	d.6 of clubs
Q18.	find the number of triangles in the given image.
	a.8
	b.10
	c.12
	d.14
Q19.	Count the number of the of triangles and squares In Ire Oval Iwo
	a.36 triangles ,7 squares
	b.36 triangles ,9 squares
	c.40 triangles ,7 squares
	d.42 triangles ,9 squares

Q20. what is the maximum of colours required to fill the spaces In the given diagram without any two adjacent spaces having the same colour?





	a.6
	b.5
	c.4
	d.3
	Section 4 - Coding
	Summary uestions: 20 : 20 min
<b>Addit</b> None	ional Instructions:
Q1.	Which of the following fopen statements are illegal?
	fp = fopen("abc.txt", "r");
	fp = fopen("/home/user1/abc.txt", "w");
	fp = fopen("abc", "w");
	None of the mentioned.
Q2.	Which of the following statements about stdout and stderr are true?
	Same
	Both connected to screen always.
	Both connected to screen by default.
	stdout is line buffered but stderr is unbuffered.
Q3.	<pre>What is the output of this C code?  int main() {    int c = 2 ^ 3;    printf("%d\n", c); }</pre>

```
8
  9
  0
 What is the output of this C code?
   void main()
     int x = 97;
   int y = sizeof(x++);
printf("x is %d", x);
  x is 97
  x is 98
  x is 99
  Run time error
 Which of the following storage class supports char data type?
  register
  static
  auto
  All of the mentioned
 What is the output of this C code?
   void main()
int k = (a++, ++a);
printf("%d\n", k);
}
     int a = -5;
  -3
  -5
  4
  Undefined
```

Q4.

Q5.

Q6.

Q7. What is the output of this C code? int main() int x = -2; x = x >> 1; printf("%d\n", x); 1 -1 2 ^ 31 - 1 considering int to be 4 bytes Either (b) or (c) Q8. 1.Comment on the output of this C code? int main() int a[5] = {1, 2, 3, 4, 5}; int i; for (i = 0; i < 5; i++)if ((char)a[i] == '5') printf("%d\n", a[i]); printf("FAIL\n"); } The compiler will flag an error Program will compile and print the output 5 Program will compile and print the ASCII value of 5 D. Program will compile and print FAIL for 5 times stdout, stdin and stderr are? Q9. File pointer File desciptors **Streams** Structure Q10. Automatic variables are allocated space in the form of a:

	stack	
	queue	
	priority queue	
	random	
Q11.	What is the output of the following naive method used to find the maximum sub-arr	ay sum?
	#include int main()	
	{     int arr[1000] = {-2, -5, 6, -2, 3, -1, 0,-5, 6}, len = 9;     int cur_max, tmp_max, strt_idx, sub_arr_idx;     cur_max = arr[0];	
	for(strt_idx = 0; strt_idx < len; strt_idx++) {	
	tmp_max = 0; for(sub_arr_idx = strt_idx; sub_arr_idx < len; sub_arr_idx++)	
	{ tmp_max += arr[sub_arr_idx];	
	if(tmp_max > cur_max) cur_max = tmp_max;	
	} } printf("%d",cur_max);	
	return 0; }	
	6	
	9	
	7	
	None of the mentioned	
Q12.	Suppose we are sorting an array of eight integers using heapsort, and we have just minheapify) operations. The array now looks like this: 16 14 15 10 12 27 28 How marked of heap?	
	1	
	2	
	3 or 4	

A 3-ary max heap is like a binary max heap, but instead of 2 children, nodes have 3 children. A 3-ary heap can be represented by an array as follows: The root is stored in the first location, a[0], nodes in the next level, from left to right, is stored from a[1] to a[3]. The nodes from the second level of the tree from left to right are stored from a[4] location onward. An item x can be inserted into a 3-ary heap containing n items by placing x in the location a[n] and pushing it up the tree to satisfy the heap property. Which one of following is a valid sequence of elements in an array representing 3-ary max heap?

5 or 6

```
1, 3, 5, 6, 8, 9

9, 6, 3, 1, 8, 5

9, 3, 6, 8, 5, 1

9, 5, 6, 8, 3, 1
```

The degree sequence of a simple graph is the sequence of the degrees of the nodes in the graph in decreasing order. Which of the following sequences can not be the degree sequence of any graph? I. 7, 6, 5, 4, 4, 3, 2, 1 II. 6, 6, 6, 6, 3, 3, 2, 2 III. 7, 6, 6, 4, 4, 3, 2, 2 IV. 8, 7, 7, 6, 4, 2, 1, 1

```
I and IV

IV only

II and IV
```

Q15. The most efficient algorithm for finding the number of connected components in an undirected graph on n vertices and m edges has time complexity.

```
	heta (n) 	heta (m) 	heta (m + n) 	heta (mn)
```

next = current->next; current->next = prev;

prev = current; current = next;

/\*ADD A STATEMENT HERE\*/

}

Q16. The following function reverse() is supposed to reverse a singly linked list. There is one line missing at the end of the function.
/\* Link list node \*/
struct node
{
 int data;
 struct node\* next;
};

/\* head\_ref is a double pointer which points to head (or start) pointer
 of linked list \*/
static void reverse(struct node\*\* head\_ref)
{
 struct node\* prev = NULL;
 struct node\* current = \*head\_ref;
 struct node\* next;
 while (current != NULL)
 {
}

What should be added in place of "/\*ADD A STATEMENT HERE\*/", so that the function correctly reverses a linked list.

```
*head_ref = prev;

*head_ref = current;

*head_ref = next;

*head_ref = NULL;
```

Q17. What are the time complexities of finding 8th element from beginning and 8th element from end in a singly linked list? Let n be the number of nodes in linked list, you may assume that n > 8.

```
O(1) and O(n)

O(1) and O(1)

O(n) and O(1)

O(n) and O(n)
```

Q18. A function f defined on stacks of integers satisfies the following properties.  $f(\emptyset) = 0$  and  $f(\text{push }(S, i)) = \max(f(S), 0) + i$  for all stacks S and integers i.

If a stack S contains the integers 2, -3, 2, -1, 2 in order from bottom to top, what is f(S)?

6

4

3

2

Q19. Consider the function f defined below.

For a given linked list p, the function f returns 1 if and only if (GATE CS 2003)

the list is empty or has exactly one element

the elements in the list are sorted in non-decreasing order of data value

the elements in the list are sorted in non-increasing order of data value

not all elements in the list have the same data value.	

Q20. Which of the following permutation can be obtained in the same order using a stack assuming that input is the sequence 5, 6, 7, 8, 9 in that order?

7, 8, 9, 5, 6	
5, 9, 6, 7, 8	
7, 8, 9, 6, 5	
9, 8, 7, 5, 6	



# **Answer Key & Solution**

3	Section 1 - Quantitative Aptitude
Q1	east
	Solution
	No Solution
Q2	1/3
	Solution
	No Solution
Q3	1/9
	Solution
	No Solution
Q4	25
	Solution
	No Solution
Q5	18
	Solution
	No Solution
Q6	7.5m/s
	Solution
	No Solution
Q7	1200m
	Solution
	No Solution
Q8	3:1
	Solution

No Solution

17.5m **Solution** No Solution Q10 273m Solution No Solution Q11 288.69 m **Solution** No Solution Q12 Rs 156250 **Solution** No Solution Q13 Rs 1200 Solution No Solution Q14 20.20m **Solution** No Solution Q15 20,12,15 days **Solution** No Solution Q16 26/3 days Solution No Solution Q17 Rs 4800 Solution

	No Solution	
Q18	12m	
	Solution	
	No Solution	
Q19	Rs 50	
	Solution	
	No Solution	
Q20	48 paise	
	Solution	
	No Solution	
	Section 2 - Verbal	
Q1	b. the little girl said to her mother if the sun rose in the east	
	Solution	
	No Solution	
Q2	b. Only assumption II is impicit	
	Solution	
	No Solution	
Q3	b. controversial	
	Solution	
	No Solution	
Q4	c.avoid	
	Solution	
	No Solution	
Q5	C.IRON-AXE	
	Solution	
	No Solution	

Q6	B. Only assumption II is implicit	
	Solution	
	No Solution	
Q7	B. Refuse	
	Solution	
	No Solution	
Q8	a. After, hemp drag° to the mascara. Professor Kumar was drooped al his hail	
	Solution	
	No Solution	
Q9	a.Efficient	
	Solution	
	No Solution	
Q10	a. misapropriate	
	Solution	
	No Solution	
Q11	d.dignified	
	Solution	
	No Solution	
Q12	d.active	
	Solution	
	No Solution	
Q13	c. Cautions	
	Solution	
	No Solution	

Q14 c.tiny Solution No Solution Q15 d. enoromous Solution No Solution Q16 d. people came to know that he was annoyed Solution No Solution Q17 possess **Solution** No Solution Q18 c.dotage **Solution** No Solution Q19 a.foreign **Solution** No Solution Q20 d.thespian:play **Solution** No Solution **Section 3 - Reasoning** Q1 a.SON **Solution** No Solution Q2 C.EAST

**Solution** No Solution Q3 B. 30 Solution No Solution Q4 C.STAR **Solution** No Solution Q5 d.None of these **Solution** No Solution Q6 a.9 Solution No Solution Q7 north - east **Solution** No Solution Q8 b.2 **Solution** No Solution Q9 c.3 Solution No Solution Q10 a.11 and 3 only Solution

No Solution Q12 d.4**Solution** No Solution Q13 c.3 Solution No Solution Q14 d. 125 **Solution** No Solution Q15 a.6 **Solution** No Solution Q16 a.A **Solution** No Solution Q17 a. 9 clubs Solution No Solution

No Solution

d.4

Solution

Q11

Q18

b.10

Solution

No Solution

	c.40 triangles ,7 squares	
	Solution	
	No Solution	
Q20	d.3	
	Solution	
	No Solution	
	Section 4 - Coding	
Q1	None of the mentioned.	
	Solution	
	No Solution	
Q2	Both connected to screen by default.	
	Solution	
	No Solution	
Q3	1	
	Solution	
	No Solution	
Q4	x is 97	
	Solution	
	No Solution	
Q5	All of the mentioned	
	Solution	
	No Solution	
Q6	-3	
	Solution	
	No Solution	

Q7

## Solution

No Solution

Q8

**D.** Program will compile and print FAIL for 5 times

### Solution

No Solution

Q9

File pointer

Solution

No Solution

Q10

stack

#### **Solution**

No Solution

Q11

7

# Solution

No Solution

Q12

2

## Solution

No Solution

Q13

9, 5, 6, 8, 3, 1

## **Solution**

No Solution

Q14

II and IV

II and IV

### Solution

No Solution

Q15  $\theta$ (m + n)

Solution

No Solution

Q16 \*head\_ref = prev;

Solution

\*head\_ref = prev;

At the end of while loop, the *prev* pointer points to the last node of original linked list. We need to change \*head\_ref so that the head pointer now starts pointing to the last node.

Q17 O(1) and O(n)

**Solution** 

Finding 8th element from beginning requires 8 nodes to be traversed which takes constant time.

Finding 8th from end requires the complete list to be traversed.

Q18 3

Solution

f(S) = 0, max(f(S), 0) = 0, i = 2

f(S)new = max(f(S), 0) + i = 0 + 2 = 2

f(S) = 2, max(f(S), 0) = 2, i = -3

f(S)new = max(f(S), 0) + i = 2 - 3 = -1

f(S) = -1, max(f(S), 0) = 0, i = 2

f(S)new = max(f(S), 0) + i = 0 + 2 = 2

f(S) = 2, max(f(S), 0) = 2, i = -1

f(S)new = max(f(S), 0) + i = 2 - 1 = 1

f(S) = 1, max(f(S), 0) = 1, i = 2

f(S)new = max(f(S), 0) + i = 1 + 2 = 3

Q19

the elements in the list are sorted in non-decreasing order of data value

#### Solution

The function f() works as follows

- 1) If linked list is empty return 1
- 2) Else If linked list has only one element return 1
- 3) Else if node->data is smaller than equal to node->next->data and same thing holds for rest of the list then return 1
- 4) Else return 0

Q20

7, 8, 9, 6, 5

### Solution

The sequence given in option (C) is one of the only possible sequence which can be obtained.

We can obtain the sequence by performing operations in the manner:

Push 5

Push 6

Push 7

Pop 7

Push 8

Pop 8

Push 9

Pop 9

Pop 6

Pop 5.

hence the sequence will be 7,8,9,6,5.

