7) Cookser: - (07) PHP COOKser A Cookser offenly used to Identity an user of It is a small skle that the sower Embedy on the user Computer. functions: * Set (OOKIELL) a Cooker 1) * Example: [How to check the cooker one Erentles?] set cookeel "best_cookee", "best"; time () is count ((& cookie) >0) echo (" cookte enable"); eeno (cookre ove Not enoble");

Zhody > Zhoml >
(2) or Evample 2 : [Daleting a cookies 2]
Jo delate a cookse we use to set-cookser()
with Expire dode in pased.
< 3 byb
// set the Expire doute to 1 hour ago
Set Cookse (" user ", " ", birne () - 3600);
<pre>// Lhotal > " Love to the state of the</pre>
<pre> <pre> <pre> <pre> <pre> </pre> <pre> <pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> <pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> <pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> <pre> <pre> <pre> <pre> </pre> <pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> <pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> </pre> <pre> <pre> <pre> <pre> <pre> </pre> <pre> </pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> </pre> <pre> <pre> <pre> </pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> <pre> </pre> <pre> <pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>
L? Php echo" cookie 'user' in deleted ";
2 lbody> 2/hdml>
OUTPUT: Cookse user 8s deleted
in the state of th
8) PHP Sessiont: - (2m) (on) [Diff blu coo & sess]
* A Session is a way to store Information used
Aceross a Multiple pages of the
unlike a Cookte a Information is not stored
On uses Computer.
* Session is also known as a Ubriableto
H of the Med the man of the section of
functions;
=> Session = Stort ();

* Example: 1 ? Php // start the session ? > 2 home > Lbody > 2 8 php. 11 set varables Session B session [" four color"] = "Rose". & Session [" Fav arimal] = "Cat". & Session (" Fau bike") = "Pulser"; Ceho " session variable die set "; 21200ly> 2(horal>