


1. Readme.md file created




The screenshot shows a VS Code editor with a project named 'rag-mongo-demo-v9'. The Explorer sidebar on the left shows the project structure, including files like 'client', 'node_modules', 'releases', 'server', 'src', 'uploads', '.env', '.env.example', '.gitignore', 'package-lock.json', 'package.json', and 'README.md'. The README.md file is open in the editor, showing the following content:

```
1 # rag-mongo-demo
132 ## Setup
182 ### 4. Start the Application
192
193 ## API Endpoints
194
195 ### Data
196
197 | Method | Endpoint | Description |
198 |-----|-----|-----|
199 | 'GET' | '/api/files' | List JSON files in 'src/data/' |
200 | 'POST' | '/api/upload-excel' | Upload Excel file and convert to JSON |
201 | 'POST' | '/api/create-embeddings' | Create embeddings for selected files (job-based) |
202 | 'POST' | '/api/create-embeddings-batch' | Create embeddings using batch scripts (job-based) |
203
204 ### Search
205
206 | Method | Endpoint | Description |
```

The terminal window at the bottom shows the command 'npm run dev' being executed, and the output shows the application running successfully, with a message 'Groq response received'.

2. POSTMAN API – COHERE



The screenshot shows the Postman interface with a collection named 'Cohere Embed API Collection'. The selected request is '04 - Embed Documents for RAG'. The request is a POST to the endpoint '[[base_url]]/v2/embed'. The request body is in JSON format, containing the following data:

```
1 {
2   "model": "{{model}}",
3   "input_type": "search_document",
4   "texts": [
5     "User Story: As a customer, I want to add a product to my shopping cart so that I can purchase it later.",
6     "Acceptance Criteria: The product should be added to the cart when the Add to Cart button is clicked.",
7     "Acceptance Criteria: The cart quantity should increase when the same product is added again."
8   ]
9 }
```

The response is a 200 OK status, with a response time of 775 ms and a body size of 14.47 KB. The response body is in JSON format, containing the following data:

```
1 {
2   "id": "012fa23c-ec4e-416f-8099-2217eca046a3",
3   "texts": [
4     "user story : as a customer, i want to add a product to my shopping cart so that i can purchase it later.",
5     "acceptance criteria : the product should be added to the cart when the add to cart button is clicked.",
6     "acceptance criteria : the cart quantity should increase when the same product is added again."
7   ],
8   "embeddings": {
9     "float": [
```

The image displays two screenshots of the Postman interface, showing API calls to the Cohere Embed API.

Top Screenshot: Cohere Embed API Collection > 03 - Embed Search Query

Request: POST `{{base_url}}/v2/embed`

Body (JSON):

```
1 {
2   "model": "{{model}}",
3   "input_type": "search_query",
4   "texts": [
5     "How do I create embeddings using Cohere?"
6   ],
7   "embedding_types": [
8     "float"
9   ]
10 }
```

Response: 200 OK - 521 ms - 5.58 KB

Body (JSON):

```
1033 {
1034   }
1035 },
1036 "meta": {
1037   "api_version": {
1038     "version": "2"
1039   },
1040   "billed_units": {
1041     "input_tokens": 13
1042   }
1043 },
1044 "response_type": "embeddings_by_type"
```

Bottom Screenshot: Cohere Embed API Collection > 02 - Embed Multiple Texts

Request: POST `{{base_url}}/v2/embed`

Body (JSON):

```
1 {
2   "model": "{{model}}",
3   "input_type": "search_document",
4   "texts": [
5     "Cohere provides embedding models for semantic search.",
6     "Embeddings convert text into numerical vectors.",
7     "Vector databases can store and search embeddings."
8   ],
9   "embedding_types": [
10    "float"
11  ]
12 }
```

Response: 200 OK - 398 ms - 14.3 KB

Body (JSON):

```
1 {
2   "id": "136a78e9-eaeb-4678-baef-c3387495c11e",
3   "texts": [
4     "cohere provides embedding models for semantic search.",
5     "embeddings convert text into numerical vectors.",
6     "vector databases can store and search embeddings."
7   ],
8   "embeddings": {
9     "float": [
10      [
11        0.027160645,
12        -0.023635864,
13        ...
14      ]
15    ]
16  }
```

3. RAG – Ingestion and Query Processing

RAG Pipeline - Testleaf

Ask Gemini

localhost:3000

Install

LeafTapsMongoDBAI Studio - Mistral AI

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

RAG Pipeline

Home > Embeddings & Store

Create and manage embeddings

Embeddings & Store

Select JSON files to create embeddings and store them in MongoDB Atlas Vector Database.

Available Files

4 JSON files found

☐

File Name

Size

Modified ↓

Type

☐

stories-1785228326176.json

198.29 KB

7/28/2026 2:15:26 PM

JSON

☐

converted-1785228314932.json

6.29 MB

7/28/2026 2:15:16 PM

JSON

☐

stories-1785042169590.json

198.29 KB

7/26/2026 10:32:50 AM

JSON

RAG Pipeline - Testleaf

Ask Gemini

localhost:3000

Install

LeafTapsMongoDBAI Studio - Mistral AI

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion

RAG Pipeline

Home > Query Preprocessing

Transform & expand queries

PIPELINE STEPS

ABBREVIATIONS

SYNONYM VARIATIONS

Query Transformation Pipeline

ORIGINAL QUERY

"SCAN Appoinment"

1 NORMALIZATION

"scan appoinment"

2 tokens

2 ABBREVIATION EXPANSION

0 expansions

"scan appoinment"

RAG Pipeline - Testleaf

Ask Gemini

localhost:3000

Install

LeafTapsMongoDBAI Studio - Mistral AI

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

RAG Pipeline

Home > Vector Search

Semantic vector search

Query Search

Search through your test cases using semantic similarity with AI embeddings.

Search Query

Enter your search terms and find similar test cases

Enter your search query

SCAN Appointment for IP

Use descriptive terms related to test functionality

Advanced Metadata Filters

SHOW FILTERS

Results Limit

5 Results

SEARCH

Search Query: "SCAN Appointment for IP"

5 results

Performance: \$0.000001 cost 9 tokens

RAG Pipeline - Testleaf

Ask Gemini

localhost:3000

Install

LeafTapsMongoDBAI Studio - Mistral AI

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

RAG Pipeline

Home > Vector Search

Semantic vector search

Search Results

5 results ranked by semantic similarity

Test Case	Similarity	Description	Source
IP Search - Cancel IP Admis:	85.5%	To verify after admission, User is able to cancel IP Admission..	AT(Admission Module)
IP Search - Transfer	85.5%	To verify after admission, User is able to Transfer	AT(Admission Module)
IP Sample Collection - New t	85.2%	Verify user able to generate New SIN	Laboratory
IP Search	85.2%	To verify after admission, User is able to search using IP num...	AT(Admission Module)

Rows per page: 101-5 of 5

RAG Pipeline - Testleaf

localhost:3000

Ask Gemini

Install

LeafTapsMongoDBAI Studio - Mistral AI

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion

RAG Pipeline

Home > Vector Search

Semantic vector search

IP Search

85.2%

To verify after admission, User is able to search using IP num...

AT(Admission Module)

Rows per page: 101-5 of 5

Detailed View

IP Search - Cancel IP Admission

Score: 0.8551

AT(Admission Module)

IP Search - Transfer

Score: 0.8547

AT(Admission Module)

IP Sample Collection - New SIN

Score: 0.8525

Laboratory

IP Search

Score: 0.8518

AT(Admission Module)

Consult an patient for which appointment is not available

Score: 0.8508

Digital OP

RAG Pipeline - Testleaf

localhost:3000

Ask Gemini

Install

LeafTapsMongoDBAI Studio - Mistral AI

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

RAG Pipeline

Home > BM25 Search

Keyword-based search

SHOW FILTERS

BM25 Search Results: Found 5 test cases in 73ms

Search Type: bm25

Search Results (5)

#1 TC_4020

Score: 15.62

Blood Donation -> Apheresis Procedure -> View

Module: BB(Blood Bank)P3Risk: LowAutomated

Description: Verify user is able to view the Apheresis Procedure records

Steps: 1.Launch the application 2.Login to the application with valid credentials 3.Click on patient service tab and select BB from dropdown 4.Navigate to Functions -> Blood Donation -> Apheresis Procedure 5.Enter the UHID ,token number to view particular record details (or) click on view to see all records 6. Click on" View" Button.

Expected Results: Should able to view the Apheresis procedure records

Created: 7/26/2026

localhost:3000

Install

LeafletsMongoDBAI Studio - Mistral AI

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

RAG Pipeline

Home > Hybrid Search

Combined BM25 + Vector

Hybrid Search (BM25 + Vector)

Combines BM25 keyword matching with semantic vector search for best results. Adjust weights to control the balance.

Search Query

Show patients who has been admitted for Ortho

Results Limit

5

SEARCH

Search Weights

BM25 Weight: 50%

Vector Weight: 50%

0%50%100%

0%50%100%

BALANCED (50/50)

KEYWORD HEAVY (70/30)

SEMANTIC HEAVY (30/70)

RAG Pipeline - Testleaf

localhost:3000

Ask Gemini

LeafletsMongoDBAI Studio - Mistral AI

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

RAG Pipeline

Home > Hybrid Search

Combined BM25 + Vector

Hybrid Search Results: Found 5 test cases in 1823ms
Stats: 0 in both indexes, 1 BM25 only, 4 vector only
Timing: BM25: 88ms, Vector: 1723ms
Cost: \$0.000001 (11 tokens)

Search Results (5)

#1 TC_5663 Hybrid: 50.0% Found in: bm25

Billing/ES -> Ortho Pedic Details Report -> View Report

Module: MIS P1 Risk: High Automated

Description: Verify user should able to view the Ortho Pedic Details Report

Steps: 1.Launch the application 2.Login to the application with valid credentials 3.Click on common support service tab and select MIS from dropdown 4.Navigation Billing/ES -> Ortho Pedic Details Report 5.Select from Date and To Date from the calendar 6.Click on "View report" button 7.Click on "Print" icon to print the report 8.Click on "Export this report" icon to export file 9.Select File format from the dropdown 10.Select Page range radio button and enter From and To details 11.Click on "Export" button

Expected Results: 1.Ortho Pedic Details Report should be displayed 2.Ortho Pedic Details Report should be printed 3.Exported File should get download with selected Format

Score Breakdown:

RAG Pipeline - Testleaf

localhost:3000

Ask Gemini

LeafletsMongoDBAI Studio - Mistral AI

Navigation

Convert to JSON

Upload and convert Excel files (Test Cases or User Stories)

Embeddings & Store

Create and manage embeddings

Query Preprocessing

Transform & expand queries

Vector Search

Semantic vector search

BM25 Search

Keyword-based search

Hybrid Search

Combined BM25 + Vector

Score Fusion

BM25+Vector fusion reranking

RAG Pipeline

Home > Score Fusion

BM25+Vector fusion

Search Query

Get the Patient who has admitted for Ortho

Top-K Candi... Final Limit

50 5

SEARCH


FILTERS

Groq AI Reranking Results: Found 5 test cases ranked by Groq AI
Timing: Total: 4689ms
Method: BM25 + Vector -> Groq AI Semantic Reranking

AFTER RERANKING (FINAL) BEFORE RERANKING (ORIGINAL) COMPARISON TABLE

After Groq AI Reranking (5 results)

#1 TC_5663 Rerank Score: 1.0000 Was #1



From API
Abbreviation, Synonym Expansion

The image displays two screenshots of the Postman API client interface, showing the results of a POST request to the endpoint `/api/search/preprocess`.

Top Screenshot: The request body is a JSON object with the following structure:

```
{
  "query": "CT & MRI Scan",
  "options": {
    "enableAbbreviations": true,
    "enableSynonyms": true,
    "maxSynonymVariations": 5,
    "customAbbreviations": {},
    "customSynonyms": {},
    "smartExpansion": false,
    "preserveTestCaseIds": true
  }
}
```

The response is a 200 OK status with a response time of 15 ms and a body size of 828 B. The response body is a JSON object with the following structure:

```
{
  "original": "CT & MRI Scan",
  "normalized": "ct mri scan",
  "abbreviationExpanded": "computed tomography magnetic resonance imaging scan",
  "synonymExpanded": [
    "computed tomography magnetic resonance imaging scan"
  ],
  "metadata": {
    "testCaseIds": [],
    "abbreviationMappings": [
      {
        "abbreviation": "mri",
        "expansion": "magnetic resonance imaging"
      }
    ]
  }
}
```

Bottom Screenshot: The request body is a JSON object with the following structure:

```
{
  "query": "CBC, TSH Blood Test",
  "options": {
    "enableAbbreviations": true,
    "enableSynonyms": true,
    "maxSynonymVariations": 5,
    "customAbbreviations": {},
    "customSynonyms": {},
    "smartExpansion": false,
    "preserveTestCaseIds": true
  }
}
```

The response is a 200 OK status with a response time of 8 ms and a body size of 843 B. The response body is a JSON object with the following structure:

```
{
  "original": "CBC, TSH Blood Test",
  "normalized": "cbc tsh blood test",
  "abbreviationExpanded": "cbc tsh blood test",
  "synonymExpanded": [
    "cbc tsh blood test",
    "cbc tsh blood examination",
    "cbc tsh blood investigation",
    "cbc tsh blood analysis",
    "cbc tsh blood screening"
  ],
  "metadata": {
    "testCaseIds": []
  }
}
```

Query Search:

```
{
  "query": "Choose the exact department doctor based on initial Analysis",
  "limit": 5,
  "filters": {
    "module": "",
    "priority": "",
    "risk": "",
    "automationManual": ""
  }
}
```

```
}
```

```
{
```

```
"success": true,
```

```
"query": "Choose the exact department doctor based on initial Analysis",
```

```
"filters": {
```

```
  "module": "",
```

```
  "priority": "",
```

```
  "risk": "",
```

```
  "automationManual": ""
```

```
},
```

```
"results": [
```

```
  {
```

```
    "_id": "6a65a0b25339a76827f87952",
```

```
    "module": "OP-Wards",
```

```
    "id": "TC_2456",
```

```
    "preRequisites": "1. Patient Checkedin",
```

```
    "title": "Doctor Dashboard - OP Dashboard -Consultations - Initial  
Assessment",
```

```
    "description": "Verify user able to Save Initial Assessment",
```

```
    "steps": "1.Launch the application\r\n2.Login to the application with valid  
credentials.\r\n3.Click on Patient Service Tab and select Doctors and wards from  
the drop down.\r\n4.Navigate to Functions->OP Flow->Doctor Dashboard\r\n5.  
Click on UHID of the Patient under Consultations section\r\n6. Enter Height and  
Weight \r\n7. Click on Cal\r\n8. Click on Diagnosis Tab\r\n9. Enter Disease Name  
and Click on Search\r\n10.Select disease and click on Add\r\n11.Click on  
Investigations Tab\r\n12.Enter Service Name and Click on Search\r\n13.Select  
service and click on Add\r\n14. Click on Prescription Tab\r\n15. Enter Drug  
Name and Click on Search\r\n16.Select Drug \r\n17. Enter Dosage, and Select  
Quantity, Frequency, Relationwith Meal and Duration\r\n18. Click on OP  
Recommendations Tab\r\n19. Enter Recommendations\r\n20. Click on Preview  
Tab\r\n21. Click on Submit",
```

```
    "expectedResults": "OP Report Should be Generated",
```

```
    "automationManual": "Automated",
```

```
    "priority": "P3",
```

```
    "createdBy": "Sudarshan",
```

```
    "createdDate": 44627,
```

```
    "lastModifiedDate": 44858,
```

```
    "risk": "Critical",
```

```
    "version": "v15.0",
```

```
    "type": "UI",
```

```

    "createdAt": "2026-07-26T05:52:50.056Z",
    "score": 0.9034426808357239
  },
  {
    "_id": "6a65a0e85339a76827f88096",
    "module": "Doctors-Wards",
    "id": "TC_5076",
    "preRequisites": "No Pre-requisite",
    "title": "Doctor Dashboard - Patient History - Initial Assessment",
    "description": "Verify user able to View Initial Assessment",
    "steps": "1.Launch the application\r\n2.Login to the application with valid
credentials.\r\n3.Click on Patient Service Tab and select Doctors and wards from
the drop down.\r\n4.Navigate to Functions->Transactions->Doctor
Dashboard\r\n5. Click on Patient Record Link\r\n6.Select Patient Type as
\"Emergency\" and Click Search\r\n7. Click on Initial Assessment Icon",
    "expectedResults": "The Patients Initial Assessment should be displayed ",
    "automationManual": "Manual",
    "priority": "P3",
    "createdBy": "Sumitha",
    "createdDate": 45104,
    "lastModifiedDate": 45104,
    "risk": "Low",
    "version": "v7.0",
    "type": "UI",
    "createdAt": "2026-07-26T05:53:44.043Z",
    "score": 0.9015340209007263
  },
  {
    "_id": "6a65a0a45339a76827f87789",
    "module": "Doctors-Wards",
    "id": "TC_5082",
    "preRequisites": "1. Patient Checkedin",
    "title": "Doctor Dashboard - OP Dashboard -Consultations - Initial
Assessment",
    "description": "Verify user able to Save Initial Assessment",
    "steps": "1.Launch the application\r\n2.Login to the application with valid
credentials.\r\n3.Click on Patient Service Tab and select Doctors and wards from
the drop down.\r\n4.Navigate to Functions->Transactions->Doctor
Dashboard\r\n5. Click on OP Dashboard Link\r\n6. Click on UHID of the Patient
under Consultations section\r\n7. Enter Height and Weight \r\n8. Click on
Ca\r\n9. Click on Save as Draft",

```

```

    "expectedResults": "Draft Saved Successfully Message should be
displayed",
    "automationManual": "Automated",
    "priority": "P3",
    "createdBy": "Sumitha",
    "createdDate": 45051,
    "lastModifiedDate": 45132,
    "risk": "Critical",
    "version": "v18.0",
    "type": "UI",
    "createdAt": "2026-07-26T05:52:36.675Z",
    "score": 0.9013532996177673
  },
  {
    "_id": "6a65a0e85339a76827f8807c",
    "module": "Doctors-Wards",
    "id": "TC_5113",
    "preRequisites": "No Pre-requisite",
    "title": "Consultant Dashboard - Patient History - Initial Assessment",
    "description": "Verify user able to View Initial Assessment",
    "steps": "1.Launch the application\r\n2.Login to the application with valid
credentials.\r\n3.Click on Patient Service Tab and select Doctors and wards from
the drop down.\r\n4. Click on Patient Record Link\r\n5.Select Patient Type as
\"Emergency\" and Click Search\r\n6. Click on Initial Assessment Icon",
    "expectedResults": "The Patients Initial Assessment should be displayed ",
    "automationManual": "Automated",
    "priority": "P3",
    "createdBy": "Prabakaran",
    "createdDate": 44648,
    "lastModifiedDate": 44893,
    "risk": "Low",
    "version": "v7.0",
    "type": "UI",
    "createdAt": "2026-07-26T05:53:44.043Z",
    "score": 0.9008473753929138
  },
  {
    "_id": "6a65a0a05339a76827f876d6",
    "module": "Doctors-Wards",
    "id": "TC_5262",
    "preRequisites": "1. Patient Checkedin",


```

```

    "title": "Consultant Dashboard - My Appointments - - OP Dashboard -
    Consultations - Initial Assessment",
    "description": "Verify user able to Save Initial Assessment",
    "steps": "1.Launch the application\r\n2.Login to the application with valid
    credentials.\r\n3.Click on Patient Service Tab and select Doctors and wards from
    the drop down.\r\n4.Navigate to Functions->Transactions->Consultant
    Dashboard\r\n5. Click on Patients name under My Appointments Section\r\n6.
    Enter Height and Weight \r\n7. Click on Cal\r\n8. Click on Save as Draft",
    "expectedResults": "Draft Saved Successfully Message should be
    displayed",
    "automationManual": "Automated",
    "priority": "P2",
    "createdBy": "Sudarshan",
    "createdDate": 45185,
    "lastModifiedDate": 45267,
    "risk": "Critical",
    "version": "v7.0",
    "type": "UI",
    "createdAt": "2026-07-26T05:52:32.609Z",
    "score": 0.9006503820419312
  }
],
"cost": 0.0000011,
"tokens": 11,
"model": "mistral-embed"
}

```

4. BM-25 Search



```
{  "query": "Nurse station",  "limit": 10,  "filters": {    "module": "",    "priority": "",    "risk": ""  },  "fields": [    "id",    "title",    "description",    "steps",    "expectedResults",    "module"  ]}
```

Search Response:

```
{  "success": true,  "searchType": "bm25",  "query": "Nurse station",  "filters": {    "module": "",    "priority": "",
```



```

    "risk": ""
  },
  "results": [
    {
      "_id": "6a65a0975339a76827f8756f",
      "module": "Digital dietician",
      "id": "TC_1056",
      "title": "View nurse initial assessment",
      "description": "Verify nurse initial assessment",
      "steps": "1. Login with credential\r\n2. Click on Dietician Dashboard icon\r\n3. Click on 'NA Status' tab\r\n4. Select the patient\r\n5. Click on Nurse initial assessment link",
      "expectedResults": "Nurse Initial assessment PDF will open",
      "automationManual": "Automated",
      "priority": "P3",
      "risk": "Low",
      "createdAt": "2026-07-26T05:52:23.590Z",
      "score": 8.403190612792969
    },
    {
      "_id": "6a65a0905339a76827f874b9",
      "module": "Emergency",
      "id": "TC_3113",
      "title": "Nurse Activities - Re-assign Nurse",
      "description": "Verify user able to Re-assign Nurse",
      "steps": "1.Launch the Application.\r\n2.Login to the application with valid credentials\r\n3.Click on Patient Service Tab and select Emergency from the drop down.\r\n4.Navigate to Functions-> Transactions-> Dashboard\r\n5.Click on Emergency Worklist Tab\r\n6. Right Click on Patient EP Number and Navigate to Nurse Activities - > Re-assign Nurse\r\n7. Select Nurse and Click on Re-Assign",
      "expectedResults": "Patient successfully re-assigned to the Nurse Message Should be displayed",
      "automationManual": "Automated",
      "priority": "P1",
      "risk": "Critical",
      "createdAt": "2026-07-26T05:52:16.286Z",
      "score": 7.9691009521484375
    },
    {
      "_id": "6a65a0d95339a76827f87e88",

```

```

    "module": "Emergency",
    "id": "TC_3129",
    "title": "View - Nurse Notes",
    "description": "Verify User Able to View Nurse Notes",
    "steps": "1.Launch the Application.\r\n2.Login to the application with valid
credentials\r\n3.Click on Patient Service Tab and select Emergency from the
drop down.\r\n4.Navigate to Functions-> Transactions-> Dashboard\r\n5.Click
on Emergency Worklist Tab\r\n6. Right Click on Patient EP Number and Navigate
to View- > Nurse Notes",
    "expectedResults": "The Nurse Notes Details should be displayed",
    "automationManual": "Automated",
    "priority": "P1",
    "risk": "Critical",
    "createdAt": "2026-07-26T05:53:29.427Z",
    "score": 7.705326080322266
  },
  {
    "_id": "6a65a0755339a76827f87096",
    "module": "Admin",
    "id": "TC_1427",
    "title": "CSP - Nurse",
    "description": "To verify the user able to Add the role to CSP - Nurse.",
    "steps": "1.Launch the application\r\n2.Login to the application with valid
credentials.\r\n3.Click on External Service Tab and select Admin from the drop
down.\r\n4.Click on Navigation Menu -> Masters ->Roles ->CSP - Nurse.\r\n5.
Right click on CSP - Nurse and select Add Role.\r\n6.Enter the Role Name and
click on the ,Add, button.",
    "expectedResults": "Role Name should be Added to CSP - Nurse",
    "automationManual": "Automated",
    "priority": "P4",
    "risk": "Low",
    "createdAt": "2026-07-26T05:51:49.644Z",
    "score": 7.54209041595459
  },
  {
    "_id": "6a65a0795339a76827f870d5",
    "module": "Doctors-Wards",
    "id": "TC_4893",
    "title": "Nurse HOD Dashboard - Assign",
    "description": "Verify user able to Assign the patient to Nurse",

```

"steps": "1.Launch the application\r\n2.Login to the application with valid credentials.\r\n3.Click on Patient Service Tab and select Doctors and wards from the drop down.\r\n4.Navigate to Functions->Others->Nurse HOD Dashboard\r\n5. Select Ward\r\n6. Select a Patient and Select Assign To\r\n7. Click on Assign",

"expectedResults": "Patient successfully assigned to the Nurse message should be displayed",

"automationManual": "Manual",

"priority": "P3",

"risk": "Low",

"createdAt": "2026-07-26T05:51:53.095Z",

"score": 7.023874282836914

},

{

"_id": "6a65a06d5339a76827f86f13",

"module": "IP digital",

"id": "TC_1146",

"title": "New Patients",

"description": "To assign the patients to nurse ",

"steps": "1.Launch the application\r\n2.Login to the application with valid credentials.\r\n3.Landing screen - should be able to view multiple tabs like My patients, all patients, new patients,discharge plan,tasklist ,drug administration , drug inventory, handover takeover & patient check out\r\n5.Select on new patients tab\r\n6.Nurse to patient assignment tab\r\n7.Select any patient\r\n8.Select nurse (From dropdown)\r\n9.Click on assign\r\n10.Confirmation message will be displayed as \"patient has been assigned successfully\" \r\n\r\n",

"expectedResults": "To assign the patients to nurse ",

"automationManual": "Automated",

"priority": "P2",

"risk": "Low",

"createdAt": "2026-07-26T05:51:41.810Z",

"score": 6.856733798980713

},

{

"_id": "6a65a0795339a76827f870d6",

"module": "Doctors-Wards",

"id": "TC_4894",

"title": "Nurse HOD Dashboard - Re-Assign",

"description": "Verify user able to Re-Assign the patient to Nurse",

"steps": "1.Launch the application\r\n2.Login to the application with valid credentials.\r\n3.Click on Patient Service Tab and select Doctors and wards from the drop down.\r\n4.Navigate to Functions->Others->Nurse HOD Dashboard\r\n5. Click on Re-assignment Tab and Select Ward\r\n6. Select a Patient and Select Re-Assign To\r\n7. Click on Reassign",

"expectedResults": "Patient successfully re-assigned to the Nurse message should be displayed",

"automationManual": "Automated",

"priority": "P3",

"risk": "Low",

"createdAt": "2026-07-26T05:51:53.095Z",

"score": 6.693066120147705

},

{

"_id": "6a65a0755339a76827f87095",

"module": "IP digital",

"id": "TC_1202",

"title": "Admin activities",

"description": "To do nurse to ward allocation",

"steps": "1.Launch the application\r\n2.Login to the application with valid credentials.\r\n3.Landing screen - should be able to view multiple tabs like My patients, all patients, new patients,discharge plan,tasklist ,drug administration , drug inventory, handover takeover & patient check out\r\n5.Select on home page\r\n6.Click on admin activities\r\n7.Nurse to ward allocation\r\n8.Enter the details\r\n9.Assign\r\n\r\n\r\n\r\n\r\n",

"expectedResults": "to assing the nurse to ward",

"automationManual": "Automated",

"priority": "P2",

"risk": "Low",

"createdAt": "2026-07-26T05:51:49.644Z",

"score": 6.563149452209473

},

{

"_id": "6a65a0cc5339a76827f87ce8",

"module": "IP digital",

"id": "TC_1164",

"title": " Pending handover outgoing requests to another nurse or ward",

"description": " Pending handover outgoing requests to another nurse or ward",

"steps": "1.Launch the application\r\n2.Login to the application with valid credentials.\r\n3.Landing screen - should be able to view multiple tabs like My

5. Hybrid Search:

```
6. {
7.   "query": "IP Procedure",
8.   "limit": 10,
9.   "filters": {
10.    "module": "",
11.    "priority": "",
12.    "risk": ""
13.  },
14.  "bm25Weight": 0.5,
15.  "vectorWeight": 0.5,
16.  "bm25Fields": [
17.    "id",
18.    "title",
19.    "description",
20.    "steps",
21.    "expectedResults",
22.    "module"
23.  ]
24. }
```

Response:

```
{
  "success": true,
  "searchType": "hybrid",
  "query": "IP Procedure",
  "filters": {
    "module": "",
    "priority": "",
    "risk": ""
  },
  "weights": {
    "bm25": 0.5,
    "vector": 0.5
  },
  "results": [
    {
      "_id": "6a65a0fb5339a76827f883db",
      "module": "IP digital",
      "id": "TC_1189",
      "title": "Procedure",
      "description": "To raise procedure",
      "steps": "1.Launch the application\r\n2.Login to the application with valid
credentials.\r\n3.Landing screen - should be able to view multiple tabs like My
patients, all patients, new patients,discharge plan,tasklist ,drug administration ,
```

drug inventory, handover takeover & patient check out\r\n5.Select on other orders from patient panal \r\n6.Select produre\r\n7.Enter details\r\n8.Select type of procedure\r\n7.Add the procedure\r\n8.Save\r\n\r\n \r\n",

"expectedResults": "To raise the procedure for the patient",

"automationManual": "Automated",

"priority": "P2",

"risk": "Low",

"createdAt": "2026-07-26T05:54:03.057Z",

"bm25Score": 11.343183517456055,

"bm25ScoreNormalized": 0.9338182034014181,

"vectorScore": 0.8817722797393799,

"vectorScoreNormalized": 0.8817722797393799,

"hybridScore": 0.9077952415703989,

"foundIn": "both"

},

{

"_id": "6a65a0d05339a76827f87cfb",

"module": "IP digital",

"id": "TC_1190",

"title": "Bedside procedure",

"description": "To raise bed side procedure",

"steps": "1.Launch the application\r\n2.Login to the application with valid credentials.\r\n3.Landing screen - should be able to view multiple tabs like My patients, all patients, new patients,discharge plan,tasklist ,drug administration , drug inventory, handover takeover & patient check out\r\n5.Select on other orders from patient panal \r\n6.Select bed side procedure\r\n7.Enter details\r\n8.Add the procedure\r\n7.Save\r\n\r\n\r\n \r\n",

"expectedResults": "To raise the bedside procedure for the patient",

"automationManual": "Manual",

"priority": "P2",

"risk": "Low",

"createdAt": "2026-07-26T05:53:20.715Z",

"bm25Score": 10.723756790161133,

"bm25ScoreNormalized": 0.8828244102805352,

"vectorScore": 0.8630339503288269,

"vectorScoreNormalized": 0.8630339503288269,

"hybridScore": 0.872929180304681,

"foundIn": "both"

},

{

"_id": "6a65a0b15339a76827f87937",

```

    "module": "IP Billing",
    "id": "TC_3352",
    "title": "Dashboards ->IP Dash Board->Generate IP Bill->IPHOME",
    "description": "Verify user able to navigate to IP Home screen",
    "steps": "1.Launch the Application.\r\n2.Login to the application with valid
credentials\r\n3.Click on Common Support Services Tab and select Billing from
the drop down.\r\n4.Navigate to Functions -> Dashboards -> IP Dash
Board.\r\n5.Click on IP Dash Board.\r\n6.Enter UHID no and click on \"View
Details\".\r\n7.Right click on IP Number and click on \"Generate IP
Bill\".\r\n8.Click on IPHOME Services which is top right corner.\r\n",
    "expectedResults": "User should be able to navigate to IP Home screen",
    "automationManual": "Automated",
    "priority": "P1",
    "risk": "High",
    "createdAt": "2026-07-26T05:52:49.375Z",
    "bm25Score": 8.463008880615234,
    "bm25ScoreNormalized": 0.6967102080385593,
    "vectorScore": 0.8665239810943604,
    "vectorScoreNormalized": 0.8665239810943604,
    "hybridScore": 0.7816170945664598,
    "foundIn": "both"
  },
  {
    "_id": "6a65a0fe5339a76827f8842d",
    "module": "OT (Operation Theatre) & Cath",
    "id": "TC_2556",
    "title": "Transactions ->Procedure Request ->Invasive Procedures",
    "description": "To verify the user able to raise Procedure Request.",
    "steps": "\r\n1.Launch the application\r\n2.Login to the application with
valid credentials.\r\n3.Click on Patient Service Tab and select OT from drop
down.\r\n4.Navigate to Functions ->Transactions->Procedure
Request.\r\n5.Click on Procedure Request.\r\n6.Enter Registration No and click
on \"GO\" button.\r\n7.Select Specialty from the drop down.\r\n8.Click on
Invasive Procedures radio button from Procedure type and enter package in
\"Search\" field by clicking Search icon.\r\n9.Select Procedure / Package by
clicking Check box of required Package and click \"Add\" button.\r\n10.Enter
team name in Procedure / Package and click on \"Search\" button.\r\n11.Select
team Id from Select column.\r\n12.Click on \"CheckAvailability\"
button.\r\n13.Select the Time slot and click on \"Book\" button.\r\n",
    "expectedResults": "User should able to raise Procedure Request.",
    "automationManual": "Manual",

```



```

    "priority": "P4",
    "risk": "Low",
    "createdAt": "2026-07-26T05:54:06.659Z",
    "bm25Score": 12.147100448608398,
    "bm25ScoreNormalized": 1,
    "vectorScore": 0,
    "vectorScoreNormalized": 0,
    "hybridScore": 0.5,
    "foundIn": "bm25"
  },
  {
    "_id": "6a65a0fe5339a76827f8842e",
    "module": "OT (Operation Theatre) & Cath",
    "id": "TC_2557",
    "title": "Transactions ->Procedure Request ->Cath Lab Procedures",
    "description": "To verify the user able to raise Request for Cath Lab
Procedures.",
    "steps": "\r\n1.Launch the application\r\n2.Login to the application with
valid credentials.\r\n3.Click on Patient Service Tab and select OT from drop
down.\r\n4.Navigate to Functions ->Transactions->Procedure
Request.\r\n5.Click on Procedure Request.\r\n6.Enter Registration No and click
on \"GO\" button.\r\n7.Select Specialty from the drop down.\r\n8.Click on Cath
Lab Procedures radio button from Procedure type and enter package in
\"Search\" field by clicking Search icon.\r\n9.Select Procedure / Package by
clicking Check box of required Package and click \"Add\" button.\r\n10.Enter
team name in Procedure / Package and click on \"Search\" button.\r\n11.Select
team Id from Select column.\r\n12.Click on \"CheckAvailability\"
button.\r\n13.Select the Time slot and click on \"Book\" button.\r\n",
    "expectedResults": "User should able to raise Request for Cath Lab
Procedures.",
    "automationManual": "Manual",
    "priority": "P2",
    "risk": "Low",
    "createdAt": "2026-07-26T05:54:06.659Z",
    "bm25Score": 10.900176048278809,
    "bm25ScoreNormalized": 0.8973479798240707,
    "vectorScore": 0,
    "vectorScoreNormalized": 0,
    "hybridScore": 0.44867398991203533,
    "foundIn": "bm25"
  },

```

```

{
  "_id": "6a65a0fb5339a76827f883cd",
  "module": "AT(Admission Module)",
  "id": "TC_957",
  "title": "IP Search",
  "description": "To verify after admission, User is able to search using IP
number",
  "steps": "1. Launch the application\r\n2.Login to the application with valid
credentials.\r\n3.Click on Patient Service Tab and select AT from the drop
down\r\n4.Click on Function-> Search Details->Search Details\r\n5.Enter Valid
IP/UHID Number.\r\n6.Click on Search Button",
  "expectedResults": "User Details of IP Admission should be displayed.",
  "automationManual": "Automated",
  "priority": "P1",
  "risk": "Critical",
  "createdAt": "2026-07-26T05:54:03.057Z",
  "vectorScore": 0.8780242204666138,
  "bm25Score": 0,
  "bm25ScoreNormalized": 0,
  "vectorScoreNormalized": 0.8780242204666138,
  "hybridScore": 0.4390121102333069,
  "foundIn": "vector"
},
{
  "_id": "6a65a0b15339a76827f8791b",
  "module": "Laboratory",
  "id": "TC_136",
  "title": "IP Sample Collection",
  "description": "Verify user able to collect pending samples",
  "steps": "1. Launch the application.
2.
Login to the application with valid credentials\r\n3.Click on Patient Service Tab
and select Laboratory from the drop down.\r\n4.Navigate to Laboratory
Functions->Reception-Counter Allocation -> IP sample Collection\r\n5. Enter
LRN and click on search\r\n6. Click on LRN number from the pending LRN's
list\r\n7. Select the Test and Click on Sample collected option",
  "expectedResults": "Sample collected message should be displayed",
  "automationManual": "Automated",
  "priority": "P2",
  "risk": "Low",
  "createdAt": "2026-07-26T05:52:49.375Z",
  "vectorScore": 0.8730798959732056,

```

```
"bm25Score": 0,
"bm25ScoreNormalized": 0,
"vectorScoreNormalized": 0.8730798959732056,
"hybridScore": 0.4365399479866028,
"foundIn": "vector"
},
{
  "_id": "6a65a0b25339a76827f87949",
  "module": "AT(Admission Module)",
  "id": "TC_962",
  "title": "Admission - IP Admission - Paper",
  "description": "To Verify the user able to make a IP Admission through
Paper",
  "steps": "1.Launch the application\r\n2.Login to the application with valid
credentials.\r\n3.Click on Patient Service Tab and select AT from the drop
down.\r\n4.Navigate Functions -> Admission -> \r\nIP Admission.\r\n5.Enter the
valid UHID number and click search button. \r\n6.Select Admission Note Type
as Paper.\r\nSelect Primary Consultant, Specialization, Reason for Admission,
Admission type, Admission for, Type of patient and Billing Type and Add
Insurance details.\r\n7.Select Bed Category and Click on Bed Matrix and select
Vacant bed.\r\n8.Select Attenders name, Phone Number, Relationship with
parents\r\n9.Click on submit.",
  "expectedResults": "User should be able to Make IP Admission based on
Paper",
  "automationManual": "Automated",
  "priority": "P1",
  "risk": "Critical",
  "createdAt": "2026-07-26T05:52:50.056Z",
  "vectorScore": 0.8715556263923645,
  "bm25Score": 0,
  "bm25ScoreNormalized": 0,
  "vectorScoreNormalized": 0.8715556263923645,
  "hybridScore": 0.43577781319618225,
  "foundIn": "vector"
},
{
  "_id": "6a65a0a45339a76827f87784",
  "module": "Doctors-Wards",
  "id": "TC_5077",
  "title": "Doctor Dashboard - IP Report",
  "description": "Verify user able to View IP Report",
```

"steps": "1.Launch the application\r\n2.Login to the application with valid credentials.\r\n3.Click on Patient Service Tab and select Doctors and wards from the drop down.\r\n4.Navigate to Functions->Transactions->Doctor Dashboard\r\n5. Click on IP Report Link",

"expectedResults": "IP Report should be displayed",

"automationManual": "Manual",

"priority": "P2",

"risk": "Low",

"createdAt": "2026-07-26T05:52:36.675Z",

"vectorScore": 0.870837926864624,

"bm25Score": 0,

"bm25ScoreNormalized": 0,

"vectorScoreNormalized": 0.870837926864624,

"hybridScore": 0.435418963432312,

"foundIn": "vector"

},

{

"_id": "6a65a0fb5339a76827f883d1",

"module": "AT(Admission Module)",

"id": "TC_961",

"title": "IP Search - Cancel IP Admission",

"description": "To verify after admission, User is able to cancel IP Admission.",

"steps": "1. Launch the application\r\n2.Login to the application with valid credentials.\r\n3.Click on Patient Service Tab and select AT from the drop down\r\n4.Click on Function-> Search Details->Search Details\r\n5.Enter Valid IP/UHID Number.\r\n6.Click on Search Button\r\n7.Select the Record and Right Click on UHID and click on Cancel IP link.",

"expectedResults": "User should be able to cancel IP Admissions.",

"automationManual": "Automated",

"priority": "P1",

"risk": "Critical",

"createdAt": "2026-07-26T05:54:03.057Z",

"vectorScore": 0.8703247904777527,

"bm25Score": 0,

"bm25ScoreNormalized": 0,

"vectorScoreNormalized": 0.8703247904777527,

"hybridScore": 0.43516239523887634,

"foundIn": "vector"

}

],

```

"count": 10,
"stats": {
  "foundInBoth": 3,
  "foundInBm25Only": 2,
  "foundInVectorOnly": 5,
  "bm25ResultCount": 30,
  "vectorResultCount": 30
},
"timing": {
  "bm25Time": 111,
  "vectorTime": 1027,
  "totalTime": 1147
},
"cost": 5.000000000000001e-7,
"tokens": 5,
"model": "mistral-embed",
"timestamp": "2026-07-28T10:11:39.516Z"
}

```

6. Based on BM and Vector % variation'

The screenshot displays a REST client interface with a sidebar on the left showing a collection of API endpoints. The main panel shows a POST request to the endpoint `POST {{base_url}}/api/search/hybrid`. The request body is a JSON object with the following structure:

```

{
  "query": "IP Procedure",
  "limit": 10,
  "filters": {
    "module": "",
    "priority": "",
    "risk": ""
  },
  "bm25Weight": 0.3,
  "vectorWeight": 0.7,
  "bm25Fields": [

```

The response status is **200 OK** with a response time of 2.91 s and a body size of 9.45 KB. The response body is a JSON object with the following structure:

```

{
  "bm25ResultCount": 30,
  "vectorResultCount": 30,
  "timing": {
    "bm25Time": 105,
    "vectorTime": 447,
    "totalTime": 559
  },
  "cost": 5.000000000000001e-7,
  "tokens": 5,
  "model": "mistral-embed",
  "timestamp": "2026-07-28T10:12:25.356Z"
}

```

The sidebar on the left lists various collections and environments, including 'RAG Backend API Collection-June' and 'RAG MongoDB - Data Ingestion'. The right sidebar contains a 'New Chat' button and a section for validating request bodies with diffs.

6. Deduplication

Workspace: vishnu shankar's Workspace

Search

Invite Upgrade

POST Deduplicate Results

POST ((base_url)) /api/search/deduplicate

Send

Docs Params Authorization Headers 10 Body Scripts Settings Cookies

raw JSON Schema Beautify

```
5 {
6   "title": "In Patient Application Test",
7   "description": "Test In Patient Admission Application"
8 },
9 {
10  "id": "TC_012",
11  "title": "Test In Patient Application",
12  "description": "Test In Patient Admission Application Check"
13 },
14 "threshold": 0.85
15 }
```

Body 200 OK 7 ms 904 B Save Response

JSON Preview Visualize

```
1 {
2   "original": [
3     {
4       "id": "TC_001",
5       "title": "In Patient Application Test",
6       "description": "Test In Patient Admission Application"
7     },
8     {
9       "id": "TC_012",
10      "title": "Test In Patient Application",
11      "description": "Test In Patient Admission Application Check"
12    }
13  ],
14 }
```

Stabilize Deduplicate Results run

Create a regression check for search

Trace pipeline: Preprocess → Search

Describe what you need. Press @ for context, / for Skills.

Auto

7. Summarize

Workspace: vishnu shankar's Workspace

Search

Invite Upgrade

POST Deduplicate Results POST Summarize Results

POST ((base_url)) /api/search/summarize

Send

Docs Params Authorization Headers 10 Body Scripts Settings Cookies

raw JSON Schema Beautify

```
5 {
6   "title": "Test In Patient Application",
7   "description": "Test In Patient Admission Application Check",
8   "steps": "1. Open Patient Admission Form page\n2. Enter Mandatory details\n3. Check Doctor Admission Confirmation\n4. Accept In Patient Record to Hospital",
9   "expectedResults": "Patient should be admitted successfully in Hospital"
10 },
11 "summaryType": "concise",
12 "query": "In Patient Admission test"
13 }
```

Body 200 OK 869 ms 1.48 KB Save Response

JSON Preview Visualize

```
1 {
2   "success": true,
3   "summary": "The search results for \"In Patient Admission test\" yield a single relevant result. The result, titled \"Test In Patient Application\" (ID: TC_001), appears to be related to testing an in-patient admission application. The description provided, \"Test In Patient Admission Application Check\", suggests that this result is focused on verifying or validating the functionality of an in-patient admission system. In summary, the search results provide a single entry point for testing an in-patient admission application, which may be useful for healthcare professionals or administrators responsible for managing patient admissions. The result does not provide detailed information on the testing process or the application itself, but rather serves as a starting point for further
```

Save and validate Summarize Results

Wire Summarize → Deduplicate workflow

Cross-check Hybrid vs BM25 inputs

Describe what you need. Press @ for context, / for Skills.

Auto

Connect Git Terminal Console 0 0 Import Complete

Globals Vault Tools

The screenshot shows the Postman interface with a workspace named 'vishnu shankar's Workspace'. The left sidebar displays a collection tree under 'COLLECTIONS', including 'RAG Backend API Collection-June' and 'Results Processing'. The 'Summarize Results' endpoint is selected. The request is a POST to 'https://{{base_url}}/api/search/summarize'. The request body is in JSON format, containing a 'steps' array with a single step about patient admission, a 'summaryType' of 'concise', and a 'query' of 'In Patient Admission test'. The response status is '200 OK' with a response time of 869 ms and a size of 1.48 KB. The response body is in JSON format, showing 'summaryType', 'resultCount', 'model', 'tokens' (prompt, completion, total), and 'cost' (input, output, total).

```

POST https://{{base_url}}/api/search/summarize

{
  "steps": [
    {
      "step": "1. Open Patient Admission Form page\n2. Enter Mandatory details\n3. Check Doctor Admission Confirmation\n4. Accept In Patient Record to Hospital",
      "expectedResults": "Patient should be admitted successfully in Hospital"
    }
  ],
  "summaryType": "concise",
  "query": "In Patient Admission test"
}
  
```

```

{
  "summaryType": "concise",
  "resultCount": 1,
  "model": "llama-3.3-70b-versatile",
  "tokens": {
    "prompt": 135,
    "completion": 245,
    "total": 380
  },
  "cost": {
    "input": "0.000000",
    "output": "0.000000",
    "total": "0.000000"
  }
}
  
```

8. Sarvam -AI – Exploratory Assignment

The screenshot shows the Postman interface with a workspace named 'vishnu shankar's Workspace'. The left sidebar displays a collection tree under 'COLLECTIONS', including 'Sarvam AI - Complete API Collection'. The 'Chat Completion' endpoint is selected. The request is a POST to 'https://api.sarvam.ai/v1/chat/completions'. The request body is in JSON format, containing a 'messages' array with a single message about the capital of India, a 'model' of 'sarvam-105b', and a 'temperature' of 0.2. The response status is '200 OK' with a response time of 14.94 s and a size of 5.44 KB. The response body is in JSON format, showing 'id', 'choices' (with 'finish_reason', 'index', 'logprobs', and 'message'), and 'content'.

```

POST https://api.sarvam.ai/v1/chat/completions

{
  "messages": [
    {
      "role": "user",
      "content": "What is the capital of India?"
    }
  ],
  "model": "sarvam-105b",
  "temperature": 0.2
}
  
```

```

{
  "id": "20260728_e9b59ad3-7cac-44c0-b3a6-2fcf58b115c6",
  "choices": [
    {
      "finish_reason": "stop",
      "index": 0,
      "logprobs": null,
      "message": {
        "content": "The capital of India is **New Delhi**.\n\nHere are a few key details to provide more context:\n\n* **Administrative Center:** New Delhi is the seat of the Government of India. It is home to the Parliament of India (Sansad Bhavan), the Supreme Court of India, and the official residence of the President of India."
      }
    }
  ]
}
  
```

▼

←

→

🏠

👤 vishnu shankar's Workspace ▼

🔍 Search

Invite

Upgrade

🔔

⚙️

👤

📁

📄

🕒

📁

+

🔗

⋮

COLLECTIONS

▼

▼ Cohere Embed API Collection

▼ GenAI-June

▼ Jira Story

▼ Langflow

▼ My Collection

▼ RAG Backend API Collection-June

▼ RAG Localhost API

▼ RAG MongoDB - Data Ingestion

▼ Sarvam AI - Complete API Collection

▼ Chat Completion

▼ POST Chat Completion - Sarvam 105B

▼ Text Translation

▼ POST Translate Text

▼ Speech to Text

▼ Speech to Text - Translate Mode

▼ Text to Speech

▼ Transliteration

▼ Language Identification

▼ Document Digitization

▼ Speech to Text - Batch

▼ ENVIRONMENTS

▼ DOCUMENTS

POST

▼

https://api.sarvam.ai/translate

Send

▼

Docs

Params

Authorization

Headers 11

Body

Scripts

Settings

Cookies

raw

▼

JSON

▼

Schema

Beautify

1 {

2 "input": "Hello, how are you?",

3 "source_language_code": "en-IN",

4 "target_language_code": "ta-IN",

5 "model": "mayura:v1",

6 "speaker_gender": "Male"

7 }

Body

▼

200 OK

336 ms

848 B

🔗

📄

Save Response

⋮

{ } JSON

▼

Preview

Visualize

▼

1 {

2 "request_id": "20260728_0e345e52-8107-45bd-ae8a-da1fa84668118",

3 "translated_text": "வணக்கம், எப்படி இருக்கிறீர்கள்?",

4 "source_language_code": "en-IN"

5 }

COLLECTIONS

▼

▼ Cohere Embed API Collection

▼ GenAI-June

▼ Jira Story

▼ Langflow

▼ My Collection

▼ RAG Backend API Collection-June

▼ RAG Localhost API

▼ RAG MongoDB - Data Ingestion

▼ Sarvam AI - Complete API Collection

▼ Chat Completion

▼ POST Chat Completion - Sarvam 105B

▼ Text Translation

▼ POST Translate Text

▼ Speech to Text

▼ POST Speech to Text - Saaras v3

▼ Speech to Text - Translate Mode

▼ Text to Speech

▼ Transliteration

▼ Language Identification

▼ Document Digitization

▼ Speech to Text - Batch

▼ ENVIRONMENTS

▼ DOCUMENTS

▼ SPECS

▼ FLOWS

POST

▼

https://api.sarvam.ai/speech-to-text

Send

▼

Docs

Params

Authorization

Headers 10

Body

Scripts

Settings

Cookies

form-data

▼

Key

Value

Description

Bulk Edit

⋮

✓ file File ⚠ idontknowuttodomom...

✓ model Text saaras:v3

✓ mode Text transcribe

Key Text Value

Description

Body

▼

200 OK

1.17 s

882 B

🔗

📄

Save Response

⋮

{ } JSON

▼

Preview

Visualize

▼

1 {

2 "request_id": "20260728_0b74790f-f57e-48db-bf7a-c397cfaed12c",

3 "transcript": "Sorry sweetheart, I wish I could be there with you. Maybe you should call the warden, they can help you.",

4 "language_code": "en-IN",

5 "language_probability": 1.0

6 }

Send Speech-to-Text and validate

Unify auth + headers across calls

Create one folder-level test script

Describe what you need. Press @ for context, / for Skills.

🔗 Auto

➡

 Connect Git
 Terminal
 Console
 0
 0
 3 Import Complete