Cloud Feasibility Report

November 25, 2025

Table of Contents

01 Method of Analysis

02 Cloud Assessment Feasibility Overview

03 Cloud Readiness and Migration Strategies

04 Resource Capacity Planning

05 Capacity Planning for Migration to Red Hat OpenStack

06 Cloud Resources Recommendation

07 Workload Components Consolidation Recommendation

08 End of Support Advisory for Operating System

09 End of Support Advisory for Workload

10 Cloud Server Sustainability - Power & CO_2

Method of Analysis

MaaS™ securely scanned your infrastructure using an Agentless, Workload and Extended Scan methods, identifying workload components, services, hardware, storage, and networking details of your servers/VMs. It also collected utilization and performance data for all your servers. MaaS™ then analyzed this information and provided a range of recommendations and advisories, including Migration & Modernization strategies, PaaS services, workload optimization, and cost modeling, to support your cloud migration journey and beyond. These insights offer multiple options to choose the best path for moving to the cloud.



Lift and Shift
Migrates complete VMs or servers setup from on-premises to Cloud or from one Cloud to another Cloud as is.

PaaS Shift
PaaSify the workload components of your application to the PaaS services available on the Cloud.

Smart Shift
Re-architect your application topology before migration and automate your migration process.

Containerization
Containerize your application workloads for easy management, improved security and better performance.

Hybrid Shift
Utilize your on-premises servers while taking advantage of public Cloud, PaaS and Container services.

Cloud Assessment Feasibility Overview

MaaS™ has assessed the viability of your current infrastructure by analyzing compute, storage, network, and software resources based on existing specifications and usage trends. The assessment shows that Cloud **OnPrem** are feasible options. Recommendations are provided to optimize these resources for enhanced performance and cost-effectiveness.

Based on the scan of your current infrastructure, which includes 12 operating systems and server utilization showing 10 underutilized and 2 moderately utilized, MaaS recommends migrating to **OnPrem** Cloud for its optimal value and cost-effectiveness in managing your servers.

OS DISTRIBUTION



4 Operating Systems

WORKLOAD COMPONENTS DISTRIBUTION



17 Major Workloads Component

53 Other Workload Components

STORAGE SIZE IN SOURCE



Partition Disk Size 2.84 TB/2.88 TB

ASSET TYPE



11 Major Workloads Type

1 Other Workload Types

SERVER TYPE



No Physical Servers.

BOOT TYPE



100% BIOS Servers.

IP DISTRIBUTION



25% of Servers assigned with Private IP & ISP IP.

Cloud Readiness and Migration Strategies

Classification of servers Cloud readiness according to different migration strategies, such as Lift and Shift, Smart Shift, and PaaS Shift, as recommended by MaaS™ based on the analysis.

Cloud Readiness Summary

CLOUD READINESS	OnPrem
Cloud Ready Number of servers which can be migrated with no changes.	12/12 Servers
Cloud Ready with additional service efforts Number of servers which can be migrated with additional service efforts such as changing OS/RAM/Architecture/Version in servers.	0/12 Servers

Migration Strategy for Cloud Ready Servers

LIFT AND SHIFT MIGRATION	OnPrem
Lift and Shift Migration Number of servers which can be migrated as-is using Lift and Shift mode.	2/12 Servers
SMART MIGRATION	
Smart Shift Quantifying the migration capacity of servers which can be migrated by restructuring of an existing application to make it cloud-ready without changes or modifications.	0/12 Servers
Smart Shift with service efforts Quantifying the migration capacity of servers which requires an efforts by making changes to the application architecture during the migration process.	10/12 Servers
PAAS MIGRATION	
PaaS Shift Migration Number of servers which can be migrated to Cloud as PaaS service by provisioning and migrating your workload components in Cloud with the help of MaaS™.	0/12 Servers
PaaS Shift Migration with additional service efforts Number of Servers which can be migrated to Cloud as a PaaS Service using MaaS™, by following the approaches/recommendations provided by the Cloud Providers with minimal manual efforts.	0/12 Servers

Migration recommendation for Smart Shift with service efforts Servers

View the recommendations provided by MaaS™ for the servers which matching OS versions are not available in the preferred Cloud. MaaS™ recommends the migration strategy using **Smart Shift with service efforts** method to the preferred cloud to migrate the workloads. To perform migration of source servers with recommended operating system, clone the Scenario and apply the recommended OS to all the servers or required individual servers.

CLOUD NAME	SERVER IP	SERVER NAME	SOURCE SERVER SPEC	RECOMMENDATION
OnPrem	10.10.43.40	qaanalyser-FS	Ubuntu 24.04.2 LTS 64 bit	Your server's Operating System (Ubuntu 24.04.2 LTS) is not available in Cloud, MaaS™ has recommends the OS to Ubuntu 22.04 LTS to move your application to Cloud.
OnPrem	10.10.43.41	qaanalyser-db	Ubuntu 24.04.3 LTS 64 bit	Your server's Operating System (Ubuntu 24.04.3 LTS) is not available in Cloud, MaaS™ has recommends the OS to Ubuntu 22.04 LTS to move your application to Cloud.
OnPrem	10.10.43.42	qaanalyser-lb	Ubuntu 24.04.3 LTS 64 bit	Your server's Operating System (Ubuntu 24.04.3 LTS) is not available in Cloud, MaaS™ has recommends the OS to Ubuntu 22.04 LTS to move your application to Cloud.
OnPrem	10.10.43.48	testmaasautomation-fs	Ubuntu 24.04.3 LTS 64 bit	Your server's Operating System (Ubuntu 24.04.3 LTS) is not available in Cloud, MaaS™ has recommends the OS to Ubuntu 22.04 LTS to move your application to Cloud.
OnPrem	10.10.43.49	testmaasautomation-DB	Ubuntu 24.04.3 LTS 64 bit	Your server's Operating System (Ubuntu 24.04.3 LTS) is not available in Cloud, MaaS™ has recommends the OS to Ubuntu 22.04 LTS to move your application to Cloud.
OnPrem	10.10.43.37	qash-db	Ubuntu 24.04.2 LTS 64 bit	Your server's Operating System (Ubuntu 24.04.2 LTS) is not available in Cloud, MaaS™ has recommends the OS to Ubuntu 22.04 LTS to move your application to Cloud.
OnPrem	10.10.43.38	qash-lb	Ubuntu 24.04.2 LTS 64 bit	Your server's Operating System (Ubuntu 24.04.2 LTS) is not available in Cloud, MaaS™ has recommends the OS to Ubuntu 22.04 LTS to move your application to Cloud.
OnPrem	10.10.43.44	tesmaasqa-FS	Red Hat Enterprise Linux 9.6 64 bit	Your server's Operating System (Red Hat Enterprise Linux 9.6) is not available in Cloud, MaaS™ has recommends the OS to Red Hat Enterprise Linux 9.3 to move your application to Cloud.
OnPrem	10.10.43.45	testmaasqa-DB	Red Hat Enterprise Linux 9.6 64 bit	Your server's Operating System (Red Hat Enterprise Linux 9.6) is not available in Cloud, MaaS™ has recommends the OS to Red Hat Enterprise Linux 9.3 to move your application to Cloud.
OnPrem	10.10.43.46	testmaasqa-LB	Red Hat Enterprise Linux 9.6 64 bit	Your server's Operating System (Red Hat Enterprise Linux 9.6) is not available in Cloud, MaaS™ has recommends the OS to Red Hat Enterprise Linux 9.3 to move your application to Cloud.

Resource Capacity Planning

MaaS™ streamlines resource capacity planning on Cloud OnPrem by analyzing server profiles, ensuring an optimal match for migration. Confirm sufficient quota availability on these clouds for provisioning VMs, CPU cores, RAM, disks, and network resources during the migration process.

OnPrem

RESOURCE REQUIREMENTS	EQUIVALENCE MATCH	BEST MATCH
Total No. of Servers	12	12
Total CPU Core	86	40
Total RAM Size	344 GB	120 GB
Total Disk Size	2.84 TB	2.84 TB

CPU Core Group-Based Capacity Comparison Across Cloud Regions

Comparison of server capacity for cloud migration to OnPrem, grouped by CPU core range. Shows resource requirements—server count, total CPU cores, and RAM—based on Equivalence Match and Best Match strategies to aid optimal provisioning and planning across regions.

OnPrem

CONFIGURATION MATCH	CORE TYPE	NO. OF SERVERS	TOTAL CPU CORE	TOTAL RAM
Equivalence Match	Up to 8 core servers	12	86	344 GB
Best Match	Up to 8 core servers	12	40	120 GB

Capacity Planning for Migration to Red Hat OpenStack

MaaS™ simplifies capacity planning for migrating servers to Red Hat OpenStack by analyzing server data to determine required compute and storage resources. It also estimates subscription costs for Red Hat OpenStack Platform licensing, along with associated Dell hardware costs.

Red Hat OpenStack Solution

CONFIGURATION MATCH	FLAVOR NAME	NO. OF CLUSTER / HOST	TOTAL SERVERS	TOTAL CPU CORE	TOTAL RAM SIZE	TOTAL STORAGE SIZE	HARDWARE COST	VMWARE COST	HYPER-V COST	RED HAT OPENSTACK COST
Equivalence	PowerEdge_R360	1 / 2	12	86/128	164/1024 GB	3/20 TB	$30000	$1272	$2258	$1792
Best	PowerEdge_R360	1 / 2	12	64/128	96/1024 GB	3/20 TB	$30000	$1272	$2258	$1792

Note:

The cost estimates are based on Dell hardware and represent an approximate one-time purchase, excluding operating system and other licensing fees. The configurations reflect potential Red Hat OpenStack combinations, tailored for Right-Sized VM recommendations. Please note that these figures are approximate and may vary by vendor due to pricing structures and customization options. Additionally, customized billing may further affect the final cost.

Cloud Resources Recommendation

MaaS™ recommends suitable cloud resources for servers, offering both Equivalence Match and Best Match options for optimal alignment based on the captured usage trends.

Equivalence Match signifies the exact or closest available flavor in the Cloud, whereas Best Match denotes the most accurate VM sizing based on server utilization.

Compute Recommendation

Review the equivalence and best match flavors suggested by MaaS™ for the scanned source servers with its resource specifications and cost. MaaS™ recommends flavors which is equal to or higher/lower than your existing server configuration. OS licensing cost is also included in the Flavor Cost. Refer OS licensing Cost breakdown in TCO Analysis section for more details.

VM Flavor Distribution

OnPrem





Suggested VM Flavor Profile

Pricing Plan name: Pay As You Go

CLOUD NAME	FLAVOR NAME	OS NAME	FLAVOR FAMILY	FLAVOR COST /MONTH	EQUIVALENCE MATCH		BEST MATCH	
					NO OF SERVERS	TOTAL COST /MONTH	NO OF SERVERS	TOTAL COST /MONTH
OnPrem	PowerEdge_R6615_8X32 RAM: 32.00 GB, CPU Core:8	Red Hat 9.6	-	$171.219	3	$513.657	-	-
	PowerEdge_R6615_2X8 RAM: 8.00 GB, CPU Core:2	Red Hat 9.6	-	$42.805	-	-	3	$128.415
	PowerEdge_R6615_8X32 RAM: 32.00 GB, CPU Core:8	Windows 2019	-	$171.219	2	$342.438	-	-
	PowerEdge_R6615_4X16 RAM: 16.00 GB, CPU Core:4	Windows 2019	-	$85.609	-	-	2	$171.218
	PowerEdge_R6615_8X32 RAM: 32.00 GB, CPU Core:8	Ubuntu 24.04.2 LTS	-	$171.219	2	$342.438	-	-
	PowerEdge_R6615_4X8 RAM: 8.00 GB, CPU Core:4	Ubuntu 24.04.2 LTS	-	$85.609	-	-	2	$171.218
	PowerEdge_R6615_8X32 RAM: 32.00 GB, CPU Core:8	Ubuntu 24.04.3 LTS	-	$171.219	3	$513.657	-	-
	PowerEdge_R6615_4X8 RAM: 8.00 GB, CPU Core:4	Ubuntu 24.04.3 LTS	-	$85.609	-	-	3	$256.827
	PowerEdge_R6615_4X16 RAM: 16.00 GB, CPU Core:4	Ubuntu 24.04.3 LTS	-	$85.609	1	$85.609	1	$85.609
	PowerEdge_R6615_2X8 RAM: 8.00 GB, CPU Core:2	Ubuntu 24.04.2 LTS	-	$42.805	1	$42.805	1	$42.805
	Total				12	$1841	12	$856

OnPrem: Equivalence Match has been suggested as the Best Match for 2 servers with no utilization data.

Storage Recommendation

MaaS™ has assessed your infrastructure's storage needs, recommending suitable storage types in the cloud based on disk utilization and IOPS/throughput requirements for workload components.

Recommendations align with advisory guidelines from cloud providers for major workload types such as Web/App servers, Database servers, Mail servers, Queue servers, and LDAP servers. Utilizing collected data on total space used across all disks (including OS disks) and any additional storage like NAS or SAN attached to VMs,MaaS™ suggests the appropriate cloud storage options that fit within the storage size limits of the cloud.

STORAGE IN OnPrem

No data available

Network Summary

A summary of network bandwidth requirements for all servers is provided based on utilization data (data sent and received) collected during server scans lasting approximately 15-30 minutes (Extended Scans are also considered). This data encompasses network usage information since the servers were last restarted and will be used to estimate monthly network usage values. With this information, appropriate network bandwidth can be selected on the cloud platform. For more optimized recommendations, please upload utilization data collected over an extended period

SERVERS NETWORK DATA UTILIZATION (MB /Month)



Network Cost Calculation

OnPrem: Inbound and outbound data in OnPrem datacenter is free.

Note: Network cost shown in the TCO table is calculated considering the data is transferred across different regions.

Workload Components Consolidation Recommendation

Review the detailed workload recommendations based on identified workload components to enhance cost-effectiveness and performance. Migration with suggested workload consolidations necessitates Smart Analysis, utilization of data collected over an extended period for your servers, and Workload Scan for analyzing application complexity, performance, and efficiency.

Workload Consolidation Recommendation

CLOUD NAME	WORKLOAD COMPONENTS NAME	NO. OF SERVERS	NO. OF WORKLOAD COMPONENTS	RECOMMENDATION
OnPrem	MySQL	4	4	Reduce the number of MySQL servers from 4 VMs to1 VMs by sharing it among multiple applications to reduce the server cost.
	ApacheTomcat	4	10	Reduce the number of ApacheTomcat servers from 4 VMs to1 VMs by sharing it among multiple applications to reduce the server cost.
	Total		14	

Workload Consolidation Recommendation Servers

CLOUD NAME	SERVER IP	SERVER NAME	WORKLOAD NAME	LOCATION
OnPrem	10.10.43.41	qaanalyser-db	MySQL 8.4.5	/usr/sbin
	10.10.43.49	testmaasautomation-DB	MySQL 8.4.5	/usr/sbin
	10.10.43.37	qash-db	MySQL 8.4.5	/usr/sbin
	10.10.43.45	testmaasqa-DB	MySQL 8.4.5	/usr/sbin
	10.10.43.35	MAASQA-QASH	ApacheTomcat 9.0.109	C:\SurPaaSMaaS\Tomcat03-Migration

CLOUD NAME	SERVER IP	SERVER NAME	WORKLOAD NAME	LOCATION
	10.10.43.35	MAASQA-QASH	ApacheTomcat 9.0.109	C:\SurPaaSMaaS\Tomcat04-Common
	10.10.43.35	MAASQA-QASH	ApacheTomcat 9.0.109	C:\SurPaaSMaaS\Tomcat02-Assessment
	10.10.43.35	MAASQA-QASH	ApacheTomcat 9.0.109	C:\SurPaaSMaaS\Tomcat01-UI
	10.10.43.40	qaanalyser-FS	ApacheTomcat 9.0.102	/datadisk/SurPaaSMaaS/Tomcat01-FileServer
	10.10.43.43	TESTMAASQA-214	ApacheTomcat 9.0.109	D:\MaaS\Tomcat04-Common
	10.10.43.43	TESTMAASQA-214	ApacheTomcat 9.0.109	D:\MaaS\Tomcat01-UI
	10.10.43.43	TESTMAASQA-214	ApacheTomcat 9.0.109	D:\MaaS\Tomcat03-Migration
	10.10.43.43	TESTMAASQA-214	ApacheTomcat 9.0.109	D:\MaaS\Tomcat02-Assessment
	10.10.43.48	testmaasautomation-fs	ApacheTomcat 9.0.109	/datadisk/SurPaaSMaaS/Tomcat01-FileServer

End of Support Advisory for Operating System

MaaS™ has identified the available Operating Systems. MaaS™ also has identified the Operating System that has reached its end of support and recommends migrating to the cloud with latest version of operating system using the suggested migration model for greater security and performance

Operating System



END OF LIFE



This server has reached its end of support period. This server is nearing the end of its support period.

SERVER IP	SERVER NAME	OPERATING SYSTEM	END OF SUPPORT	END OF EXTENDED SUPPORT	MIGRATION ADVISORY
10.10.43.44	tesmaasqa-FS	Red Hat Enterprise Linux 9.6	05-31-2032	05-31-2035	OnPrem: Migrate to Red Hat Enterprise Linux 9.3 using Smart Migration with Service Effort.
10.10.43.45	testmaasqa-DB	Red Hat Enterprise Linux 9.6	05-31-2032	05-31-2035	OnPrem: Migrate to Red Hat Enterprise Linux 9.3 using Smart Migration with Service Effort.
10.10.43.46	testmaasqa-LB	Red Hat Enterprise Linux 9.6	05-31-2032	05-31-2035	OnPrem: Migrate to Red Hat Enterprise Linux 9.3 using Smart Migration with Service Effort.
10.10.43.40	qaanalyser-FS	Ubuntu 24.04.2 LTS	04-30-2029	-	OnPrem: Migrate to Ubuntu 22.04 LTS using Smart Migration with Service Effort.
10.10.43.37	qash-db	Ubuntu 24.04.2 LTS	04-30-2029	-	OnPrem: Migrate to Ubuntu 22.04 LTS using Smart Migration with Service Effort.
10.10.43.38	qash-lb	Ubuntu 24.04.2 LTS	04-30-2029	-	OnPrem: Migrate to Ubuntu 22.04 LTS using Smart Migration with Service Effort.
10.10.43.41	qaanalyser-db	Ubuntu 24.04.3 LTS	04-30-2029	-	OnPrem: Migrate to Ubuntu 22.04 LTS using Smart Migration with Service Effort.
10.10.43.42	qaanalyser-lb	Ubuntu 24.04.3 LTS	04-30-2029	-	OnPrem: Migrate to Ubuntu 22.04 LTS using Smart Migration with Service Effort.
10.10.43.48	testmaasautomation-fs	Ubuntu 24.04.3 LTS	04-30-2029	-	OnPrem: Migrate to Ubuntu 22.04 LTS using Smart Migration with Service Effort.

SERVER IP	SERVER NAME	OPERATING SYSTEM	END OF SUPPORT	END OF EXTENDED SUPPORT	MIGRATION ADVISORY
10.10.43.49	testmaasautomation-DB	Ubuntu 24.04.3 LTS	04-30-2029	-	OnPrem: Migrate to Ubuntu 22.04 LTS using Smart Migration with Service Effort.
10.10.43.35	MAASQA-QASH	Windows 2019	01-09-2024	01-09-2029	OnPrem: Migrate to Windows 2019 using Lift and Shift Migration.
10.10.43.43	TESTMAASQA-214	Windows 2019	01-09-2024	01-09-2029	OnPrem: Migrate to Windows 2019 using Lift and Shift Migration.

Note:

(-) in the End of Support / End of Extended Support column denotes that End of Support / End of Extended Support date is not available for that OS.

End of Support Advisory for Workload

MaaS™ has identified the available Workload Components. MaaS™ also has identified the Workload components that has reached end of support and recommends migrating to cloud to the same or latest version of workload for greater security and performance.

WORKLOAD COMPONENTS





This workload has reached its end of support period.

This workload is nearing the end of its support period.

Active Inactive N/A

SERVER NAME	SERVER IP	WORKLOAD	WORKLOAD LOCATION	END OF SUPPORT	END OF EXTENDED SUPPORT
TESTMAASQA-214	10.10.43.43	ApacheTomcat 9.0.109	D:\MaaS\Tomcat04-Common	03-31-2027	-
TESTMAASQA-214	10.10.43.43	ApacheTomcat 9.0.109	D:\MaaS\Tomcat01-UI	03-31-2027	-
TESTMAASQA-214	10.10.43.43	ApacheTomcat 9.0.109	D:\MaaS\Tomcat03-Migration	03-31-2027	-
TESTMAASQA-214	10.10.43.43	ApacheTomcat 9.0.109	D:\MaaS\Tomcat02-Assessment	03-31-2027	-
qaanalyser-FS	10.10.43.40	ApacheTomcat 9.0.102	/datadisk/SurPaaSMaaS/Tomcat01-FileServer	03-31-2027	-
testmaasautomation-fs	10.10.43.48	ApacheTomcat 9.0.109	/datadisk/SurPaaSMaaS/Tomcat01-FileServer	03-31-2027	-
MAASQA-QASH	10.10.43.35	ApacheTomcat 9.0.109	C:\SurPaaSMaaS\Tomcat03-Migration	03-31-2027	-
MAASQA-QASH	10.10.43.35	ApacheTomcat 9.0.109	C:\SurPaaSMaaS\Tomcat04-Common	03-31-2027	-
MAASQA-QASH	10.10.43.35	ApacheTomcat 9.0.109	C:\SurPaaSMaaS\Tomcat02-Assessment	03-31-2027	-
MAASQA-QASH	10.10.43.35	ApacheTomcat 9.0.109	C:\SurPaaSMaaS\Tomcat01-UI	03-31-2027	-

Note:

(-) in the End of Support / End of Extended Support column denotes that End of Support / End of Extended Support date is not available for that Workloads.

Cloud Server Sustainability - Power & CO_2

This assessment provides a comprehensive insight into your cloud server's CO emissions and energy (kW) consumption, based on actual utilization patterns. It offers custom recommendations from VM optimization to rightsizing to help reduce emissions and improve long-term sustainability. Dive into the sections below for a detailed view of your cloud environment's environmental impact.

OnPrem

	Equivalence Match
Servers	12
Power	4983.27 kW/month
CO_2 Emissions	1.88 MT/month

OnPrem

POWER CONSUMPTION PER MONTH (KILOWATTS)



CO_2 EMISSION PER MONTH (METRIC TONS)



SERVER IP	SERVER NAME	CONFIGURATION MATCH	FLAVOR DETAILS	POWER CONSUMPTION PER MONTH (KILOWATTS)	CO_2 EMISSION PER MONTH (METRIC TONS)			
					USAGE UPTO 25%	USAGE UPTO 50%	USAGE UPTO 75%	USAGE UPTO 100%
10.10.43.45	testmaasqa-DB	Equivalence Match	**Name**: PowerEdge_R6615_8X32(RAM: 32 GB, CPU Core: 8)	397.08	0.15	0.30	0.45	0.60
10.10.43.46	testmaasqa-LB	Equivalence Match	**Name**: PowerEdge_R6615_8X32(RAM: 32 GB, CPU Core: 8)	397.08	0.15	0.30	0.45	0.60
10.10.43.35	MAASQA-QASH	Equivalence Match	**Name**: PowerEdge_R6615_8X32(RAM: 32 GB, CPU Core: 8)	794.17	0.15	0.30	0.45	0.60
10.10.43.40	qaanalyser-FS	Equivalence Match	**Name**: PowerEdge_R6615_8X32(RAM: 32 GB, CPU Core: 8)	397.08	0.15	0.30	0.45	0.60
10.10.43.41	qaanalyser-db	Equivalence Match	**Name**: PowerEdge_R6615_8X32(RAM: 32 GB, CPU Core: 8)	397.08	0.15	0.30	0.45	0.60
10.10.43.43	TESTMAASQA-214	Equivalence Match	**Name**: PowerEdge_R6615_8X32(RAM: 32 GB, CPU Core: 8)	794.17	0.15	0.30	0.45	0.60
10.10.43.42	qaanalyser-lb	Equivalence Match	**Name**: PowerEdge_R6615_4X16(RAM: 16 GB, CPU Core: 4)	127.02	0.05	0.10	0.14	0.19
10.10.43.48	testmaasautomation-fs	Equivalence Match	**Name**: PowerEdge_R6615_8X32(RAM: 32 GB, CPU Core: 8)	397.08	0.15	0.30	0.45	0.60
10.10.43.49	testmaasautomation-DB	Equivalence Match	**Name**: PowerEdge_R6615_8X32(RAM: 32 GB, CPU Core: 8)	397.08	0.15	0.30	0.45	0.60
10.10.43.37	qash-db	Equivalence Match	**Name**: PowerEdge_R6615_8X32(RAM: 32 GB, CPU Core: 8)	397.08	0.15	0.30	0.45	0.60

10.10.43.38	qash-lb	Equivalence Match	**Name**: PowerEdge_R6615_2X8(RAM: 8 GB, CPU Core: 2)	91.27	0.02	0.03	0.05	0.07
10.10.43.44	tesmaasqa-FS	Equivalence Match	**Name**: PowerEdge_R6615_8X32(RAM: 32 GB, CPU Core: 8)	397.08	0.15	0.30	0.45	0.60

Note:

Highlighted CO_2 emissions are derived from source-level utilization when data exists; if not, average estimates are used.