

Report Date	Reference ID	Model Version
02 June 2026 · 06:24 PM	NSA-20260602-182435	v2.1.0-stable

CLASSIFICATION SUMMARY

CLASSIFICATION	CONFIDENCE	GDS STAGING	RISK LEVEL
Uncertain	38.7%	Inconclusive Unable to Determine	INCONCLUSIVE

Class Probability Distribution

Classification	Probability	Confidence Bar
MildDemented	38.7%	
ModerateDemented	31.4%	
VeryMildDemented	20.7%	
NonDemented	9.3%	

Clinical Assessment

The model could not confidently classify this scan. The image quality or scan type may not be optimal for analysis.

OBSERVED SYMPTOMS	PROGNOSIS
Unable to determine — please consult a medical professional for interpretation.	Inconclusive result. Professional medical evaluation is essential for accurate assessment.

Clinical Recommendations

#	Recommendation
1	Upload a clearer, higher-quality MRI scan for improved results.
2	Consult a radiologist or neurologist for professional interpretation.
3	Ensure the scan is a standard brain MRI (axial or coronal plane).

About Alzheimer's Disease

Alzheimer's disease is a progressive neurological disorder and the most common cause of dementia, accounting for 60–80% of all dementia cases worldwide. It causes brain cells to degenerate and die, leading to a continuous decline in thinking, behavioural, and social skills that affects a person's ability to function independently.

The disease progresses through defined stages — from no impairment through very mild, mild, moderate, and severe decline. Early detection through neuroimaging (MRI, PET) and cognitive assessments (MMSE, MoCA) allows for earlier intervention, which can slow progression and significantly improve quality of life.

Current FDA-approved treatments include cholinesterase inhibitors (Donepezil, Rivastigmine, Galantamine) for mild-to-moderate stages, and memantine for moderate-to-severe stages. In 2023, Lecanemab (Leqembi) became the first disease-modifying therapy approved, shown to slow cognitive decline in early Alzheimer's by clearing amyloid plaques from the brain.

Lifestyle interventions — regular aerobic exercise, cognitive engagement, Mediterranean diet, social activity, and quality sleep — have demonstrated meaningful benefit in reducing risk and slowing progression.

MEDICAL DISCLAIMER This report is generated by an AI model for educational and informational purposes only. It is based on a single 2D MRI slice and does not constitute a clinical diagnosis. Results may not be accurate. Always consult a qualified neurologist or medical professional for proper diagnosis, interpretation, and treatment planning.