

Backend Request Processing System

This document explains how the backend system processes client requests in a secure, scalable, and efficient manner. It describes the complete request lifecycle — from receiving a client request to validating, processing, storing, monitoring, and finally responding to the client application.

The architecture is designed to achieve:

- High performance
- Reliability
- Scalability
- Security
- Maintainability

1. System Architecture Overview

What is Backend Architecture?

Backend architecture refers to the internal server-side structure responsible for:

- Request processing
- Business operations
- Authentication
- Database communication
- External service integration
- System monitoring

The application follows a **layered architecture model**, where each layer performs a dedicated responsibility. This separation improves:

- Code organization
- Scalability
- Debugging
- System maintenance

Core Components of the Backend System

Component	Purpose
API Layer	Receives and routes client requests
Authentication Service	Verifies user identity and permissions
Business Logic Layer	Executes application operations
Database Layer	Stores and retrieves data

Backend Request Processing System

Component	Purpose
Cache Layer	Improves speed and performance
Queue/Worker System	Handles background tasks
Notification Service	Sends emails, SMS, and notifications
Monitoring & Logging	Tracks errors and system activity

These components work together to ensure efficient request handling and stable backend operations.

2. Backend Request Workflow

The backend request workflow describes how a request moves through the system step-by-step.

Step 1: Client Request

The workflow begins when a client application sends a request to the backend API.

Client Types

Requests may originate from:

- Web applications
- Mobile applications
- Desktop applications
- Third-party systems

Common Request Examples

- User login
- File upload
- Order placement
- Data retrieval
- Payment processing

Components of a Request

Request Part	Description
URL	API endpoint

Backend Request Processing System

Request Part	Description
HTTP Method	GET, POST, PUT, DELETE
Headers	Metadata and authentication tokens
Body	Main request data
Query Parameters	Additional filtering or search data

Example API Request

```
POST /api/login
Content-Type: application/json

{
  "email": "user@example.com",
  "password": "password123"
}
```

Step 2: API Gateway / Routing

The API Gateway acts as the main entry point of the backend system. It receives incoming requests and routes them to appropriate backend services.

Responsibilities of API Gateway

Responsibility	Description
Request Forwarding	Sends requests to correct services
Endpoint Routing	Maps URLs to backend modules
Rate Limiting	Prevents excessive requests
Request Filtering	Blocks invalid requests
Load Balancing	Distributes traffic efficiently

Importance of API Gateway

The API Gateway:

- Centralizes request handling
- Simplifies service communication
- Improves security
- Reduces backend complexity

Backend Request Processing System

Step 3: Authentication & Authorization

Before processing the request, the backend verifies:

1. **Authentication** → Who the user is
 2. **Authorization** → What the user can access
-

Authentication Process

Authentication validates user identity using:

- JWT Tokens
 - OAuth 2.0
 - Session-based authentication
 - Access tokens
-

Authorization Process

Authorization checks whether the authenticated user has permission to perform the requested operation.

Example

User Type	Permission
Admin	Delete records
Normal User	Read-only access

Verification Includes

- Token validation
- Session verification
- Permission checks
- User identity validation

These mechanisms ensure secure access control across the application.

Step 4: Request Validation

The validation layer ensures incoming requests meet business and security requirements before processing.

Backend Request Processing System

Validation Objectives

- Prevent invalid data
- Protect against attacks
- Maintain data integrity

Common Validation Checks

Validation Type	Example
Required Fields	Email must not be empty
Data Type Validation	Age must be integer
Format Validation	Proper email format
Business Rule Validation	Minimum password length
Input Sanitization	Remove malicious content

Example Validation Failure

```
{
  "email": "invalid-email",
  "password": ""
}
```

This request would fail due to:

- Invalid email format
- Empty password field

Step 5: Business Logic Processing

The Business Logic Layer contains the core functionality of the application. It processes application-specific operations and workflows.

Responsibilities

- Execute business rules
 - Perform calculations
 - Handle transactions
 - Process workflows
 - Coordinate service interactions
-

Backend Request Processing System

Example Operations

- Order creation
- Payment processing
- Inventory updates
- Report generation

Step 6: Database Operations

The backend interacts with databases to store, retrieve, update, and manage application data.

Database Responsibilities

Operation	Description
CREATE	Insert new records
READ	Retrieve stored data
UPDATE	Modify existing records
DELETE	Remove records

Supported Databases

- PostgreSQL
- MySQL
- MongoDB

Database Goals

- Data consistency
- Reliability
- Fast retrieval
- Transaction management

Step 7: External Service Integration

Modern applications often interact with third-party services and external platforms.

Backend Request Processing System

Examples of Integrated Services

- Payment gateways
 - Email providers
 - Cloud storage services
 - Third-party APIs
-

Key Integration Considerations

Consideration	Purpose
Retry Mechanisms	Handle temporary failures
Timeout Management	Avoid hanging requests
Error Handling	Manage external failures
Secure Communication	Protect API communication

Step 8: Asynchronous Processing

Long-running tasks are processed asynchronously using queues and worker systems to improve responsiveness.

Examples of Background Tasks

- Email sending
 - Image processing
 - Report generation
 - Notification delivery
-

Queue Technologies

- RabbitMQ
 - Apache Kafka
 - Amazon SQS
-

Benefits of Asynchronous Processing

- Faster user responses
- Better scalability
- Reduced system blocking

Backend Request Processing System

- Improved resource utilization

Step 9: Logging & Monitoring

Monitoring and logging systems continuously track backend performance and system activity.

Monitoring Includes

- API response monitoring
- Application performance tracking
- Error detection
- Security event logging

Common Monitoring Tools

- Prometheus
- Grafana
- ELK Stack
- Datadog

Benefits

- Faster debugging
- Performance analysis
- Security auditing
- System health monitoring

Step 10: Response Delivery

After processing completes, the backend sends an appropriate response to the client.

Types of Responses

Response Type	Description
Successful Response	Request completed successfully
Validation Error	Invalid input data
Authorization Failure	Access denied

Backend Request Processing System


Response Type	Description
System Exception	Internal server error

Example API Response

```
{
  "status": "success",
  "message": "Login successful",
  "token": "abc123"
}
```

3. Example Workflow – Order Processing

The following example demonstrates how a customer order request is processed inside the backend system.



4. Security Considerations

Security is integrated into every layer of the backend workflow.

Security Controls

- HTTPS encryption
 - Token-based authentication
 - Input sanitization
 - Role-based access control
 - Secure secret management
 - Audit logging
-

Backend Request Processing System

Security Goals

- Protect user data
 - Prevent unauthorized access
 - Detect suspicious activity
 - Maintain system integrity
-

5. Scalability Strategy

The backend architecture is designed to support growing traffic and increasing system demands.

Scalability Features

- Horizontal scaling
 - Stateless services
 - Distributed caching
 - Load balancing
 - Containerized deployment
 - Auto-scaling infrastructure
-

Benefits of Scalability

- Handles more users efficiently
 - Maintains performance under load
 - Improves availability and reliability
-

6. Deployment Workflow

The system uses a CI/CD pipeline for automated testing and deployment.

CI/CD Pipeline Steps

1. Code Commit
 2. Automated Testing
 3. Build Generation
 4. Security Scanning
 5. Deployment to Staging
 6. Production Deployment
-

Backend Request Processing System

Deployment Tools

- GitHub Actions
- Jenkins
- Docker
- Kubernetes

7. Advantages of This Architecture

Advantage	Description
Scalability	Supports increasing traffic
Security	Protects sensitive data
Maintainability	Easier updates and debugging
Reliability	Stable and fault-tolerant
Performance	Faster response handling

8. Conclusion

The backend workflow is designed to provide:

- High availability
- Secure request processing
- Scalable architecture
- Reliable integrations
- Efficient performance monitoring

By dividing responsibilities across multiple layers, the system achieves maintainability, operational reliability, security, and high performance for modern backend applications.