

API DOCUMENTATION

WC-100 DOCUMENTATION SERVICE API

TECHNICAL API REFERENCE & DEVELOPER GUIDE

Document Number: API-WC-100-001
Revision: A
API Version: v1
Document Type: API Documentation
Status: Demonstration Document
Release Date: 30 August 2026
Audience: Developers, Application Support Teams, Integration Teams, Technical Writers and System Administrators
Prepared By: Technical Documentation

DOCUMENT CONTROL

Field	Details
Document Number	API-WC-100-001
Document Title	WC-100 Documentation Service API
Document Type	API Documentation
API Version	v1
Revision	A
Status	Demonstration
Audience	Developers, Support, Integration & Documentation Teams
Release Date	30 August 2026
Base URL	https://api.example.com/wc100/v1
Authentication	API Key

IMPORTANT NOTICE

This is an independently created technical writing demonstration for a professional portfolio.

WC-100 is a fictional industrial wear component and the API described in this document is entirely fictional.

The endpoint names, URLs, parameters, responses, authentication model and examples have been created solely to demonstrate API documentation capability.

The API is not an actual production service and the example URL is not intended for use.

This document does not contain confidential, proprietary or customer information belonging to any employer or third party.

1. API OVERVIEW

1.1 Purpose

The WC-100 Documentation Service API provides programmatic access to selected product documentation and document metadata.

The fictional API allows authorised applications to:

- Search documentation.
- Retrieve document metadata.
- Retrieve document revisions.
- Identify document lifecycle status.
- Retrieve knowledge-base information.
- Identify related documentation.

The API is designed to support integration between enterprise applications and controlled documentation environments.

2. INTENDED USERS

This documentation is intended for:

Developers

Developers integrating documentation services into applications.

Integration Teams

Teams connecting enterprise applications and documentation platforms.

Application Support

Personnel troubleshooting API requests and responses.

Technical Writers

Documentation professionals responsible for creating and maintaining API reference material.

System Administrators

Personnel supporting access, authentication and integration configuration.

3. API BASE URL

All API requests use the following fictional base URL:

`https://api.example.com/wc100/v1`

Example

GET `https://api.example.com/wc100/v1/documents`

4. AUTHENTICATION

The API uses an API key for authentication.

The API key should be supplied in the request header.

Header

X-API-Key: YOUR_API_KEY

Example

GET /wc100/v1/documents

Host: api.example.com

X-API-Key: YOUR_API_KEY

5. SECURITY GUIDANCE

API keys should be treated as confidential credentials.

Do:

- Store API keys securely.
- Use approved secret-management mechanisms.
- Restrict access to authorised users and applications.
- Rotate keys according to organisational policy.

Do not:

- Publish API keys in source code.
 - Share API keys through unsecured channels.
 - Include API keys in screenshots or public documentation.
 - Commit credentials to source-control repositories.
-

6. DATA FORMAT

Requests and responses use JSON.

Example JSON

```
{
  "documentId": "SPEC-WC-100",
  "title": "WC-100 Product Specification",
  "revision": "B",
  "status": "Released"
}
```

7. HTTP METHODS

The API uses standard HTTP methods.

Method	Purpose
GET	Retrieve information
POST	Create information
PUT	Update information
DELETE	Remove information

The demonstration API primarily uses **GET** operations for retrieving documentation information.

8. ENDPOINT SUMMARY

Method	Endpoint	Purpose
GET	<code>/documents</code>	Search documents
GET	<code>/documents/{documentId}</code>	Retrieve document metadata
GET	<code>/documents/{documentId}/revisions</code>	Retrieve document revisions
GET	<code>/knowledge/articles</code>	Search knowledge articles

GET `/documents/{documentId}/related` Retrieve related documents

9. SEARCH DOCUMENTS

Endpoint

GET /documents

Purpose

Search for documentation using a keyword or document number.

Query Parameters

Parameter	Type	Required	Description
<code>q</code>	String	No	Search keyword
<code>documentType</code>	String	No	Filter by document type
<code>status</code>	String	No	Filter by lifecycle status
<code>page</code>	Integer	No	Page number
<code>limit</code>	Integer	No	Number of results

Example Request

GET /wc100/v1/documents?q=WC-100&status=Released

Example Response

```
{
  "page": 1,
  "limit": 10,
  "totalResults": 2,
  "documents": [
    {
      "documentId": "SPEC-WC-100",
      "title": "WC-100 Product Specification",
      "documentType": "Product Specification",
      "revision": "B",
      "status": "Released"
    },
    {
      "documentId": "TM-WC-100-001",
      "title": "WC-100 Technical Manual",
      "documentType": "Technical Manual",
      "revision": "B",
      "status": "Released"
    }
  ]
}
```

10. RETRIEVE DOCUMENT METADATA

Endpoint

GET /documents/{documentId}

Purpose

Returns metadata for a specific document.

Path Parameter

Parameter	Type	Required	Description
-----------	------	----------	-------------

document	String	Yes	Unique document identifier
----------	--------	-----	----------------------------

Id

Example Request

GET /wc100/v1/documents/TM-WC-100-001

Example Response

```
{
  "documentId": "TM-WC-100-001",
  "title": "WC-100 Technical Manual",
  "documentType": "Technical Manual",
  "product": "WC-100",
  "revision": "B",
  "status": "Released",
  "owner": "Technical Documentation",
  "lastUpdated": "2026-08-30"
}
```

11. RETRIEVE DOCUMENT REVISIONS

Endpoint

GET /documents/{documentId}/revisions

Purpose

Returns revision information for a document.

Example Request

GET /wc100/v1/documents/TM-WC-100-001/revisions

Example Response

```
{
  "documentId": "TM-WC-100-001",
  "revisions": [
    {
      "revision": "A",
      "status": "Superseded",
      "releaseDate": "2026-07-15"
    },
    {
      "revision": "B",
      "status": "Released",
      "releaseDate": "2026-08-30"
    }
  ]
}
```

12. SEARCH KNOWLEDGE ARTICLES

Endpoint

GET /knowledge/articles

Purpose

Search published knowledge-base articles.

Query Parameters

Parameter	Type	Required	Description
q	String	No	Search term

category	String	No	Article category
status	String	No	Article lifecycle status

Example Request

GET /wc100/v1/knowledge/articles?q=wear

Example Response

```
{
  "articles": [
    {
      "articleId": "KB-WC-100-001",
      "title": "WC-100 Wear Limit and Installation Clearance",
      "revision": "B",
      "status": "Published"
    }
  ]
}
```

13. RETRIEVE RELATED DOCUMENTATION

Endpoint

GET /documents/{documentId}/related

Purpose

Returns documentation related to a specified document.

Example Request

GET /wc100/v1/documents/SPEC-WC-100/related

Example Response

```
{
  "documentId": "SPEC-WC-100",
  "relatedDocuments": [
    {
      "documentId": "WI-WC-100-001",
      "title": "WC-100 Manufacturing Work Instruction"
    },
    {
      "documentId": "TM-WC-100-001",
      "title": "WC-100 Technical Manual"
    },
    {
      "documentId": "KB-WC-100-001",
      "title": "WC-100 Wear Limit and Installation Clearance"
    }
  ]
}
```

14. RESPONSE STATUS CODES

The API uses standard HTTP response codes.

Status Code	Meaning	Typical Scenario
200	OK	Request completed successfully
201	Created	Resource created
400	Bad Request	Invalid request
401	Unauthorized	Authentication missing or invalid

403	Forbidden	User does not have required permission
404	Not Found	Document or resource does not exist
429	Too Many Requests	Rate limit exceeded
500	Internal Server Error	Unexpected server error

15. ERROR RESPONSE

When an API request fails, the service returns a structured error response.

Example

```
{
  "error": {
    "code": "DOCUMENT_NOT_FOUND",
    "message": "The requested document could not be found.",
    "requestId": "REQ-100245"
  }
}
```

16. COMMON ERRORS

DOCUMENT_NOT_FOUND

Cause

The specified document ID does not exist.

Recommended Action

Verify the document number and retry the request.

UNAUTHORIZED

Cause

API key is missing or invalid.

Recommended Action

Verify the authentication header and API credentials.

FORBIDDEN

Cause

The authenticated application does not have the required permission.

Recommended Action

Contact the appropriate system administrator or access owner.

INVALID_PARAMETER

Cause

A query parameter contains an invalid value.

Recommended Action

Review the parameter requirements and correct the request.

17. COMPLETE REQUEST EXAMPLE

Request

GET /wc100/v1/documents/TM-WC-100-001 HTTP/1.1
Host: api.example.com

X-API-Key: YOUR_API_KEY
Accept: application/json

Response

```
{  
  "documentId": "TM-WC-100-001",  
  "title": "WC-100 Technical Manual",  
  "documentType": "Technical Manual",  
  "product": "WC-100",  
  "revision": "B",  
  "status": "Released"  
}
```

18. CURL EXAMPLE

The same request can be executed using cURL.

```
curl -X GET \  
  "https://api.example.com/wc100/v1/documents/TM-WC-100-001" \  
  -H "X-API-Key: YOUR_API_KEY" \  
  -H "Accept: application/json"
```

19. JAVASCRIPT EXAMPLE

```
fetch(  
  "https://api.example.com/wc100/v1/documents/TM-WC-100-001",  
  {  
    method: "GET",  
    headers: {  
      "X-API-Key": "YOUR_API_KEY",  
      "Accept": "application/json"  
    }  
  }  
)  
  .then(response => response.json())  
  .then(data => console.log(data));
```

20. PYTHON EXAMPLE

```
import requests

url = "https://api.example.com/wc100/v1/documents/TM-WC-100-001"

headers = {
    "X-API-Key": "YOUR_API_KEY",
    "Accept": "application/json"
}

response = requests.get(url, headers=headers)

print(response.json())
```

21. VERSIONING

The API uses URL-based versioning.

Current demonstration version:

/v1

Example:

<https://api.example.com/wc100/v1/documents>

Future API versions may be introduced when significant changes require a new contract.

Existing integrations should follow the applicable version-support policy.

22. DOCUMENT REVISION VS API VERSION

These are different concepts.

Document Revision

Example:

Technical Manual Revision B

Represents a controlled update to the document.

API Version

Example:

API v1

Represents the version of the API interface and contract.

A change to documentation content does not automatically require a new API version.

23. DATA VALIDATION

Applications consuming API responses should validate expected fields.

For example:

documentId
title
documentType
revision
status

Applications should also handle unexpected or missing values gracefully.

24. RATE LIMITING

The demonstration API may enforce request limits to protect service availability.

If the request limit is exceeded, the API may return:

429 Too Many Requests

Applications should avoid unnecessary repeated requests and follow the applicable retry guidance.

25. TROUBLESHOOTING

Problem	Possible Cause	Recommended Action
401 response	Invalid API key	Verify credentials
403 response	Insufficient permission	Contact system administrator
404 response	Incorrect document ID	Verify identifier
400 response	Invalid parameter	Check request syntax
429 response	Too many requests	Retry according to service guidance
Empty result	Search criteria too restrictive	Broaden search
Unexpected revision	Historical revision returned	Check lifecycle status

26. API DOCUMENTATION QUALITY CHECKLIST

Before publishing API documentation, verify:

- ☐ Endpoint path is correct.
- ☐ HTTP method is identified.

- ☐ Parameters are documented.
 - ☐ Required parameters are clearly identified.
 - ☐ Request examples are valid.
 - ☐ Response examples are valid.
 - ☐ Status codes are documented.
 - ☐ Error scenarios are explained.
 - ☐ Authentication requirements are documented.
 - ☐ Security guidance is included.
 - ☐ Version information is current.
 - ☐ Examples do not contain real credentials.
 - ☐ Terminology is consistent.
 - ☐ Cross-references are current.
-

27. TECHNICAL WRITER'S ROLE IN API DOCUMENTATION

A technical writer may support API documentation by:

- Understanding API behaviour with developers and SMEs.
- Gathering endpoint requirements.
- Structuring API reference information.
- Documenting parameters and data types.
- Creating request and response examples.
- Explaining authentication requirements.
- Documenting status and error codes.
- Writing troubleshooting guidance.
- Maintaining version information.
- Reviewing documentation for clarity and consistency.
- Managing documentation changes through the content lifecycle.

The technical writer works with developers, system architects, product owners and SMEs to ensure technical accuracy.

28. DOCUMENTATION LIFECYCLE

API documentation should be maintained throughout the API lifecycle.

API Design



Documentation Planning



Draft API Reference



Developer / SME Review



Technical Documentation Review



Publication



API Release



Feedback & Issue Tracking



Documentation Update



Version / Revision Management

29. API CHANGE EXAMPLE

Suppose the API changes from:

GET /documents/{documentId}

to:

GET /documents/{documentId}?includeRelated=true

The technical writer should assess:

- Endpoint documentation.
- Parameter documentation.
- Request examples.
- Response examples.
- Developer guide.
- Troubleshooting information.
- Related documentation.
- Version information.

This demonstrates the importance of documentation impact assessment when technical interfaces change.

30. RELATED WC-100 DOCUMENTATION

The API documentation connects with the wider WC-100 documentation ecosystem.

Product Specification

SPEC-WC-100

Defines product requirements.

Manufacturing Work Instruction

WI-WC-100-001

Defines manufacturing and installation activities.

SOP

SOP-WC-100-001

Defines controlled review and release activities.

Technical Manual

TM-WC-100-001

Provides detailed technical information.

User Guide

UG-TC-001

Provides user-focused documentation guidance.

Training Guide

TR-WC-100-001

Provides structured learning content.

Release Notes

RN-WC-100-001

Communicates product and documentation changes.

Knowledge Base Article

KB-WC-100-001

Provides concise technical guidance.

API Documentation

API-WC-100-001

Provides machine-readable interface documentation and developer guidance.

31. QUICK API REFERENCE

Method	Endpoint	Purpose
GET	<code>/documents</code>	Search documents
GET	<code>/documents/{documentId}</code>	Retrieve document metadata
GET	<code>/documents/{documentId}/revisions</code>	Retrieve revisions
GET	<code>/knowledge/articles</code>	Search knowledge articles
GET	<code>/documents/{documentId}/related</code>	Retrieve related documents

32. QUICK TROUBLESHOOTING

Cannot authenticate?

Check the API key.

Document not found?

Verify the document ID.

Access denied?

Check application permissions.

Search returns no results?

Review the search criteria.

Unexpected document revision?

Check document lifecycle status.

API limit exceeded?

Reduce request frequency and follow retry guidance.

33. REVISION HISTORY

Revision	API Version	Date	Description	Author
A	v1	30-Aug-2026	Initial demonstration API documentation	Technical Documentation

34. PORTFOLIO DEMONSTRATION NOTICE

This API Documentation is an independently created technical writing demonstration developed for a professional portfolio.

WC-100 is a fictional industrial wear component.

The API, endpoints, URLs, parameters, responses, authentication mechanism and integration examples are fictional and have been created solely to demonstrate API documentation capability.

The example domain is not a production API.

No real credentials, proprietary interfaces or confidential technical information are included.

This document does not contain confidential, proprietary or customer information belonging to any employer or third party.

END OF DOCUMENT

Document Number: API-WC-100-001

Revision: A

API Version: v1

Status: Demonstration Document

