

RELEASE NOTES

WC-100 INDUSTRIAL WEAR COMPONENT

PRODUCT AND DOCUMENTATION RELEASE

Document Number: RN-WC-100-001
Revision: A
Release Version: 1.1
Release Date: 30 August 2026
Release Status: Demonstration Release
Product: WC-100 Industrial Wear Component
Audience: Engineering, Manufacturing, Quality, Maintenance & Documentation Teams
Prepared By: Technical Documentation

DOCUMENT CONTROL

Field	Details
Document Number	RN-WC-100-001
Document Title	WC-100 Product and Documentation Release Notes
Document Type	Release Notes
Product	WC-100 Industrial Wear Component
Release Version	1.1
Revision	A
Release Date	30 August 2026
Status	Demonstration Release
Audience	Engineering, Manufacturing, Quality, Maintenance & Documentation
System of Record	Controlled Document Management Environment

IMPORTANT NOTICE

This is an independently created technical writing demonstration for a professional portfolio.

WC-100 is a fictional industrial wear component. All product information, engineering changes, specifications, document numbers and scenarios have been created solely for demonstration purposes.

The examples are intended to demonstrate release-note writing, change communication, documentation impact assessment and revision-control practices.

This document does not contain confidential or proprietary information from any employer, customer or third party.

1. RELEASE OVERVIEW

1.1 Purpose

This release introduces updates to the fictional WC-100 Industrial Wear Component and its supporting technical documentation.

The release notes provide a concise summary of:

- What has changed.
 - Why the change was introduced.
 - Which documents are affected.
 - Who may be affected.
 - What users need to do.
 - Which revisions are current.
 - Whether additional action is required.
-

2. RELEASE SUMMARY

Release 1.1 includes:

1. Updated product wear-limit specification.

- 2. Revised mounting-clearance requirement.
- 3. Updated inspection guidance.
- 4. Clarified maintenance instructions.
- 5. Updated technical manual.
- 6. Updated manufacturing work instruction.
- 7. Updated product specification.
- 8. Updated user guide.
- 9. Updated training material.
- 10. Updated knowledge base information.

The changes are intended to improve technical accuracy, consistency and usability across the WC-100 documentation set.

3. KEY CHANGES

Change ID	Area	Change	Impact
CHG-001	Product Specification	Updated allowable wear limit	Engineering & Quality
CHG-002	Installation	Updated mounting clearance	Manufacturing & Maintenance
CHG-003	Inspection	Clarified inspection frequency	Quality
CHG-004	Maintenance	Updated inspection procedure	Maintenance
CHG-005	Documentation	Updated related technical documents	Documentation Users

4. PRODUCT SPECIFICATION CHANGE

Change ID

CHG-001

Previous Requirement

Maximum allowable wear:

10 mm

New Requirement

Maximum allowable wear:

12 mm

Reason for Change

The requirement was updated following a fictional engineering assessment of product performance and operating conditions.

Documentation Impact

The following documents require review or update:

- Product Specification
- Technical Manual
- Manufacturing Work Instruction
- User Guide
- Training Guide
- Knowledge Base Article

User Impact

Engineering, quality and maintenance personnel should refer to the current released documentation when evaluating WC-100 wear conditions.

5. INSTALLATION REQUIREMENT CHANGE

Change ID

CHG-002

Previous Requirement

Minimum mounting clearance:

10 mm

New Requirement

Minimum mounting clearance:

15 mm

Reason for Change

The requirement has been revised to provide additional installation clearance and improve consistency during assembly.

Affected Users

- Manufacturing personnel
- Installation teams
- Maintenance personnel
- Engineering teams

Required Action

Users performing installation activities should use the current released installation documentation.

6. INSPECTION GUIDANCE UPDATE

Change ID

CHG-003

Previous Guidance

Inspection frequency was described generally as:

Periodic inspection

Updated Guidance

The documentation now provides a defined inspection interval based on the applicable operating conditions and maintenance schedule.

Documentation Improvement

The updated content clarifies:

- What should be inspected.
- When inspection should occur.
- What conditions require escalation.
- Where inspection results should be recorded.

User Impact

Quality and maintenance users should follow the current approved inspection documentation.

7. MAINTENANCE DOCUMENTATION UPDATE

Change ID

CHG-004

The maintenance section of the WC-100 Technical Manual has been revised to provide clearer guidance for routine inspection.

Improvements Include

- Clearer inspection sequence.
- Improved terminology.
- Additional acceptance criteria.
- Improved troubleshooting guidance.
- Clarified escalation requirements.

Benefit

The revised content helps users locate and understand maintenance information more efficiently.

8. DOCUMENTATION CHANGES

The product changes require updates across the supporting documentation set.

Document	Previous Revision	New Revision	Change
Product Specification	A	B	Updated wear and clearance requirements
Manufacturing Work Instruction	A	B	Updated installation requirements
SOP	A	B	Updated review/release references
Technical Manual	A	B	Updated product and maintenance information
User Guide	A	B	Updated controlled-document examples
Training Guide	A	B	Updated training scenarios
Knowledge Base Article	A	B	Updated user guidance

9. DOCUMENTATION IMPACT ASSESSMENT

Before releasing the product change, the documentation team performs an impact assessment.

Step 1 — Identify Change

Engineering change is received.

Step 2 — Identify Affected Information

The technical writer identifies content containing the changed requirement.

Step 3 — Identify Affected Documents

Related specifications, procedures, manuals and user-facing content are reviewed.

Step 4 — Update Content

Affected documents are revised.

Step 5 — Technical Validation

Relevant SMEs validate the technical information.

Step 6 — Documentation Review

The technical writer checks:

- Consistency
- Terminology
- Cross-references
- Formatting
- Revision information
- User clarity

Step 7 — Approval

Required stakeholders approve the revised documents.

Step 8 — Release

The approved revisions are released through the controlled documentation environment.

Step 9 — Supersession

Previous revisions are retained according to document-control requirements and identified as superseded or obsolete as applicable.

10. USER IMPACT

Engineering

Engineering users should refer to the latest product specification and technical documentation when evaluating WC-100 requirements.

Manufacturing

Manufacturing users should ensure that the current work instruction is used for applicable installation and production activities.

Quality

Quality users should verify that inspection activities reference the current requirements.

Maintenance

Maintenance personnel should use the latest maintenance guidance when performing inspections.

Documentation

Documentation teams should ensure affected documents are updated consistently and that obsolete information is controlled.

11. REQUIRED USER ACTIONS

Engineering

- ☐ Review updated product requirements.
- ☐ Use current released documentation.

Manufacturing

- ☐ Confirm current work instruction revision.
- ☐ Remove or control superseded working copies according to local procedure.

Quality

- ☐ Review updated inspection requirements.
- ☐ Confirm applicable quality documentation.

Maintenance

- ☐ Use the current maintenance guidance.
- ☐ Escalate unclear technical conditions to the appropriate technical authority.

Documentation

- ☐ Update affected controlled documents.
 - ☐ Complete required technical reviews.
 - ☐ Maintain revision history.
 - ☐ Confirm release status.
-

12. BEFORE AND AFTER

Wear Requirement

Before: 10 mm

After: 12 mm

Mounting Clearance

Before: 10 mm

After: 15 mm

Inspection Guidance

Before: General periodic inspection statement

After: Defined inspection guidance with clearer acceptance and escalation criteria

13. WHAT USERS NEED TO KNOW

The most important message from this release is:

Always use the current released revision of WC-100 documentation.

Do not rely on:

- Old printed copies.
- Locally saved PDFs.
- Previous email attachments.
- Superseded revisions.
- Uncontrolled working documents.

Where documentation conflicts, users should stop and verify the current controlled information.

14. DOCUMENT MANAGEMENT

The revised documents should be maintained within the organisation's approved document-management or product-lifecycle environment.

Depending on organisational configuration, this may include platforms such as:

- Teamcenter
- Windchill
- SharePoint
- Other controlled document-management systems

The system of record should be used to establish the current document revision and lifecycle status.

15. RELEASE WORKFLOW

The release follows a controlled sequence:

Engineering Change



Impact Assessment



Documentation Update



SME Review



Documentation Review



Approval



Release



User Communication



Previous Revision Superseded

16. QUALITY CHECKS COMPLETED

Before release, the documentation team verifies:

☐ Correct document number

- ☐ Correct product information
 - ☐ Correct revision
 - ☐ Correct release status
 - ☐ Technical content validated
 - ☐ Terminology consistent
 - ☐ Cross-references checked
 - ☐ Tables and figures reviewed
 - ☐ User instructions reviewed
 - ☐ Revision history updated
 - ☐ Superseded content identified
 - ☐ Release communication prepared
-

17. KNOWN CONSIDERATIONS

Users should be aware that:

- The release may require review of related documentation.
 - Local copies may contain superseded information.
 - Different teams may require different supporting documents.
 - Technical questions should be directed to the appropriate SME or technical authority.
 - The controlled document-management environment remains the authoritative source.
-

18. SUPPORT AND ESCALATION

If a user identifies:

- Conflicting technical information.
- An incorrect specification.
- An outdated document.

- An unclear instruction.
- A missing document.
- A suspected documentation error.

The user should:

Stop → Verify → Record → Escalate

The issue should be directed to the appropriate document owner, SME, engineering authority or quality representative.

19. KNOWLEDGE BASE UPDATE

The release also requires the related knowledge base content to be reviewed.

Example Knowledge Base Article

Title:

WC-100 Wear Limit and Installation Clearance — Current Requirements

Updated Content

The article provides users with a concise summary of:

- Current wear limit.
- Current mounting clearance.
- Applicable documentation.
- Where to find the current specification.
- When to contact an SME.

Purpose

The knowledge base article provides quick access to frequently required information while directing users to the controlled source for authoritative technical details.

20. TRAINING MATERIAL UPDATE

Because product requirements have changed, associated training content should also be reviewed.

Affected training content may include:

- Training Guide
- Training presentation
- Instructor notes
- Learner exercises
- Knowledge checks
- Quick-reference guides

The training content should be aligned with the released product documentation.

21. RELEASE COMMUNICATION

The release should be communicated to affected stakeholders using the organisation's approved communication channel.

A concise communication should explain:

- What changed.
 - Why it changed.
 - Who is affected.
 - Which documents changed.
 - What action users need to take.
 - Where the current information can be found.
-

22. RELEASE ACCEPTANCE CRITERIA

The release is considered documentation-ready when:

1. All identified documents have been reviewed.
2. Required updates have been completed.
3. Technical SMEs have validated affected content.
4. Documentation quality checks are complete.
5. Required approvals are obtained.
6. Current revisions are correctly identified.

7. Superseded content is controlled.
 8. User communication is prepared.
-

23. QUICK REFERENCE

What Changed?

Wear limit and mounting clearance requirements were updated.

Who Is Affected?

Engineering, Manufacturing, Quality, Maintenance and Documentation teams.

What Should Users Do?

Use the current released documentation.

What Should Users Avoid?

Using uncontrolled or superseded copies.

Where Should Users Verify Information?

The organisation's approved system of record.

24. RELATED DOCUMENTATION

The following fictional documents are part of the WC-100 documentation ecosystem:

SPEC-WC-100

WC-100 Product Specification

Defines product requirements and technical characteristics.

WI-WC-100-001

WC-100 Manufacturing Work Instruction

Defines manufacturing and installation activities.

SOP-WC-100-001

WC-100 Product Quality Review and Release SOP

Defines the broader review and release process.

TM-WC-100-001

WC-100 Technical Manual

Provides comprehensive technical, installation, inspection and maintenance information.

UG-TC-001

Teamcenter Document Access and Revision Workflow

Provides guidance for accessing controlled documentation.

TR-WC-100-001

WC-100 Technical Documentation and Revision Control Training Guide

Provides structured training on documentation and revision management.

KB-WC-100-001

WC-100 Wear Limit and Installation Clearance — Current Requirements

Provides concise knowledge-base guidance.

25. REVISION HISTORY

Revision	Release	Date	Description	Author
n	Version			

26. PORTFOLIO DEMONSTRATION NOTICE

This Release Notes document is an independently created technical writing demonstration developed for a professional portfolio.

WC-100 is a fictional product.

All product requirements, engineering changes, document numbers, release information, workflows and scenarios are fictional or generic representations created solely to demonstrate technical writing capability.

The document-management concepts are generic and may differ from the configuration, processes and terminology used by individual organisations.

This document does not contain confidential, proprietary or customer information belonging to any employer or third party.

END OF DOCUMENT

Document Number: RN-WC-100-001

Revision: A

Release Version: 1.1

Status: Demonstration Release