

National Infrastructure Corp. Ltd.

GSTIN 19NAICC441701Z1 · Final Bill with Measurement Annexure

FINAL RUNNING ACCOUNT BILL

Contract #71 · Public Health Engineering Dept, Odisha · 14 RA bills

FIN/71

March 31, 2026

PART I — CONTRACT ABSTRACT

<i>Awarded Value</i>	INR 127.18 Cr
<i>Total Value of Work Billed</i>	INR 81.10 Cr
<i>Period</i>	November 15, 2020 — May 29, 2023

PART II — BOQ-WISE SUMMARY (AS EXECUTED)

Item	Description	Unit	Rate	BOQ Qty	Executed Value
1	Earthwork in excavation & embankment	cum	278	392469.604	109,106,550
2	Granular sub-base (GSB)	cum	1,401	41435.932	58,051,741
3	Wet mix macadam (WMM)	cum	1,826	113947.365	208,067,889
4	Dense bituminous macadam (DBM)	MT	5,243	11134.805	58,379,782
5	Bituminous concrete (BC)	MT	6,248	35380.625	221,058,142
6	RCC M30 for structures	cum	7,413	9945.509	73,726,061
7	Reinforcement steel Fe500	MT	68,164	1211.937	82,610,487
Total					811,000,652

PART III — BILL-WISE ABSTRACT

RA	Bill No	Date	Value of Work	Cumulative
1	AR-2021-00352	2021-01-15	57,928,618	57,928,618
2	AR-2021-00353	2021-03-18	57,928,618	115,857,236
3	AR-2021-00354	2021-05-19	57,928,618	173,785,854

4	AR-2021-00355	2021-07-19	57,928,618	231,714,472
5	AR-2021-00356	2021-09-19	57,928,618	289,643,090
6	AR-2021-00357	2021-11-20	57,928,618	347,571,708
7	AR-2022-00358	2022-01-20	57,928,618	405,500,326
8	AR-2022-00359	2022-03-23	57,928,618	463,428,944
9	AR-2022-00360	2022-05-24	57,928,618	521,357,562
10	AR-2022-00361	2022-07-24	57,928,618	579,286,180
11	AR-2022-00362	2022-09-24	57,928,618	637,214,798
12	AR-2022-00363	2022-11-25	57,928,618	695,143,416
13	AR-2023-00364	2023-01-25	57,928,618	753,072,034
14	AR-2023-00365	2023-03-28	57,928,618	811,000,652

PART IV — MEASUREMENT ANNEXURE (ITEM-WISE, ALL BILLS)

ITEM 1 — EARTHWORK IN EXCAVATION & EMBANKMENT (CUM @ 278)

RA	Location / particulars	N	L	B	D	Qty	Amount
2	Ch. 3+196 to 18+385	1	22.55	1.02	265.375	6103.89	
2	Reach R-5	3	36.28	8.9	7.247	7019.995	
2	Grid 1-B / level 3	5	24.91	0.41	74.47	3802.848	
2	Structure S-21	4	8.8	0.55	243.158	4707.539	6,014,423
4	Reach R-3	6	33.28	1.46	15.547	4532.46	
4	Reach R-3	2	30.08	6.4	16.377	6305.538	
4	Grid 7-C / level 4	3	25.64	7.75	11.961	7130.311	
4	Ch. 9+381 to 19+430	1	28.87	3.79	88.556	9689.558	
4	Ch. 9+381 to 19+430	6	32.72	3.94	7.827	6054.191	
4	Grid 7-C / level 4	2	13.79	4.02	41.035	4549.616	
4	Ch. 9+381 to 19+430	6	17.53	11.27	6.538	7750.005	
4	Ch. 9+381 to 19+430	2	20.49	3.59	80.859	11895.831	16,098,464
9	Ch. 2+404 to 10+430	6	30.44	5.48	11.594	11604.054	
9	Grid 2-F / level 2	3	24.74	8.04	14.152	8444.906	
9	Ch. 2+404 to 10+430	3	24.95	3.44	40.081	10320.216	
9	Grid 2-F / level 2	2	28.9	10.87	8.14	5114.248	
9	Grid 2-F / level 2	1	28.55	10.44	36.719	10944.539	
9	Grid 2-F / level 2	6	10.96	3.63	58.973	14077.374	
9	Reach R-8	6	30.29	10.0	2.611	4745.231	
9	Ch. 2+404 to 10+430	2	10.39	10.88	49.102	11101.294	21,226,088
10	Ch. 8+346 to 15+411	2	5.4	8.49	15.177	1391.609	
10	Ch. 8+346 to 15+411	3	35.01	11.82	1.13	1402.844	
10	Ch. 8+346 to 15+411	2	9.99	1.3	70.446	1829.764	

10	Reach R-10	3	30.69	6.88	4.412	2794.744	
10	Grid 9-C / level 2	6	12.33	2.19	20.909	3387.597	
10	Grid 9-C / level 2	1	30.38	4.25	17.99	2322.779	
10	Structure S-17	5	18.25	5.2	6.343	3009.753	
10	Structure S-17	2	38.49	4.15	11.44	3654.702	5,502,623
11	Ch. 7+000 to 18+501	5	17.42	5.33	17.079	7928.806	
11	Ch. 7+000 to 18+501	2	10.04	9.9	29.567	5877.683	
11	Structure S-23	2	5.21	4.98	118.369	6142.357	
11	Structure S-23	1	18.93	8.51	106.63	17177.485	
11	Grid 6-C / level 1	2	22.24	3.71	80.937	13356.288	
11	Grid 6-C / level 1	6	32.4	4.79	7.427	6915.844	15,956,747
12	Grid 8-F / level 2	2	26.27	10.62	10.104	5637.777	
12	Reach R-10	3	2.3	9.61	79.589	5277.467	
12	Structure S-24	6	11.65	8.48	9.917	5878.322	
12	Ch. 8+969 to 15+034	5	7.36	0.55	101.381	2051.951	
12	Grid 8-F / level 2	5	15.89	3.41	11.92	3229.42	
12	Reach R-10	2	25.38	1.6	40.232	3267.482	7,045,157
14	Reach R-11	6	25.73	7.89	6.408	7805.317	
14	Grid 9-E / level 3	1	37.72	7.78	12.499	3667.977	
14	Structure S-16	2	17.3	3.42	25.933	3068.704	
14	Grid 9-E / level 3	3	39.79	1.57	14.415	2701.528	
14	Reach R-11	1	2.07	10.7	128.253	2840.676	
14	Reach R-11	5	30.57	8.56	4.592	6008.154	
14	Ch. 0+197 to 18+541	2	4.45	9.58	39.23	3344.828	8,183,507
Item total (executed)						287866.94	80,027,009

ITEM 2 — GRANULAR SUB-BASE (GSB) (CUM @ 1,401)

RA	Location / particulars	N	L	B	D	Qty	Amount
1	Ch. 0+299 to 19+561	3	9.75	3.5	8.742	894.962	
1	Reach R-10	1	37.81	11.83	1.237	553.301	
1	Ch. 0+299 to 19+561	4	9.34	11.87	1.7	753.887	
1	Structure S-4	2	20.94	3.08	8.086	1043.016	
1	Reach R-10	3	13.83	0.6	34.818	866.759	
1	Ch. 0+299 to 19+561	1	23.88	0.42	121.002	1213.602	
1	Grid 4-C / level 4	1	4.9	6.36	32.636	1017.068	8,886,279
2	Ch. 7+869 to 14+632	6	18.99	2.66	2.464	746.79	
2	Ch. 7+869 to 14+632	6	4.93	1.43	16.598	702.085	
2	Reach R-12	1	21.19	7.12	5.573	840.814	
2	Grid 6-A / level 3	6	28.51	11.62	0.207	411.457	
2	Ch. 7+869 to 14+632	4	29.82	2.35	1.055	295.725	
2	Grid 6-A / level 3	3	18.95	3.66	3.286	683.721	
2	Structure S-4	2	36.3	1.18	11.089	949.972	
2	Ch. 7+869 to 14+632	1	33.43	3.74	3.408	426.096	7,085,471
3	Reach R-12	1	3.21	5.73	77.594	1427.21	
3	Ch. 3+991 to 10+756	1	9.79	10.21	14.714	1470.751	
3	Ch. 3+991 to 10+756	4	8.94	3.49	7.816	975.456	
3	Ch. 3+991 to 10+756	1	10.24	11.52	9.75	1150.157	7,038,069
5	Reach R-2	5	7.47	2.12	14.604	1156.374	
5	Ch. 0+659 to 12+446	2	32.73	5.01	6.249	2049.388	
5	Grid 9-D / level 3	4	12.64	3.82	5.762	1112.868	
5	Grid 9-D / level 3	6	37.86	6.88	0.96	1500.346	
5	Grid 9-D / level 3	1	21.96	8.64	11.491	2180.238	11,207,896
6	Grid 2-F / level 2	3	10.9	0.46	20.309	305.488	

6	Ch. 2+055 to 13+722	6	5.71	1.66	7.79	443.03	
6	Structure S-15	2	10.67	11.15	1.807	429.959	
6	Reach R-1	3	38.57	6.64	1.113	855.134	
6	Structure S-15	1	17.49	2.87	19.452	976.418	
6	Grid 2-F / level 2	5	4.89	5.25	4.167	534.887	
6	Ch. 2+055 to 13+722	1	4.88	3.51	41.274	706.974	
6	Ch. 2+055 to 13+722	1	30.07	2.17	11.314	738.26	6,990,618
7	Ch. 1+272 to 16+728	2	23.39	9.74	1.831	834.272	
7	Structure S-21	4	26.1	11.45	1.343	1605.395	
7	Ch. 1+272 to 16+728	4	7.91	1.67	37.778	1996.144	
7	Structure S-21	5	2.5	4.51	10.838	610.992	
7	Grid 7-B / level 2	1	30.68	7.46	3.551	812.727	8,210,238
8	Ch. 3+265 to 10+778	3	22.74	8.22	3.739	2096.713	
8	Structure S-2	4	23.79	9.37	1.583	1411.481	
8	Grid 3-F / level 2	4	4.51	5.46	8.088	796.655	
8	Ch. 3+265 to 10+778	3	22.82	6.24	2.426	1036.364	
8	Reach R-3	6	24.59	8.76	1.564	2021.392	10,315,657
9	Structure S-8	2	28.94	9.85	1.496	852.897	
9	Ch. 8+354 to 19+696	4	12.12	6.38	8.094	2503.494	
9	Reach R-3	5	7.05	6.89	4.077	990.191	
9	Reach R-3	6	38.82	3.11	3.442	2493.32	
9	Structure S-8	2	8.7	5.7	27.712	2748.476	
9	Reach R-3	5	2.42	2.58	88.765	2771.066	
9	Grid 3-E / level 3	4	5.66	7.24	11.638	1907.626	
9	Reach R-3	2	10.87	1.95	31.649	1341.696	21,867,940
10	Structure S-11	4	33.18	10.98	1.404	2046.001	
10	Reach R-3	6	6.75	7.42	3.732	1121.503	

10	Grid 1-E / level 2	4	11.47	7.1	7.154	2330.401	
10	Structure S-11	2	14.76	9.92	6.956	2036.984	
10	Ch. 9+582 to 12+763	3	8.57	3.03	10.668	831.051	
10	Ch. 9+582 to 12+763	2	20.59	3.31	10.161	1385.003	
10	Structure S-11	4	26.66	1.87	6.08	1212.454	15,359,995
11	Structure S-16	1	30.28	2.98	11.957	1078.933	
11	Reach R-7	6	15.98	7.82	0.506	379.389	
11	Grid 6-D / level 2	6	20.11	7.6	0.792	726.277	
11	Structure S-16	5	12.38	3.17	3.032	594.948	
11	Grid 6-D / level 2	2	4.08	9.84	12.766	1025.038	
11	Ch. 7+515 to 14+549	5	3.67	7.59	2.105	293.177	
11	Grid 6-D / level 2	6	38.08	7.77	0.58	1029.668	
11	Reach R-7	2	36.08	6.5	0.78	365.851	7,695,381
12	Grid 6-C / level 3	3	9.7	11.96	5.98	2081.255	
12	Grid 6-C / level 3	4	35.24	1.9	8.829	2364.618	
12	Grid 6-C / level 3	1	13.18	8.3	17.347	1897.658	
12	Grid 6-C / level 3	4	22.09	9.87	2.991	2608.491	12,541,444
14	Grid 3-B / level 4	2	21.38	8.15	1.867	650.638	
14	Ch. 3+331 to 17+949	2	28.41	1.4	11.471	912.495	
14	Grid 3-B / level 4	1	15.97	1.14	85.62	1558.781	
14	Grid 3-B / level 4	1	30.43	3.78	7.301	839.8	
14	Structure S-8	6	35.22	1.41	1.934	576.257	
14	Structure S-8	6	16.8	9.31	1.158	1086.723	
14	Reach R-10	2	23.24	9.26	0.962	414.049	
14	Ch. 3+331 to 17+949	6	20.35	2.71	4.782	1582.321	10,676,922
Item total (executed)						91274.739	127,875,910

ITEM 3 — WET MIX MACADAM (WMM) (CUM @ 1,826)

RA	Location / particulars	N	L	B	D	Qty	Amount
1	Ch. 6+254 to 11+468	6	33.21	4.17	1.672	1389.289	
1	Reach R-4	6	30.03	5.86	1.316	1389.505	
1	Ch. 6+254 to 11+468	3	19.7	1.17	10.666	737.522	
1	Structure S-12	4	9.0	1.9	17.966	1228.874	
1	Structure S-12	2	3.27	9.89	25.683	1661.192	
1	Reach R-4	4	26.97	7.34	1.567	1240.812	13,964,256
3	Ch. 4+255 to 18+532	3	7.79	3.13	6.305	461.199	
3	Structure S-10	5	31.75	7.81	1.168	1448.13	
3	Reach R-6	3	12.67	7.68	4.175	1218.753	
3	Structure S-10	3	9.55	9.6	2.314	636.443	
3	Ch. 4+255 to 18+532	2	13.26	8.79	3.866	901.206	
3	Ch. 4+255 to 18+532	6	9.95	3.81	4.443	1010.591	
3	Ch. 4+255 to 18+532	1	12.8	6.01	13.816	1062.837	12,305,353
6	Reach R-12	3	14.36	7.08	1.945	593.237	
6	Reach R-12	6	19.39	5.26	1.252	766.159	
6	Grid 6-C / level 3	6	14.09	7.77	1.558	1023.412	
6	Grid 6-C / level 3	4	25.97	3.37	2.937	1028.172	
6	Reach R-12	6	11.34	6.24	2.555	1084.775	
6	Ch. 9+433 to 17+813	5	17.73	2.52	4.258	951.229	
6	Ch. 9+433 to 17+813	6	8.13	3.95	3.677	708.488	11,239,805
8	Structure S-20	6	25.43	5.61	1.083	927.02	
8	Reach R-4	2	26.0	6.25	2.207	717.275	
8	Grid 3-F / level 1	1	22.16	2.1	6.733	313.327	
8	Grid 3-F / level 1	5	4.73	5.88	6.313	877.898	5,178,035

10	Structure S-12	1	21.13	11.15	5.402	1272.708	
10	Ch. 7+638 to 18+148	4	21.18	0.46	42.349	1650.391	
10	Reach R-2	2	9.57	3.77	27.02	1949.704	
10	Structure S-12	4	20.0	2.21	5.72	1011.296	10,744,357
11	Ch. 9+228 to 13+427	3	29.83	7.29	1.675	1092.74	
11	Ch. 9+228 to 13+427	5	10.32	11.08	2.111	1206.918	
11	Ch. 9+228 to 13+427	2	16.23	2.71	29.636	2606.978	
11	Structure S-17	6	32.26	2.27	6.381	2803.691	
11	Reach R-5	5	19.65	11.31	1.001	1112.319	16,108,908
12	Grid 5-F / level 3	2	28.45	11.68	2.455	1631.573	
12	Grid 5-F / level 3	4	10.13	1.02	40.216	1662.143	
12	Grid 5-F / level 3	1	37.58	6.87	5.537	1429.513	
12	Reach R-7	5	8.1	10.58	1.239	530.899	
12	Reach R-7	4	9.86	2.87	14.852	1681.139	12,663,111
14	Reach R-2	5	28.18	5.74	0.592	478.789	
14	Grid 2-F / level 1	6	2.16	2.86	48.857	1810.914	
14	Reach R-2	3	16.0	10.62	1.632	831.928	
14	Ch. 2+231 to 17+076	5	4.85	3.7	5.864	526.147	
14	Grid 2-F / level 1	6	19.75	2.49	5.507	1624.923	9,627,200
Item total (executed)						50290.814	91,831,025

ITEM 4 — DENSE BITUMINOUS MACADAM (DBM) (MT @ 5,243)

RA	Location / particulars	N	L	B	D	Qty	Amount
1	Grid 4-E / level 2	5	15.68	2.15	7.541	1271.111	
1	Ch. 2+478 to 11+116	3	5.21	4.55	6.967	495.469	
1	Grid 4-E / level 2	6	38.46	1.03	4.724	1122.814	
1	Reach R-11	5	39.19	1.1	4.453	959.822	

1	Grid 4-E / level 2	2	23.23	10.92	1.664	844.219	
1	Structure S-23	5	12.44	10.46	0.782	508.779	27,275,889
3	Reach R-5	5	25.22	0.83	0.945	98.907	
3	Reach R-5	4	37.51	5.24	0.313	246.084	
3	Ch. 4+015 to 11+044	4	18.93	5.26	0.756	301.105	
3	Structure S-12	4	25.19	4.13	0.339	141.071	
3	Grid 1-E / level 4	5	23.25	6.68	0.154	119.589	
3	Reach R-5	1	29.24	2.35	4.105	282.071	
3	Structure S-12	5	7.34	1.66	4.551	277.256	
3	Structure S-12	2	22.56	5.14	1.039	240.962	8,946,317
5	Ch. 6+291 to 14+681	4	34.12	0.91	2.074	257.584	
5	Ch. 6+291 to 14+681	6	4.42	1.22	21.903	708.658	
5	Reach R-4	1	13.71	7.81	6.771	725.006	
5	Structure S-10	4	24.21	5.66	0.935	512.487	
5	Structure S-10	3	38.21	8.79	0.428	431.252	
5	Structure S-10	3	37.31	2.8	0.815	255.424	
5	Ch. 6+291 to 14+681	2	17.01	5.17	2.575	452.9	17,529,195
6	Ch. 1+573 to 19+207	3	38.88	1.78	0.997	206.996	
6	Grid 4-D / level 2	2	30.54	0.63	7.224	277.982	
6	Reach R-11	6	34.05	8.96	0.181	331.326	
6	Structure S-21	2	21.33	6.34	0.625	169.04	
6	Ch. 1+573 to 19+207	2	32.58	10.69	0.515	358.729	
6	Reach R-11	4	23.58	6.75	0.588	374.356	
6	Ch. 1+573 to 19+207	5	21.71	8.05	0.277	242.05	
6	Ch. 1+573 to 19+207	4	23.42	0.65	7.78	473.74	12,758,334
7	Ch. 6+933 to 16+612	2	2.8	1.61	19.004	171.34	
7	Structure S-2	2	34.47	7.94	1.066	583.511	

7	Reach R-3	3	38.18	8.98	0.441	453.599	
7	Grid 3-C / level 4	4	27.79	10.01	0.502	558.581	9,267,616
8	Structure S-10	2	23.82	1.21	8.633	497.644	
8	Reach R-6	5	19.87	1.96	1.401	272.811	
8	Ch. 4+784 to 14+825	3	12.89	2.94	3.334	379.042	
8	Reach R-6	6	18.36	8.61	0.459	435.351	
8	Ch. 4+784 to 14+825	2	35.85	0.32	24.004	550.748	
8	Grid 2-A / level 2	6	13.8	4.28	1.005	356.156	13,064,752
10	Ch. 7+777 to 18+672	4	10.74	11.8	0.802	406.556	
10	Reach R-10	1	13.39	5.4	1.632	118.003	
10	Reach R-10	4	34.93	9.23	0.299	385.595	
10	Reach R-10	4	37.93	9.21	0.202	282.263	
10	Ch. 7+777 to 18+672	2	16.67	8.76	0.601	175.527	
10	Reach R-10	3	7.36	2.68	5.882	348.064	
10	Ch. 7+777 to 18+672	6	14.22	9.93	0.26	220.279	
10	Structure S-22	1	38.73	3.93	2.076	315.986	11,813,523
12	Ch. 2+088 to 19+195	3	17.1	9.2	0.741	349.722	
12	Grid 7-C / level 1	2	4.09	8.72	5.732	408.861	
12	Structure S-18	5	3.76	2.11	23.27	923.074	
12	Ch. 2+088 to 19+195	1	11.18	5.6	10.042	628.71	12,112,712
13	Ch. 8+260 to 10+997	1	24.63	10.62	4.526	1183.869	
13	Structure S-15	2	30.18	11.66	1.316	926.198	
13	Ch. 8+260 to 10+997	3	9.84	11.9	3.514	1234.426	
13	Reach R-12	4	5.82	1.21	23.836	671.432	21,053,361
14	Grid 8-B / level 2	5	17.11	4.66	0.663	264.314	
14	Reach R-7	6	17.06	6.39	0.373	243.972	
14	Structure S-4	2	2.96	1.99	10.122	119.245	

14	Ch. 9+530 to 11+783	2	15.37	9.53	1.442	422.437	
14	Grid 8-B / level 2	4	24.63	8.95	0.494	435.586	
14	Reach R-7	5	25.38	9.9	0.273	342.973	
14	Reach R-7	5	30.86	0.61	1.442	135.725	
14	Ch. 9+530 to 11+783	6	25.24	1.08	1.564	255.8	11,637,730
Item total (executed)						27743.549	145,459,429

ITEM 5 — BITUMINOUS CONCRETE (BC) (MT @ 6,248)

RA	Location / particulars	N	L	B	D	Qty	Amount
1	Reach R-4	2	3.69	2.14	8.987	141.933	
1	Grid 5-C / level 2	6	5.59	2.92	2.138	209.389	
1	Structure S-18	1	28.33	0.93	7.679	202.318	
1	Ch. 2+345 to 12+636	4	33.84	10.32	0.063	88.006	
1	Grid 5-C / level 2	4	27.1	1.4	0.891	135.218	
1	Ch. 2+345 to 12+636	2	36.01	3.03	0.322	70.267	
1	Structure S-18	2	4.85	6.41	3.016	187.526	
1	Reach R-4	3	23.32	6.88	0.444	213.708	7,802,194
2	Reach R-7	4	21.0	6.71	0.6	338.184	
2	Ch. 7+728 to 18+047	3	12.21	0.4	9.609	140.791	
2	Reach R-7	2	17.13	6.37	0.555	121.121	
2	Ch. 7+728 to 18+047	1	24.54	11.73	1.28	368.453	
2	Grid 1-C / level 3	4	20.04	2.39	1.846	353.661	
2	Grid 1-C / level 3	3	35.0	0.94	2.175	214.672	
2	Ch. 7+728 to 18+047	5	16.35	2.3	1.483	278.841	11,345,599
3	Grid 5-E / level 3	3	9.75	10.87	1.389	441.629	
3	Ch. 1+959 to 14+285	5	8.78	7.07	0.77	238.987	
3	Reach R-9	6	38.61	7.56	0.14	245.189	
3	Grid 5-E / level 3	1	23.96	9.31	0.92	205.222	
3	Reach R-9	1	7.46	9.2	4.131	283.519	8,842,331
4	Grid 3-B / level 4	2	20.06	3.44	1.124	155.126	
4	Ch. 0+434 to 14+020	3	27.29	9.08	0.206	153.136	
4	Reach R-3	4	10.32	4.2	1.584	274.628	
4	Ch. 0+434 to 14+020	3	39.6	3.86	0.737	337.965	

4	Structure S-8	4	15.59	4.76	0.931	276.352	
4	Ch. 0+434 to 14+020	3	27.85	7.53	0.556	349.797	9,666,889
5	Reach R-10	3	33.14	8.47	0.179	150.734	
5	Reach R-10	4	26.26	3.9	0.682	279.385	
5	Reach R-10	1	22.4	4.4	2.142	211.116	
5	Structure S-3	2	24.46	6.88	1.077	362.485	
5	Structure S-3	5	26.7	8.9	0.211	250.7	
5	Ch. 5+542 to 16+901	4	20.92	2.32	0.717	139.197	
5	Grid 6-C / level 3	4	6.13	10.99	1.297	349.509	
5	Grid 6-C / level 3	2	39.97	6.87	0.332	182.33	12,034,086
6	Ch. 8+928 to 18+763	4	9.66	6.89	1.064	283.268	
6	Reach R-2	1	11.18	2.63	4.595	135.109	
6	Ch. 8+928 to 18+763	5	24.89	8.77	0.21	229.2	
6	Reach R-2	2	10.52	11.27	0.532	126.148	
6	Ch. 8+928 to 18+763	3	4.66	8.62	2.54	306.089	
6	Reach R-2	4	8.07	4.68	1.67	252.288	
6	Reach R-2	6	16.6	9.83	0.218	213.437	
6	Ch. 8+928 to 18+763	4	28.23	7.09	0.332	265.8	11,317,834
7	Ch. 5+886 to 15+840	6	38.26	1.78	1.154	471.544	
7	Ch. 5+886 to 15+840	5	32.83	3.22	1.448	765.359	
7	Ch. 5+886 to 15+840	6	38.53	3.14	0.405	293.992	
7	Reach R-12	5	31.34	9.2	0.439	632.88	13,520,637
8	Grid 7-F / level 1	6	20.81	11.74	0.249	364.998	
8	Reach R-8	6	8.51	7.36	0.303	113.868	
8	Reach R-8	2	24.2	5.27	0.595	151.765	
8	Grid 7-F / level 1	1	25.51	7.77	1.453	288.003	
8	Ch. 8+906 to 16+815	5	11.96	3.7	0.957	211.746	

8	Structure S-3	2	36.56	2.68	1.814	355.474	
8	Ch. 8+906 to 16+815	4	19.0	4.45	0.668	225.918	10,698,463
9	Grid 9-A / level 4	1	11.64	2.89	13.947	469.172	
9	Structure S-7	1	39.19	4.16	2.07	337.473	
9	Ch. 1+098 to 11+053	4	9.12	5.26	1.364	261.731	
9	Reach R-1	3	5.33	3.59	11.493	659.745	
9	Ch. 1+098 to 11+053	1	33.73	10.41	0.614	215.593	
9	Reach R-1	5	9.7	1.49	3.585	259.07	
9	Ch. 1+098 to 11+053	5	12.04	7.41	0.384	171.295	14,834,590
10	Grid 2-B / level 1	6	17.42	4.71	0.403	198.393	
10	Reach R-10	1	37.29	5.11	1.538	293.069	
10	Ch. 6+672 to 18+054	3	39.93	6.72	0.231	185.952	
10	Structure S-18	4	38.48	3.43	1.333	703.751	8,630,268
11	Grid 1-E / level 1	3	30.65	5.26	0.96	464.311	
11	Grid 1-E / level 1	4	8.26	10.68	0.926	326.755	
11	Ch. 6+936 to 11+543	2	28.75	6.34	0.639	232.947	
11	Grid 1-E / level 1	3	25.12	1.5	4.775	539.766	9,770,246
12	Grid 3-F / level 1	3	25.2	10.83	0.244	199.775	
12	Structure S-23	2	18.5	10.84	0.257	103.078	
12	Grid 3-F / level 1	4	28.56	8.96	0.199	203.694	
12	Structure S-23	2	36.19	8.76	0.241	152.806	4,119,768
13	Grid 2-A / level 2	2	27.23	6.23	1.31	444.464	
13	Reach R-8	2	17.64	3.34	2.207	260.062	
13	Reach R-8	6	31.06	2.38	0.895	396.965	
13	Reach R-8	2	18.56	3.96	2.867	421.435	
13	Ch. 6+962 to 13+151	4	29.14	2.92	0.566	192.641	
13	Structure S-21	1	31.44	8.69	0.616	168.3	

13	Grid 2-A / level 2	3	27.16	7.03	0.372	213.083	13,098,757
14	Structure S-9	2	16.93	7.8	1.68	443.701	
14	Structure S-9	5	2.86	0.6	32.772	281.184	
14	Structure S-9	4	32.72	9.59	0.352	441.809	
14	Grid 4-E / level 3	6	23.28	1.11	2.984	462.654	
14	Ch. 2+661 to 14+821	4	29.19	11.54	0.324	436.561	12,907,110
Item total (executed)						23781.814	148,588,772

ITEM 6 — RCC M30 FOR STRUCTURES (CUM @ 7,413)

RA	Location / particulars	N	L	B	D	Qty	Amount
2	Grid 2-A / level 2	5	29.86	11.31	0.073	123.267	
2	Grid 2-A / level 2	2	9.44	5.29	1.981	197.853	
2	Ch. 0+814 to 14+065	5	19.25	10.31	0.212	210.376	
2	Ch. 0+814 to 14+065	2	11.73	10.47	1.098	269.698	
2	Reach R-2	6	32.54	5.59	0.329	359.068	
2	Structure S-1	4	18.04	2.5	2.141	386.236	
2	Structure S-1	1	26.01	8.51	1.638	362.563	
2	Ch. 0+814 to 14+065	3	14.9	9.08	0.874	354.736	16,785,408
3	Reach R-10	5	35.07	9.63	0.271	457.616	
3	Reach R-10	3	26.54	7.86	0.446	279.113	
3	Reach R-10	6	28.93	10.46	0.332	602.795	
3	Ch. 8+103 to 16+497	2	12.97	8.74	1.415	320.803	
3	Grid 5-E / level 1	4	16.69	3.63	1.062	257.364	14,219,091
4	Reach R-8	3	5.7	9.04	3.856	596.076	
4	Structure S-18	5	30.54	10.17	0.398	618.078	
4	Reach R-8	6	39.35	6.93	0.285	466.309	
4	Structure S-18	5	22.27	3.35	1.143	426.365	

4	Structure S-18	5	29.61	8.57	0.397	503.709	
4	Ch. 9+877 to 11+445	3	19.72	10.79	0.475	303.21	21,594,283
5	Grid 5-B / level 3	4	5.02	2.0	3.976	159.676	
5	Grid 5-B / level 3	5	17.17	7.55	0.237	153.616	
5	Reach R-5	1	30.31	9.96	0.482	145.51	
5	Grid 5-B / level 3	4	25.96	10.43	0.124	134.298	
5	Structure S-6	4	32.13	8.09	0.108	112.29	5,228,499
6	Reach R-10	4	7.24	7.16	0.882	182.886	
6	Reach R-10	3	32.31	1.24	1.634	196.396	
6	Grid 7-A / level 2	6	4.67	2.72	1.209	92.143	
6	Structure S-9	4	3.48	1.84	10.011	256.41	
6	Ch. 6+628 to 11+629	4	19.94	1.04	2.303	191.035	
6	Structure S-9	1	37.9	6.05	0.731	167.615	
6	Grid 7-A / level 2	1	13.45	7.49	1.392	140.231	
6	Ch. 6+628 to 11+629	2	35.27	7.58	0.208	111.216	9,919,961
7	Grid 7-D / level 2	4	11.17	5.79	0.858	221.962	
7	Reach R-9	5	15.09	2.78	1.502	315.046	
7	Reach R-9	4	33.69	7.89	0.366	389.152	
7	Grid 7-D / level 2	5	11.67	10.43	0.903	549.557	
7	Ch. 7+956 to 18+612	2	26.39	9.46	0.682	340.522	13,464,533
8	Ch. 6+867 to 19+829	3	18.59	0.64	4.104	146.483	
8	Grid 8-A / level 3	2	31.88	7.17	0.227	103.775	
8	Reach R-5	6	38.32	9.62	0.061	134.922	
8	Structure S-23	6	20.31	3.09	0.174	65.519	
8	Reach R-5	6	10.74	3.5	0.259	58.415	
8	Ch. 6+867 to 19+829	6	14.66	1.41	0.609	75.53	
8	Reach R-5	6	18.14	8.83	0.074	71.118	

8	Structure S-23	3	35.74	6.29	0.156	105.209	5,634,427
10	Ch. 9+942 to 15+731	2	32.61	5.12	0.166	55.432	
10	Structure S-24	2	39.98	10.62	0.239	202.953	
10	Structure S-24	1	12.93	11.33	0.512	75.006	
10	Structure S-24	1	9.86	7.35	2.273	164.727	
10	Structure S-24	5	12.65	4.1	0.438	113.584	
10	Reach R-11	6	15.9	5.01	0.378	180.667	5,877,852
12	Reach R-2	4	27.93	3.15	0.655	230.506	
12	Grid 9-F / level 3	6	36.84	2.4	0.366	194.162	
12	Ch. 6+960 to 11+481	1	4.22	11.75	3.101	153.763	
12	Grid 9-F / level 3	1	26.45	6.47	1.273	217.85	
12	Structure S-12	2	34.81	9.7	0.097	65.505	
12	Structure S-12	5	33.92	7.83	0.08	106.237	
12	Reach R-2	2	30.66	7.7	0.39	184.144	
12	Reach R-2	2	6.78	7.94	1.143	123.063	9,446,426
Item total (executed)						13782.609	102,170,480

ITEM 7 — REINFORCEMENT STEEL Fe500 (MT @ 68,164)

RA	Location / particulars	N	L	B	D	Qty	Amount
2	Ch. 4+965 to 12+001	5	26.54	7.3	0.05	48.435	
2	Reach R-2	3	24.94	1.03	0.814	62.731	
2	Structure S-15	6	17.75	5.43	0.111	64.191	
2	Grid 5-F / level 2	2	28.38	4.55	0.274	70.763	16,697,717
3	Grid 7-C / level 4	6	15.63	8.22	0.095	73.233	
3	Structure S-14	2	36.18	11.37	0.05	41.137	6,577,457
4	Structure S-7	1	20.86	3.12	0.507	32.997	
4	Structure S-7	5	11.5	6.86	0.103	40.628	
4	Reach R-7	4	37.4	5.17	0.105	81.21	10,568,982
5	Structure S-7	2	39.19	9.87	0.111	85.871	
5	Structure S-7	4	38.56	4.92	0.117	88.787	11,928,942
6	Reach R-8	4	9.09	6.63	0.102	24.589	
6	Ch. 3+366 to 18+666	4	5.85	4.58	0.178	19.077	
6	Structure S-21	5	24.84	5.55	0.05	34.465	
6	Structure S-21	5	13.53	3.38	0.08	18.293	5,702,066
7	Ch. 6+639 to 13+586	2	2.94	7.32	1.043	44.892	
7	Grid 3-B / level 2	2	22.74	0.49	4.802	107.014	
7	Structure S-8	2	5.85	3.91	0.997	45.61	13,465,594
8	Ch. 7+223 to 14+570	4	21.29	9.04	0.079	60.818	
8	Ch. 7+223 to 14+570	6	16.51	4.08	0.166	67.091	
8	Structure S-23	6	12.54	2.19	0.384	63.274	13,037,284
11	Grid 5-B / level 1	2	18.18	9.75	0.158	56.013	
11	Reach R-9	5	23.33	3.29	0.098	37.61	
11	Structure S-22	4	19.28	1.0	0.384	29.614	8,397,336

13	Reach R-8	2	4.83	7.26	0.928	65.082	
13	Reach R-8	4	3.24	9.93	1.196	153.917	
13	Grid 3-B / level 2	5	27.06	7.12	0.135	130.05	23,776,500
14	Grid 5-B / level 4	3	18.68	7.31	0.105	43.014	
14	Grid 5-B / level 4	1	22.0	2.01	0.364	16.096	
14	Ch. 4+347 to 19+159	2	5.37	8.34	0.144	12.898	4,896,149
Item total (executed)						1687.812	115,048,027

Billing Engineer

Project Manager

For Public Health Engineering Dept, Odisha
(accepted)