

# National Infrastructure Corp. Ltd.

GSTIN 19NAICC441701Z1 · Final Bill with Measurement Annexure

## FINAL RUNNING ACCOUNT BILL

Contract #75 · Jal Nigam, Gujarat · 17 RA bills

FIN/75

March 31, 2026

### PART I — CONTRACT ABSTRACT

|                                   |                                      |
|-----------------------------------|--------------------------------------|
| <i>Awarded Value</i>              | INR 179.77 Cr                        |
| <i>Total Value of Work Billed</i> | INR 114.64 Cr                        |
| <i>Period</i>                     | October 19, 2021 — December 18, 2023 |

### PART II — BOQ-WISE SUMMARY (AS EXECUTED)

| Item         | Description                          | Unit | Rate        | BOQ Qty    | Executed Value       |
|--------------|--------------------------------------|------|-------------|------------|----------------------|
| 1            | Earthwork in excavation & embankment | cum  | 287         | 482021.129 | 138,340,064          |
| 2            | Granular sub-base (GSB)              | cum  | 1,186       | 86128.793  | 102,148,748          |
| 3            | Wet mix macadam (WMM)                | cum  | 1,387       | 39432.211  | 54,692,476           |
| 4            | Dense bituminous macadam (DBM)       | MT   | 5,917       | 18242.128  | 107,938,672          |
| 5            | Bituminous concrete (BC)             | MT   | 6,702       | 27600.539  | 184,978,815          |
| 6            | RCC M30 for structures               | cum  | 8,737       | 24253.201  | 211,900,219          |
| 7            | Reinforcement steel Fe500            | MT   | 71,238      | 2046.382   | 145,780,154          |
| 8            | RCC kerb & channel                   | rmt  | 439         | 125860.754 | 55,252,871           |
| 9            | Road markings & signage              | LS   | 145,356,912 | 1.0        | 145,356,912          |
| <b>Total</b> |                                      |      |             |            | <b>1,146,388,931</b> |

### PART III — BILL-WISE ABSTRACT

| RA | Bill No       | Date       | Value of Work | Cumulative |
|----|---------------|------------|---------------|------------|
| 1  | AR-2021-00406 | 2021-12-01 | 67,434,643    | 67,434,643 |

|    |               |            |            |               |
|----|---------------|------------|------------|---------------|
| 2  | AR-2022-00407 | 2022-01-14 | 67,434,643 | 134,869,286   |
| 3  | AR-2022-00408 | 2022-02-27 | 67,434,643 | 202,303,929   |
| 4  | AR-2022-00409 | 2022-04-12 | 67,434,643 | 269,738,572   |
| 5  | AR-2022-00410 | 2022-05-26 | 67,434,643 | 337,173,215   |
| 6  | AR-2022-00411 | 2022-07-09 | 67,434,643 | 404,607,858   |
| 7  | AR-2022-00412 | 2022-08-22 | 67,434,643 | 472,042,501   |
| 8  | AR-2022-00413 | 2022-10-05 | 67,434,643 | 539,477,144   |
| 9  | AR-2022-00414 | 2022-11-18 | 67,434,643 | 606,911,787   |
| 10 | AR-2022-00415 | 2022-12-31 | 67,434,643 | 674,346,430   |
| 11 | AR-2023-00416 | 2023-02-13 | 67,434,643 | 741,781,073   |
| 12 | AR-2023-00417 | 2023-03-29 | 67,434,643 | 809,215,716   |
| 13 | AR-2023-00418 | 2023-05-12 | 67,434,643 | 876,650,359   |
| 14 | AR-2023-00419 | 2023-06-25 | 67,434,643 | 944,085,002   |
| 15 | AR-2023-00420 | 2023-08-08 | 67,434,643 | 1,011,519,645 |
| 16 | AR-2023-00421 | 2023-09-21 | 67,434,643 | 1,078,954,288 |
| 17 | AR-2023-00422 | 2023-11-04 | 67,434,643 | 1,146,388,931 |

## PART IV — MEASUREMENT ANNEXURE (ITEM-WISE, ALL BILLS)

### ITEM 1 — EARTHWORK IN EXCAVATION & EMBANKMENT (CUM @ 287)

| RA | Location / particulars | N | L     | B     | D       | Qty       | Amount     |
|----|------------------------|---|-------|-------|---------|-----------|------------|
| 1  | Structure S-7          | 4 | 23.18 | 10.55 | 8.431   | 8247.17   |            |
| 1  | Structure S-7          | 3 | 13.64 | 8.91  | 49.183  | 17931.984 |            |
| 1  | Structure S-7          | 3 | 10.08 | 6.9   | 73.649  | 15367.306 |            |
| 1  | Ch. 1+521 to 10+356    | 3 | 31.61 | 10.54 | 10.656  | 10650.759 | 14,980,324 |
| 3  | Reach R-12             | 3 | 16.43 | 9.52  | 12.528  | 5878.649  |            |
| 3  | Structure S-21         | 1 | 23.04 | 11.69 | 19.776  | 5326.42   |            |
| 3  | Structure S-21         | 5 | 7.77  | 7.48  | 9.602   | 2790.322  |            |
| 3  | Structure S-21         | 1 | 8.9   | 4.29  | 143.029 | 5460.99   |            |
| 3  | Grid 8-A / level 2     | 3 | 8.63  | 4.43  | 50.012  | 5736.011  |            |
| 3  | Ch. 5+525 to 13+679    | 2 | 13.56 | 4.21  | 19.29   | 2202.44   | 7,862,284  |
| 6  | Ch. 8+958 to 11+794    | 3 | 18.94 | 2.86  | 66.757  | 10848.36  |            |
| 6  | Ch. 8+958 to 11+794    | 3 | 8.57  | 5.75  | 92.881  | 13730.83  |            |
| 6  | Reach R-4              | 4 | 19.58 | 3.38  | 24.422  | 6465.031  |            |
| 6  | Structure S-6          | 4 | 13.58 | 4.44  | 60.775  | 14657.763 |            |
| 6  | Reach R-4              | 5 | 7.13  | 1.78  | 277.916 | 17635.716 |            |
| 6  | Ch. 8+958 to 11+794    | 3 | 4.58  | 2.03  | 289.501 | 8074.82   | 20,495,397 |
| 8  | Grid 1-D / level 3     | 6 | 2.89  | 10.02 | 17.988  | 3125.357  |            |
| 8  | Grid 1-D / level 3     | 5 | 7.36  | 0.77  | 92.197  | 2612.494  |            |
| 8  | Reach R-2              | 3 | 24.2  | 5.83  | 9.132   | 3865.192  |            |
| 8  | Ch. 8+033 to 17+728    | 5 | 33.05 | 2.18  | 4.777   | 1720.89   |            |
| 8  | Reach R-2              | 6 | 34.22 | 11.7  | 0.856   | 2056.321  |            |
| 8  | Structure S-8          | 5 | 7.54  | 11.1  | 3.35    | 1401.875  |            |
| 8  | Reach R-2              | 4 | 24.05 | 4.01  | 8.403   | 3241.558  | 5,173,008  |

|    |                     |   |       |       |          |           |            |
|----|---------------------|---|-------|-------|----------|-----------|------------|
| 9  | Reach R-7           | 3 | 20.57 | 9.24  | 9.362    | 5338.216  |            |
| 9  | Grid 2-E / level 1  | 6 | 17.89 | 6.71  | 10.855   | 7818.329  |            |
| 9  | Grid 2-E / level 1  | 1 | 36.8  | 10.82 | 12.615   | 5022.99   |            |
| 9  | Grid 2-E / level 1  | 5 | 36.53 | 11.21 | 1.97     | 4033.588  |            |
| 9  | Structure S-2       | 2 | 36.19 | 9.56  | 12.837   | 8882.598  |            |
| 9  | Grid 2-E / level 1  | 3 | 37.65 | 3.98  | 11.713   | 5265.474  |            |
| 9  | Structure S-2       | 1 | 28.37 | 3.9   | 81.502   | 9017.626  | 13,023,942 |
| 11 | Grid 1-A / level 2  | 5 | 5.36  | 8.85  | 40.648   | 9640.893  |            |
| 11 | Ch. 4+597 to 14+062 | 4 | 19.46 | 5.17  | 16.859   | 6784.615  |            |
| 11 | Structure S-23      | 5 | 5.62  | 9.26  | 30.23    | 7866.027  |            |
| 11 | Grid 1-A / level 2  | 5 | 21.33 | 3.47  | 23.665   | 8757.837  | 9,485,212  |
| 12 | Grid 2-A / level 3  | 5 | 4.66  | 2.2   | 76.133   | 3902.578  |            |
| 12 | Ch. 6+624 to 17+633 | 2 | 19.07 | 7.35  | 9.632    | 2700.129  |            |
| 12 | Ch. 6+624 to 17+633 | 1 | 11.01 | 2.37  | 91.448   | 2386.217  |            |
| 12 | Grid 2-A / level 3  | 3 | 9.69  | 3.6   | 40.574   | 4246.15   |            |
| 12 | Reach R-5           | 6 | 21.65 | 9.77  | 4.143    | 5257.977  |            |
| 12 | Ch. 6+624 to 17+633 | 5 | 15.31 | 10.51 | 4.606    | 3705.714  |            |
| 12 | Ch. 6+624 to 17+633 | 3 | 4.45  | 4.21  | 78.851   | 4431.702  |            |
| 12 | Ch. 6+624 to 17+633 | 3 | 11.91 | 2.92  | 13.235   | 1380.829  | 8,039,193  |
| 14 | Ch. 3+099 to 17+672 | 5 | 23.61 | 8.92  | 9.165    | 9650.8    |            |
| 14 | Structure S-5       | 1 | 29.31 | 8.95  | 26.718   | 7008.786  |            |
| 14 | Grid 2-A / level 4  | 3 | 13.36 | 2.28  | 177.733  | 16241.668 |            |
| 14 | Reach R-10          | 4 | 25.36 | 0.89  | 100.036  | 9031.41   |            |
| 14 | Ch. 3+099 to 17+672 | 1 | 21.5  | 11.23 | 45.203   | 10914.038 |            |
| 14 | Reach R-10          | 6 | 8.21  | 9.33  | 10.173   | 4675.468  |            |
| 14 | Structure S-5       | 1 | 11.27 | 0.83  | 1389.909 | 13001.348 | 20,240,275 |
| 15 | Ch. 1+856 to 11+187 | 6 | 24.79 | 10.61 | 3.831    | 6045.821  |            |

|                              |                     |   |       |      |         |                   |                    |
|------------------------------|---------------------|---|-------|------|---------|-------------------|--------------------|
| 15                           | Grid 9-E / level 4  | 5 | 14.15 | 5.92 | 7.562   | 3167.268          |                    |
| 15                           | Grid 9-E / level 4  | 5 | 9.11  | 8.69 | 10.861  | 4299.104          |                    |
| 15                           | Reach R-3           | 5 | 28.0  | 6.63 | 5.586   | 5184.925          | 5,366,044          |
| 16                           | Grid 8-F / level 2  | 5 | 6.56  | 7.09 | 33.588  | 7810.957          |                    |
| 16                           | Grid 8-F / level 2  | 3 | 34.73 | 2.38 | 20.944  | 5193.53           |                    |
| 16                           | Reach R-10          | 1 | 32.27 | 5.63 | 27.316  | 4962.774          |                    |
| 16                           | Reach R-10          | 4 | 15.98 | 8.6  | 10.98   | 6035.838          |                    |
| 16                           | Reach R-10          | 2 | 30.42 | 8.7  | 10.031  | 5309.489          |                    |
| 16                           | Reach R-10          | 5 | 26.59 | 0.69 | 21.624  | 1983.688          |                    |
| 16                           | Structure S-7       | 2 | 39.83 | 9.23 | 7.545   | 5547.55           | 10,574,362         |
| 17                           | Structure S-21      | 5 | 24.48 | 8.16 | 7.055   | 7046.421          |                    |
| 17                           | Reach R-7           | 4 | 37.97 | 8.86 | 2.486   | 3345.303          |                    |
| 17                           | Structure S-21      | 5 | 6.07  | 3.82 | 16.204  | 1878.643          |                    |
| 17                           | Grid 8-A / level 3  | 3 | 13.92 | 8.79 | 16.872  | 6193.212          |                    |
| 17                           | Ch. 6+100 to 19+073 | 1 | 12.45 | 4.86 | 113.617 | 6874.624          | 7,272,181          |
| <b>Item total (executed)</b> |                     |   |       |      |         | <b>426871.853</b> | <b>122,512,222</b> |

## ITEM 2 — GRANULAR SUB-BASE (GSB) (CUM @ 1,186)

| RA | Location / particulars | N | L     | B    | D       | Qty      | Amount     |
|----|------------------------|---|-------|------|---------|----------|------------|
| 3  | Structure S-8          | 2 | 5.7   | 7.62 | 25.111  | 2181.342 |            |
| 3  | Structure S-8          | 1 | 20.07 | 0.44 | 235.447 | 2079.185 |            |
| 3  | Grid 7-F / level 2     | 5 | 28.71 | 8.35 | 1.727   | 2070.056 |            |
| 3  | Reach R-10             | 5 | 3.59  | 1.79 | 35.44   | 1138.705 |            |
| 3  | Ch. 9+319 to 14+984    | 3 | 39.6  | 9.07 | 0.719   | 774.734  |            |
| 3  | Structure S-8          | 6 | 31.62 | 9.94 | 0.608   | 1146.577 | 11,137,314 |
| 4  | Grid 7-D / level 2     | 5 | 15.03 | 8.48 | 3.119   | 1987.651 |            |
| 4  | Grid 7-D / level 2     | 6 | 36.97 | 7.12 | 1.083   | 1710.445 |            |

|    |                     |   |       |       |         |          |            |
|----|---------------------|---|-------|-------|---------|----------|------------|
| 4  | Structure S-23      | 3 | 39.33 | 9.48  | 1.716   | 1919.424 |            |
| 4  | Ch. 8+933 to 18+238 | 1 | 29.81 | 1.04  | 45.524  | 1411.353 |            |
| 4  | Structure S-23      | 3 | 37.89 | 2.66  | 4.291   | 1297.436 |            |
| 4  | Ch. 8+933 to 18+238 | 5 | 16.7  | 1.08  | 10.113  | 911.99   |            |
| 4  | Reach R-6           | 1 | 19.68 | 11.88 | 3.338   | 780.419  |            |
| 4  | Grid 7-D / level 2  | 6 | 13.28 | 6.11  | 3.441   | 1675.233 | 13,868,738 |
| 6  | Reach R-12          | 4 | 34.54 | 11.41 | 2.572   | 4054.515 |            |
| 6  | Ch. 2+792 to 12+245 | 6 | 5.86  | 2.38  | 64.957  | 5435.654 |            |
| 6  | Structure S-20      | 5 | 10.25 | 6.26  | 17.446  | 5597.113 |            |
| 6  | Reach R-12          | 2 | 14.0  | 8.42  | 14.975  | 3530.506 | 22,079,849 |
| 7  | Grid 1-D / level 2  | 5 | 32.34 | 10.16 | 2.136   | 3509.175 |            |
| 7  | Ch. 5+860 to 15+597 | 3 | 26.53 | 2.51  | 7.448   | 1487.894 |            |
| 7  | Structure S-22      | 3 | 5.26  | 4.0   | 24.168  | 1525.484 |            |
| 7  | Grid 1-D / level 2  | 1 | 5.21  | 1.37  | 186.353 | 1330.132 |            |
| 7  | Grid 1-D / level 2  | 1 | 19.18 | 7.26  | 15.164  | 2111.538 | 11,817,856 |
| 9  | Grid 4-F / level 1  | 1 | 26.21 | 9.28  | 3.882   | 944.214  |            |
| 9  | Reach R-5           | 2 | 18.69 | 0.69  | 37.955  | 978.943  |            |
| 9  | Ch. 0+955 to 18+512 | 6 | 28.57 | 7.48  | 0.963   | 1234.779 |            |
| 9  | Grid 4-F / level 1  | 2 | 13.63 | 0.35  | 167.131 | 1594.597 | 5,636,277  |
| 11 | Ch. 5+465 to 11+124 | 4 | 22.88 | 2.56  | 7.018   | 1644.256 |            |
| 11 | Reach R-10          | 1 | 20.91 | 4.08  | 9.137   | 779.503  |            |
| 11 | Reach R-10          | 6 | 17.14 | 2.81  | 7.424   | 2145.39  |            |
| 11 | Reach R-10          | 6 | 10.56 | 6.54  | 4.987   | 2066.485 |            |
| 11 | Ch. 5+465 to 11+124 | 4 | 6.96  | 3.59  | 11.024  | 1101.8   |            |
| 11 | Reach R-10          | 1 | 34.27 | 3.66  | 18.229  | 2286.431 |            |
| 11 | Grid 9-C / level 4  | 5 | 34.96 | 9.47  | 1.077   | 1782.818 | 14,003,558 |
| 12 | Structure S-22      | 3 | 32.12 | 8.54  | 2.323   | 1911.63  |            |

|                              |                     |   |       |      |         |                  |                    |
|------------------------------|---------------------|---|-------|------|---------|------------------|--------------------|
| 12                           | Reach R-3           | 6 | 29.05 | 3.95 | 1.782   | 1226.88          |                    |
| 12                           | Ch. 3+695 to 17+318 | 6 | 22.89 | 7.19 | 1.842   | 1818.928         |                    |
| 12                           | Grid 4-B / level 2  | 6 | 2.34  | 4.66 | 30.961  | 2025.667         |                    |
| 12                           | Reach R-3           | 5 | 33.08 | 3.89 | 3.268   | 2102.651         | 10,775,376         |
| 15                           | Reach R-11          | 6 | 9.37  | 8.95 | 3.286   | 1653.413         |                    |
| 15                           | Reach R-11          | 3 | 35.14 | 0.35 | 45.947  | 1695.306         |                    |
| 15                           | Ch. 9+196 to 15+991 | 6 | 27.11 | 9.4  | 0.971   | 1484.663         |                    |
| 15                           | Structure S-3       | 5 | 15.53 | 8.91 | 1.074   | 743.059          |                    |
| 15                           | Structure S-3       | 6 | 22.73 | 3.26 | 3.264   | 1451.17          |                    |
| 15                           | Grid 5-A / level 2  | 6 | 13.79 | 3.57 | 1.529   | 451.639          | 8,870,358          |
| 16                           | Grid 8-E / level 4  | 1 | 9.75  | 9.63 | 11.273  | 1058.45          |                    |
| 16                           | Grid 8-E / level 4  | 1 | 16.01 | 0.95 | 123.753 | 1882.221         |                    |
| 16                           | Structure S-15      | 3 | 29.41 | 8.52 | 1.409   | 1059.173         |                    |
| 16                           | Structure S-15      | 3 | 22.46 | 0.7  | 27.686  | 1305.838         |                    |
| 16                           | Grid 8-E / level 4  | 1 | 7.53  | 7.23 | 31.336  | 1705.991         |                    |
| 16                           | Ch. 4+267 to 10+049 | 6 | 34.05 | 0.61 | 12.325  | 1535.978         |                    |
| 16                           | Structure S-15      | 6 | 4.35  | 9.94 | 9.254   | 2400.802         |                    |
| 16                           | Grid 8-E / level 4  | 3 | 10.28 | 6.45 | 8.266   | 1644.256         | 14,934,853         |
| <b>Item total (executed)</b> |                     |   |       |      |         | <b>95382.949</b> | <b>113,124,179</b> |

**ITEM 3 — WET MIX MACADAM (WMM) (CUM @ 1,387)**

| RA | Location / particulars | N | L     | B     | D       | Qty      | Amount     |
|----|------------------------|---|-------|-------|---------|----------|------------|
| 1  | Grid 2-A / level 4     | 6 | 27.43 | 7.97  | 0.939   | 1231.689 |            |
| 1  | Reach R-8              | 5 | 4.81  | 9.04  | 11.538  | 2508.5   |            |
| 1  | Structure S-24         | 6 | 6.9   | 1.49  | 32.526  | 2006.399 |            |
| 1  | Ch. 0+763 to 19+098    | 2 | 7.43  | 8.25  | 12.941  | 1586.502 |            |
| 1  | Grid 2-A / level 4     | 3 | 31.77 | 3.54  | 10.011  | 3377.685 |            |
| 1  | Ch. 0+763 to 19+098    | 6 | 6.54  | 11.11 | 5.551   | 2419.994 | 18,212,960 |
| 2  | Grid 3-F / level 4     | 3 | 3.11  | 8.24  | 41.983  | 3227.619 |            |
| 2  | Structure S-10         | 6 | 34.36 | 4.6   | 5.039   | 4778.665 |            |
| 2  | Reach R-1              | 3 | 39.23 | 3.62  | 8.587   | 3658.387 |            |
| 2  | Grid 3-F / level 4     | 1 | 8.52  | 9.21  | 18.64   | 1462.666 |            |
| 2  | Structure S-10         | 4 | 9.25  | 6.28  | 18.145  | 4216.172 |            |
| 2  | Structure S-10         | 3 | 24.06 | 0.45  | 113.935 | 3700.723 | 29,188,392 |
| 3  | Grid 9-A / level 2     | 1 | 37.43 | 3.86  | 5.485   | 792.472  |            |
| 3  | Grid 9-A / level 2     | 1 | 31.95 | 7.84  | 2.988   | 748.458  |            |
| 3  | Reach R-2              | 5 | 12.57 | 4.19  | 2.659   | 700.225  |            |
| 3  | Structure S-16         | 5 | 27.99 | 6.65  | 1.081   | 1006.052 |            |
| 3  | Ch. 7+156 to 16+221    | 1 | 24.91 | 9.19  | 3.275   | 749.722  |            |
| 3  | Structure S-16         | 4 | 3.65  | 6.41  | 8.009   | 749.53   |            |
| 3  | Ch. 7+156 to 16+221    | 1 | 25.4  | 3.7   | 7.992   | 751.088  |            |
| 3  | Ch. 7+156 to 16+221    | 4 | 34.73 | 6.62  | 0.556   | 511.326  | 8,334,256  |
| 4  | Grid 3-E / level 4     | 1 | 21.43 | 6.45  | 7.452   | 1030.042 |            |
| 4  | Structure S-20         | 6 | 22.08 | 7.18  | 1.196   | 1137.643 |            |
| 4  | Ch. 3+321 to 12+847    | 5 | 15.87 | 5.22  | 2.265   | 938.179  |            |
| 4  | Ch. 3+321 to 12+847    | 2 | 21.5  | 0.59  | 18.668  | 473.607  |            |



|   |                     |   |       |       |         |          |            |
|---|---------------------|---|-------|-------|---------|----------|------------|
| 4 | Reach R-2           | 6 | 3.54  | 3.23  | 6.274   | 430.429  |            |
| 4 | Ch. 3+321 to 12+847 | 4 | 9.81  | 1.64  | 10.757  | 692.252  |            |
| 4 | Grid 3-E / level 4  | 1 | 32.11 | 1.92  | 9.265   | 571.198  | 7,313,823  |
| 5 | Grid 9-E / level 1  | 5 | 10.99 | 4.28  | 6.574   | 1546.113 |            |
| 5 | Structure S-12      | 6 | 33.78 | 3.01  | 1.835   | 1119.473 |            |
| 5 | Grid 9-E / level 1  | 5 | 24.39 | 1.7   | 10.622  | 2202.1   |            |
| 5 | Ch. 1+917 to 15+821 | 6 | 32.17 | 6.12  | 0.956   | 1129.306 |            |
| 5 | Structure S-12      | 4 | 34.6  | 4.35  | 2.709   | 1630.926 |            |
| 5 | Grid 9-E / level 1  | 6 | 20.11 | 5.64  | 3.01    | 2048.372 |            |
| 5 | Grid 9-E / level 1  | 5 | 27.93 | 8.7   | 1.007   | 1223.46  |            |
| 5 | Ch. 1+917 to 15+821 | 5 | 17.51 | 4.67  | 4.418   | 1806.337 | 17,624,514 |
| 6 | Ch. 3+519 to 15+334 | 5 | 20.96 | 7.13  | 0.941   | 703.138  |            |
| 6 | Ch. 3+519 to 15+334 | 4 | 2.98  | 11.05 | 6.067   | 799.121  |            |
| 6 | Structure S-2       | 3 | 21.57 | 8.46  | 1.23    | 673.359  |            |
| 6 | Reach R-12          | 1 | 5.51  | 11.96 | 22.117  | 1457.501 |            |
| 6 | Ch. 3+519 to 15+334 | 1 | 27.75 | 8.5   | 2.212   | 521.756  |            |
| 6 | Reach R-12          | 1 | 36.35 | 6.06  | 6.7     | 1475.883 |            |
| 6 | Grid 2-B / level 2  | 5 | 27.54 | 4.43  | 2.284   | 1393.265 |            |
| 6 | Reach R-12          | 6 | 7.02  | 8.98  | 4.843   | 1831.805 | 12,283,816 |
| 8 | Grid 7-E / level 2  | 6 | 10.27 | 1.94  | 4.259   | 509.133  |            |
| 8 | Ch. 1+163 to 12+331 | 5 | 31.9  | 5.38  | 0.296   | 254.001  |            |
| 8 | Structure S-19      | 3 | 8.84  | 0.83  | 24.732  | 544.391  |            |
| 8 | Structure S-19      | 1 | 18.57 | 5.79  | 6.567   | 706.086  |            |
| 8 | Grid 7-E / level 2  | 4 | 30.12 | 5.79  | 0.698   | 486.91   |            |
| 8 | Reach R-7           | 4 | 12.44 | 7.96  | 1.702   | 674.144  |            |
| 8 | Ch. 1+163 to 12+331 | 4 | 21.52 | 6.72  | 0.753   | 435.579  |            |
| 8 | Ch. 1+163 to 12+331 | 1 | 8.18  | 0.57  | 148.498 | 692.387  | 5,966,983  |

|    |                     |   |       |       |         |          |            |
|----|---------------------|---|-------|-------|---------|----------|------------|
| 9  | Ch. 7+872 to 17+344 | 6 | 38.62 | 7.55  | 0.238   | 416.378  |            |
| 9  | Structure S-10      | 2 | 2.4   | 6.45  | 21.072  | 652.389  |            |
| 9  | Grid 4-D / level 2  | 6 | 15.43 | 3.5   | 1.831   | 593.299  |            |
| 9  | Structure S-10      | 1 | 26.18 | 10.79 | 5.405   | 1526.816 |            |
| 9  | Grid 4-D / level 2  | 3 | 18.53 | 2.86  | 7.478   | 1188.908 | 6,070,883  |
| 12 | Structure S-22      | 5 | 23.88 | 1.77  | 3.697   | 781.317  |            |
| 12 | Grid 7-A / level 2  | 3 | 2.71  | 1.09  | 112.717 | 998.864  |            |
| 12 | Reach R-5           | 5 | 8.84  | 11.83 | 1.1     | 575.175  |            |
| 12 | Reach R-5           | 1 | 18.83 | 2.94  | 12.207  | 675.782  |            |
| 12 | Grid 7-A / level 2  | 6 | 11.21 | 8.08  | 1.298   | 705.412  |            |
| 12 | Grid 7-A / level 2  | 3 | 6.07  | 6.45  | 8.203   | 963.479  |            |
| 12 | Ch. 9+485 to 18+854 | 3 | 2.34  | 1.12  | 49.163  | 386.539  | 7,054,867  |
| 14 | Ch. 7+385 to 16+491 | 6 | 28.69 | 11.33 | 1.165   | 2272.153 |            |
| 14 | Ch. 7+385 to 16+491 | 1 | 10.83 | 1.4   | 197.244 | 2990.614 |            |
| 14 | Grid 4-A / level 2  | 1 | 28.63 | 2.31  | 25.845  | 1709.267 |            |
| 14 | Reach R-9           | 2 | 7.34  | 5.17  | 35.758  | 2713.875 |            |
| 14 | Structure S-12      | 6 | 3.42  | 2.85  | 62.627  | 3662.552 | 18,514,695 |
| 15 | Reach R-1           | 5 | 10.91 | 8.0   | 4.13    | 1802.332 |            |
| 15 | Structure S-1       | 2 | 35.74 | 5.02  | 2.439   | 875.185  |            |
| 15 | Reach R-1           | 1 | 30.1  | 3.1   | 18.592  | 1734.82  |            |
| 15 | Reach R-1           | 2 | 28.14 | 7.34  | 4.551   | 1879.996 | 8,727,712  |
| 16 | Ch. 2+068 to 17+323 | 5 | 7.05  | 0.49  | 34.752  | 600.254  |            |
| 16 | Grid 2-F / level 4  | 3 | 25.3  | 5.58  | 1.911   | 809.351  |            |
| 16 | Ch. 2+068 to 17+323 | 3 | 39.3  | 9.56  | 0.662   | 746.156  |            |
| 16 | Reach R-11          | 5 | 9.92  | 7.96  | 2.641   | 1042.709 |            |
| 16 | Ch. 2+068 to 17+323 | 6 | 4.66  | 2.53  | 8.59    | 607.646  |            |
| 16 | Reach R-11          | 3 | 4.96  | 10.47 | 6.443   | 1003.778 | 6,671,453  |

|                              |                     |   |       |       |       |                   |                    |
|------------------------------|---------------------|---|-------|-------|-------|-------------------|--------------------|
| 17                           | Structure S-12      | 6 | 11.81 | 5.02  | 7.607 | 2705.941          |                    |
| 17                           | Grid 7-C / level 4  | 4 | 35.11 | 7.75  | 1.768 | 1924.309          |                    |
| 17                           | Reach R-11          | 6 | 31.11 | 10.71 | 0.439 | 877.617           |                    |
| 17                           | Ch. 5+721 to 13+562 | 6 | 36.65 | 10.34 | 0.936 | 2128.245          |                    |
| 17                           | Structure S-12      | 5 | 8.77  | 9.31  | 6.301 | 2572.342          |                    |
| 17                           | Structure S-12      | 5 | 19.91 | 9.89  | 2.34  | 2303.846          | 17,355,715         |
| <b>Item total (executed)</b> |                     |   |       |       |       | <b>117750.591</b> | <b>163,320,069</b> |

#### ITEM 4 — DENSE BITUMINOUS MACADAM (DBM) (MT @ 5,917)

| RA | Location / particulars | N | L     | B     | D      | Qty     | Amount     |
|----|------------------------|---|-------|-------|--------|---------|------------|
| 2  | Ch. 3+061 to 12+916    | 1 | 25.1  | 4.55  | 4.546  | 519.176 |            |
| 2  | Reach R-10             | 2 | 8.6   | 1.21  | 24.113 | 501.84  |            |
| 2  | Grid 2-B / level 1     | 3 | 27.82 | 4.5   | 0.737  | 276.795 |            |
| 2  | Structure S-22         | 5 | 15.19 | 2.48  | 2.027  | 381.798 | 9,938,860  |
| 3  | Ch. 6+092 to 11+526    | 1 | 17.2  | 7.88  | 4.223  | 572.369 |            |
| 3  | Reach R-5              | 6 | 35.05 | 9.41  | 0.4    | 791.569 |            |
| 3  | Structure S-1          | 2 | 16.95 | 1.07  | 17.166 | 622.662 |            |
| 3  | Grid 2-E / level 3     | 3 | 13.66 | 9.95  | 1.192  | 486.039 | 14,628,618 |
| 5  | Structure S-17         | 5 | 3.29  | 8.59  | 2.963  | 418.688 |            |
| 5  | Ch. 0+865 to 16+974    | 4 | 17.16 | 4.8   | 3.024  | 996.323 |            |
| 5  | Structure S-17         | 4 | 34.25 | 5.83  | 0.885  | 706.858 |            |
| 5  | Ch. 0+865 to 16+974    | 2 | 29.11 | 0.33  | 17.565 | 337.469 |            |
| 5  | Ch. 0+865 to 16+974    | 3 | 14.27 | 10.64 | 1.74   | 792.567 |            |
| 5  | Grid 8-C / level 4     | 3 | 15.1  | 2.39  | 4.094  | 443.245 | 21,861,688 |
| 6  | Structure S-3          | 1 | 31.01 | 0.68  | 9.254  | 195.137 |            |
| 6  | Reach R-2              | 1 | 11.34 | 11.36 | 3.277  | 422.151 |            |
| 6  | Reach R-2              | 4 | 24.79 | 2.81  | 0.614  | 171.085 |            |

|    |                     |   |       |       |        |         |            |
|----|---------------------|---|-------|-------|--------|---------|------------|
| 6  | Grid 2-E / level 4  | 1 | 8.22  | 6.78  | 5.501  | 306.58  |            |
| 6  | Grid 2-E / level 4  | 3 | 3.77  | 5.81  | 4.16   | 273.358 |            |
| 6  | Ch. 0+814 to 18+285 | 4 | 18.98 | 9.4   | 0.398  | 284.032 |            |
| 6  | Grid 2-E / level 4  | 2 | 14.67 | 11.83 | 1.038  | 360.282 |            |
| 6  | Ch. 0+814 to 18+285 | 2 | 18.55 | 6.21  | 0.488  | 112.431 | 12,575,581 |
| 8  | Structure S-9       | 3 | 23.43 | 4.55  | 1.141  | 364.914 |            |
| 8  | Ch. 4+311 to 19+285 | 5 | 39.92 | 2.39  | 0.508  | 242.338 |            |
| 8  | Structure S-9       | 5 | 29.29 | 11.69 | 0.112  | 191.744 |            |
| 8  | Reach R-12          | 4 | 37.61 | 6.47  | 0.22   | 214.136 |            |
| 8  | Reach R-12          | 3 | 15.85 | 0.95  | 10.534 | 475.847 |            |
| 8  | Grid 7-A / level 2  | 4 | 6.45  | 7.82  | 2.496  | 503.583 |            |
| 8  | Structure S-9       | 6 | 32.64 | 7.34  | 0.161  | 231.432 | 13,166,341 |
| 9  | Reach R-12          | 4 | 2.87  | 3.76  | 4.956  | 213.925 |            |
| 9  | Reach R-12          | 5 | 8.71  | 4.17  | 1.224  | 222.283 |            |
| 9  | Reach R-12          | 4 | 37.57 | 11.58 | 0.076  | 132.258 |            |
| 9  | Ch. 1+500 to 15+939 | 1 | 35.73 | 2.59  | 2.174  | 201.183 |            |
| 9  | Structure S-9       | 3 | 34.46 | 1.87  | 1.213  | 234.498 |            |
| 9  | Ch. 1+500 to 15+939 | 3 | 14.99 | 4.61  | 0.356  | 73.803  |            |
| 9  | Ch. 1+500 to 15+939 | 6 | 13.16 | 0.43  | 4.018  | 136.422 |            |
| 9  | Ch. 1+500 to 15+939 | 6 | 6.02  | 10.53 | 0.524  | 199.3   | 8,364,297  |
| 15 | Grid 1-E / level 3  | 2 | 35.05 | 4.67  | 0.436  | 142.732 |            |
| 15 | Reach R-8           | 1 | 22.63 | 7.57  | 2.283  | 391.099 |            |
| 15 | Grid 1-E / level 3  | 1 | 10.93 | 11.37 | 1.791  | 222.575 |            |
| 15 | Reach R-8           | 4 | 24.84 | 9.86  | 0.362  | 354.648 |            |
| 15 | Reach R-8           | 2 | 24.26 | 7.01  | 0.643  | 218.701 |            |
| 15 | Ch. 7+520 to 18+959 | 1 | 39.62 | 4.29  | 1.214  | 206.343 |            |
| 15 | Structure S-13      | 1 | 6.35  | 8.78  | 6.833  | 380.96  | 11,344,037 |

|                              |               |   |       |      |         |                  |                    |
|------------------------------|---------------|---|-------|------|---------|------------------|--------------------|
| 17                           | Structure S-7 | 3 | 11.69 | 4.3  | 3.249   | 489.952          |                    |
| 17                           | Reach R-5     | 6 | 10.44 | 9.47 | 1.013   | 600.912          |                    |
| 17                           | Structure S-7 | 6 | 26.24 | 3.44 | 0.652   | 353.119          |                    |
| 17                           | Reach R-5     | 6 | 2.24  | 0.51 | 136.835 | 937.922          |                    |
| 17                           | Reach R-5     | 4 | 29.08 | 5.5  | 0.933   | 596.896          | 17,627,056         |
| <b>Item total (executed)</b> |               |   |       |      |         | <b>18507.095</b> | <b>109,506,478</b> |

**ITEM 5 — BITUMINOUS CONCRETE (BC) (MT @ 6,702)**

| RA | Location / particulars | N | L     | B     | D      | Qty      | Amount     |
|----|------------------------|---|-------|-------|--------|----------|------------|
| 4  | Reach R-6              | 2 | 39.38 | 2.04  | 1.538  | 247.111  |            |
| 4  | Ch. 6+020 to 17+867    | 3 | 36.47 | 0.51  | 4.401  | 245.572  |            |
| 4  | Ch. 6+020 to 17+867    | 5 | 32.2  | 4.68  | 0.612  | 461.13   |            |
| 4  | Structure S-11         | 1 | 38.02 | 11.31 | 1.209  | 519.877  |            |
| 4  | Structure S-11         | 5 | 8.13  | 5.03  | 2.594  | 530.394  |            |
| 4  | Structure S-11         | 4 | 11.9  | 6.54  | 1.194  | 371.697  |            |
| 4  | Structure S-11         | 6 | 16.52 | 10.75 | 0.333  | 354.825  | 18,303,392 |
| 7  | Grid 4-D / level 2     | 3 | 30.75 | 8.09  | 0.92   | 686.598  |            |
| 7  | Structure S-12         | 5 | 21.45 | 11.49 | 0.688  | 847.824  |            |
| 7  | Grid 4-D / level 2     | 1 | 32.02 | 6.99  | 1.608  | 359.902  |            |
| 7  | Structure S-12         | 5 | 4.73  | 0.62  | 57.126 | 837.639  |            |
| 7  | Reach R-4              | 4 | 7.14  | 7.9   | 2.726  | 615.051  |            |
| 7  | Reach R-4              | 5 | 28.1  | 9.9   | 0.723  | 1005.657 | 29,166,680 |
| 8  | Structure S-19         | 3 | 10.2  | 5.06  | 0.663  | 102.656  |            |
| 8  | Ch. 6+324 to 16+196    | 1 | 15.9  | 6.84  | 1.624  | 176.62   |            |
| 8  | Ch. 6+324 to 16+196    | 6 | 12.85 | 11.88 | 0.197  | 180.442  |            |
| 8  | Reach R-3              | 6 | 11.15 | 8.35  | 0.328  | 183.226  |            |
| 8  | Ch. 6+324 to 16+196    | 3 | 16.2  | 8.32  | 0.625  | 252.72   |            |
| 8  | Grid 5-D / level 2     | 1 | 28.63 | 10.99 | 0.808  | 254.232  | 7,707,246  |
| 9  | Structure S-22         | 5 | 13.44 | 3.52  | 0.681  | 161.086  |            |
| 9  | Structure S-22         | 2 | 35.5  | 2.78  | 1.384  | 273.174  |            |
| 9  | Ch. 9+382 to 10+949    | 3 | 10.23 | 2.46  | 3.71   | 280.095  |            |
| 9  | Grid 4-F / level 1     | 2 | 17.93 | 0.79  | 9.381  | 265.758  |            |
| 9  | Structure S-22         | 4 | 20.49 | 11.81 | 0.21   | 203.269  |            |

|    |                     |   |       |       |        |         |            |
|----|---------------------|---|-------|-------|--------|---------|------------|
| 9  | Ch. 9+382 to 10+949 | 5 | 4.28  | 9.57  | 0.997  | 204.184 |            |
| 9  | Grid 4-F / level 1  | 4 | 23.55 | 5.57  | 0.303  | 158.982 |            |
| 9  | Ch. 9+382 to 10+949 | 4 | 7.62  | 1.27  | 4.069  | 157.509 | 11,420,479 |
| 10 | Ch. 3+221 to 18+133 | 2 | 37.17 | 0.55  | 17.733 | 725.049 |            |
| 10 | Structure S-19      | 4 | 37.16 | 9.52  | 0.52   | 735.827 |            |
| 10 | Grid 9-A / level 3  | 5 | 27.97 | 0.54  | 4.271  | 322.542 |            |
| 10 | Structure S-19      | 4 | 16.97 | 1.44  | 2.26   | 220.909 |            |
| 10 | Reach R-5           | 4 | 32.51 | 0.66  | 7.055  | 605.505 | 17,491,625 |
| 11 | Ch. 1+914 to 18+688 | 1 | 9.17  | 9.62  | 2.554  | 225.302 |            |
| 11 | Grid 2-F / level 4  | 5 | 31.48 | 6.62  | 0.391  | 407.417 |            |
| 11 | Ch. 1+914 to 18+688 | 5 | 20.15 | 9.4   | 0.445  | 421.437 |            |
| 11 | Structure S-9       | 5 | 14.21 | 5.29  | 1.055  | 396.526 | 9,724,588  |
| 12 | Ch. 6+728 to 13+646 | 5 | 8.31  | 7.95  | 0.429  | 141.708 |            |
| 12 | Ch. 6+728 to 13+646 | 6 | 6.87  | 0.93  | 3.646  | 139.768 |            |
| 12 | Grid 4-E / level 3  | 1 | 7.84  | 1.26  | 14.485 | 143.089 |            |
| 12 | Reach R-7           | 5 | 38.33 | 1.5   | 0.395  | 113.553 |            |
| 12 | Ch. 6+728 to 13+646 | 4 | 30.38 | 6.39  | 0.076  | 59.015  |            |
| 12 | Reach R-7           | 1 | 5.56  | 5.3   | 2.459  | 72.462  |            |
| 12 | Reach R-7           | 2 | 15.9  | 6.54  | 0.608  | 126.447 | 5,336,701  |
| 13 | Ch. 7+025 to 11+830 | 3 | 36.6  | 3.62  | 0.989  | 393.104 |            |
| 13 | Reach R-6           | 4 | 25.82 | 9.51  | 0.762  | 748.431 |            |
| 13 | Grid 7-C / level 4  | 3 | 33.18 | 4.99  | 1.146  | 569.223 |            |
| 13 | Grid 7-C / level 4  | 6 | 4.55  | 5.38  | 6.061  | 890.203 |            |
| 13 | Reach R-6           | 3 | 20.21 | 8.97  | 0.787  | 428.011 |            |
| 13 | Structure S-12      | 4 | 33.77 | 5.43  | 0.325  | 238.382 |            |
| 13 | Grid 7-C / level 4  | 5 | 24.36 | 11.27 | 0.398  | 546.329 |            |
| 13 | Structure S-12      | 6 | 39.33 | 2.23  | 1.408  | 740.939 | 30,523,265 |

|                              |                     |   |       |       |        |                  |                    |
|------------------------------|---------------------|---|-------|-------|--------|------------------|--------------------|
| 14                           | Reach R-4           | 5 | 22.92 | 6.51  | 0.642  | 478.962          |                    |
| 14                           | Grid 5-E / level 1  | 1 | 35.12 | 11.77 | 1.991  | 823.005          |                    |
| 14                           | Reach R-4           | 6 | 31.77 | 2.63  | 1.401  | 702.364          |                    |
| 14                           | Reach R-4           | 6 | 34.87 | 2.51  | 1.166  | 612.316          |                    |
| 14                           | Structure S-8       | 2 | 30.75 | 0.55  | 10.123 | 342.41           |                    |
| 14                           | Reach R-4           | 6 | 14.0  | 10.08 | 0.862  | 729.873          |                    |
| 14                           | Structure S-8       | 4 | 11.37 | 6.06  | 2.139  | 589.527          | 28,679,673         |
| 15                           | Reach R-6           | 2 | 21.66 | 3.7   | 1.42   | 227.603          |                    |
| 15                           | Grid 3-F / level 3  | 3 | 5.28  | 7.31  | 1.246  | 144.275          |                    |
| 15                           | Ch. 0+546 to 11+926 | 5 | 18.55 | 9.35  | 0.106  | 91.925           |                    |
| 15                           | Structure S-22      | 6 | 31.16 | 3.25  | 0.138  | 83.852           |                    |
| 15                           | Structure S-22      | 5 | 32.27 | 5.68  | 0.216  | 197.957          |                    |
| 15                           | Reach R-6           | 5 | 36.0  | 0.76  | 0.812  | 111.082          |                    |
| 15                           | Grid 3-F / level 3  | 4 | 30.65 | 3.28  | 0.207  | 83.24            | 6,297,138          |
| 16                           | Ch. 3+996 to 12+872 | 2 | 13.83 | 9.25  | 0.332  | 84.944           |                    |
| 16                           | Reach R-7           | 1 | 13.38 | 9.05  | 0.79   | 95.66            |                    |
| 16                           | Structure S-23      | 6 | 30.51 | 11.53 | 0.05   | 105.534          |                    |
| 16                           | Ch. 3+996 to 12+872 | 1 | 11.22 | 6.95  | 0.975  | 76.03            |                    |
| 16                           | Structure S-23      | 2 | 35.27 | 3.06  | 0.805  | 173.761          |                    |
| 16                           | Structure S-23      | 3 | 35.37 | 11.91 | 0.063  | 79.618           |                    |
| 16                           | Ch. 3+996 to 12+872 | 3 | 7.29  | 7.91  | 0.569  | 98.432           |                    |
| 16                           | Reach R-7           | 5 | 18.08 | 6.57  | 0.204  | 121.161          | 5,379,281          |
| <b>Item total (executed)</b> |                     |   |       |       |        | <b>25370.049</b> | <b>170,030,068</b> |

#### ITEM 6 — RCC M30 FOR STRUCTURES (CUM @ 8,737)

| RA | Location / particulars | N | L     | B    | D     | Qty     | Amount |
|----|------------------------|---|-------|------|-------|---------|--------|
| 8  | Reach R-7              | 1 | 16.59 | 6.69 | 1.949 | 216.314 |        |



|    |                     |   |       |       |        |         |            |
|----|---------------------|---|-------|-------|--------|---------|------------|
| 8  | Structure S-8       | 4 | 26.49 | 6.54  | 0.195  | 135.131 |            |
| 8  | Structure S-8       | 6 | 23.68 | 8.29  | 0.117  | 137.808 | 4,270,966  |
| 9  | Structure S-11      | 1 | 12.81 | 4.82  | 3.249  | 200.607 |            |
| 9  | Reach R-6           | 3 | 23.92 | 4.08  | 0.37   | 108.329 |            |
| 9  | Reach R-6           | 5 | 29.79 | 8.83  | 0.05   | 65.761  |            |
| 9  | Grid 8-D / level 1  | 6 | 3.41  | 5.27  | 1.495  | 161.197 |            |
| 9  | Reach R-6           | 5 | 39.86 | 8.59  | 0.05   | 85.599  |            |
| 9  | Grid 8-D / level 1  | 1 | 5.35  | 9.19  | 2.529  | 124.342 |            |
| 9  | Reach R-6           | 5 | 17.24 | 8.43  | 0.282  | 204.92  | 8,198,615  |
| 11 | Grid 6-B / level 3  | 3 | 32.65 | 0.63  | 1.599  | 98.672  |            |
| 11 | Reach R-4           | 2 | 24.31 | 3.96  | 0.654  | 125.918 |            |
| 11 | Ch. 6+458 to 15+865 | 2 | 18.4  | 11.31 | 0.245  | 101.971 |            |
| 11 | Grid 6-B / level 3  | 5 | 30.98 | 7.04  | 0.096  | 104.688 |            |
| 11 | Structure S-15      | 4 | 17.25 | 11.21 | 0.109  | 84.31   |            |
| 11 | Grid 6-B / level 3  | 3 | 18.75 | 4.38  | 0.198  | 48.782  |            |
| 11 | Grid 6-B / level 3  | 1 | 4.34  | 8.04  | 2.287  | 79.802  | 5,628,564  |
| 15 | Grid 7-A / level 2  | 4 | 11.26 | 2.83  | 1.044  | 133.072 |            |
| 15 | Grid 7-A / level 2  | 4 | 20.15 | 10.77 | 0.16   | 138.89  |            |
| 15 | Grid 7-A / level 2  | 2 | 2.81  | 7.27  | 3.95   | 161.387 |            |
| 15 | Ch. 6+343 to 15+477 | 4 | 30.79 | 9.23  | 0.15   | 170.515 |            |
| 15 | Structure S-13      | 1 | 4.49  | 0.56  | 67.746 | 170.341 |            |
| 15 | Structure S-13      | 2 | 39.36 | 3.16  | 0.28   | 69.651  |            |
| 15 | Grid 7-A / level 2  | 4 | 37.92 | 9.64  | 0.116  | 169.615 |            |
| 15 | Ch. 6+343 to 15+477 | 1 | 15.75 | 2.29  | 4.748  | 171.248 | 10,351,443 |
| 17 | Reach R-4           | 4 | 18.84 | 8.58  | 0.499  | 322.648 |            |
| 17 | Structure S-22      | 6 | 5.01  | 5.94  | 5.028  | 897.782 |            |
| 17 | Reach R-4           | 2 | 29.91 | 5.82  | 0.842  | 293.144 |            |

|                              |                |   |       |      |       |                |                   |
|------------------------------|----------------|---|-------|------|-------|----------------|-------------------|
| 17                           | Structure S-22 | 1 | 32.18 | 7.37 | 3.196 | 757.984        | 19,847,407        |
| <b>Item total (executed)</b> |                |   |       |      |       | <b>5527.87</b> | <b>48,296,995</b> |

---

**ITEM 7 — REINFORCEMENT STEEL Fe500 (MT @ 71,238)**

| RA | Location / particulars | N | L     | B     | D     | Qty     | Amount     |
|----|------------------------|---|-------|-------|-------|---------|------------|
| 1  | Ch. 9+776 to 17+591    | 6 | 30.72 | 3.68  | 0.179 | 121.415 |            |
| 1  | Ch. 9+776 to 17+591    | 1 | 21.55 | 10.36 | 0.194 | 43.312  | 11,720,624 |
| 2  | Reach R-1              | 5 | 20.14 | 0.41  | 2.789 | 115.149 |            |
| 2  | Reach R-1              | 5 | 23.55 | 4.75  | 0.056 | 31.322  |            |
| 2  | Reach R-1              | 6 | 24.49 | 4.11  | 0.185 | 111.726 | 18,394,049 |
| 3  | Reach R-6              | 2 | 12.98 | 10.93 | 0.101 | 28.658  |            |
| 3  | Ch. 1+650 to 15+141    | 3 | 38.13 | 5.65  | 0.122 | 78.849  | 7,649,681  |
| 4  | Ch. 1+761 to 17+166    | 3 | 33.53 | 7.06  | 0.181 | 128.54  |            |
| 4  | Structure S-21         | 5 | 23.15 | 2.42  | 0.329 | 92.158  | 15,714,094 |
| 5  | Structure S-1          | 1 | 10.87 | 2.03  | 1.92  | 42.367  |            |
| 5  | Ch. 5+794 to 14+802    | 4 | 25.76 | 9.98  | 0.05  | 51.417  |            |
| 5  | Grid 8-C / level 2     | 3 | 22.11 | 7.36  | 0.062 | 30.268  |            |
| 5  | Reach R-10             | 5 | 5.28  | 5.95  | 0.367 | 57.648  | 11,634,397 |
| 7  | Reach R-10             | 2 | 14.89 | 2.7   | 1.21  | 97.291  |            |
| 7  | Reach R-10             | 5 | 35.08 | 4.54  | 0.05  | 39.816  |            |
| 7  | Reach R-10             | 2 | 2.51  | 3.03  | 5.92  | 90.047  | 15,754,299 |
| 8  | Reach R-5              | 4 | 38.88 | 3.63  | 0.05  | 28.227  |            |
| 8  | Reach R-5              | 3 | 30.63 | 9.61  | 0.05  | 44.153  |            |
| 8  | Reach R-5              | 1 | 37.79 | 9.58  | 0.073 | 26.428  |            |
| 8  | Grid 6-A / level 3     | 1 | 5.52  | 4.34  | 1.191 | 28.533  | 8,094,792  |
| 10 | Grid 3-F / level 4     | 2 | 39.13 | 3.61  | 0.494 | 139.564 |            |
| 10 | Reach R-11             | 4 | 33.74 | 11.44 | 0.156 | 240.855 | 27,079,436 |
| 11 | Grid 5-C / level 1     | 2 | 9.65  | 4.66  | 0.703 | 63.226  |            |
| 11 | Ch. 6+070 to 11+131    | 5 | 27.97 | 5.22  | 0.055 | 40.151  |            |

|                              |                     |   |       |       |       |                 |                    |
|------------------------------|---------------------|---|-------|-------|-------|-----------------|--------------------|
| 11                           | Reach R-3           | 3 | 29.04 | 4.99  | 0.197 | 85.642          | 13,498,137         |
| 12                           | Reach R-7           | 3 | 18.86 | 11.77 | 0.05  | 33.297          |                    |
| 12                           | Reach R-7           | 3 | 31.75 | 3.61  | 0.05  | 17.193          |                    |
| 12                           | Structure S-12      | 2 | 35.44 | 11.2  | 0.05  | 39.693          |                    |
| 12                           | Reach R-7           | 2 | 25.65 | 1.18  | 0.325 | 19.674          | 5,244,947          |
| 13                           | Reach R-2           | 6 | 33.68 | 2.72  | 0.152 | 83.548          |                    |
| 13                           | Reach R-2           | 5 | 10.8  | 4.53  | 0.509 | 124.512         | 14,804,198         |
| 16                           | Ch. 5+125 to 12+848 | 2 | 13.35 | 1.43  | 1.058 | 40.395          |                    |
| 16                           | Grid 8-D / level 3  | 5 | 3.28  | 6.41  | 0.608 | 63.915          |                    |
| 16                           | Ch. 5+125 to 12+848 | 6 | 6.11  | 9.49  | 0.16  | 55.665          | 11,390,861         |
| <b>Item total (executed)</b> |                     |   |       |       |       | <b>2259.742</b> | <b>160,979,515</b> |

#### ITEM 8 — RCC KERB & CHANNEL (RMT @ 439)

| RA | Location / particulars | N | L     | B     | D      | Qty      | Amount     |
|----|------------------------|---|-------|-------|--------|----------|------------|
| 1  | Ch. 8+229 to 10+700    | 4 | 18.95 | 8.98  | 7.318  | 4981.246 |            |
| 1  | Structure S-8          | 4 | 14.77 | 5.13  | 11.322 | 3431.476 |            |
| 1  | Ch. 8+229 to 10+700    | 2 | 21.58 | 8.32  | 16.36  | 5874.732 |            |
| 1  | Structure S-8          | 2 | 33.03 | 4.51  | 11.895 | 3543.884 |            |
| 1  | Structure S-8          | 2 | 19.97 | 2.62  | 29.002 | 3034.85  |            |
| 1  | Grid 6-B / level 3     | 4 | 26.66 | 1.73  | 15.655 | 2888.147 |            |
| 1  | Grid 6-B / level 3     | 1 | 26.47 | 2.72  | 49.121 | 3536.633 | 11,980,665 |
| 2  | Reach R-8              | 5 | 38.8  | 5.02  | 7.033  | 6849.298 |            |
| 2  | Ch. 1+775 to 14+619    | 4 | 32.83 | 1.06  | 51.715 | 7198.687 |            |
| 2  | Structure S-3          | 5 | 36.24 | 1.61  | 18.606 | 5427.966 |            |
| 2  | Structure S-3          | 6 | 36.61 | 2.55  | 5.544  | 3105.377 | 9,913,342  |
| 3  | Ch. 5+968 to 10+588    | 5 | 23.66 | 11.68 | 3.739  | 5166.341 |            |
| 3  | Ch. 5+968 to 10+588    | 3 | 13.58 | 0.83  | 148.2  | 5011.264 |            |

|    |                     |   |       |       |         |          |            |
|----|---------------------|---|-------|-------|---------|----------|------------|
| 3  | Reach R-11          | 6 | 26.35 | 7.42  | 2.092   | 2454.129 |            |
| 3  | Grid 5-D / level 3  | 2 | 19.11 | 4.53  | 27.838  | 4819.777 |            |
| 3  | Grid 5-D / level 3  | 6 | 39.52 | 5.37  | 1.677   | 2135.382 |            |
| 3  | Grid 5-D / level 3  | 2 | 20.98 | 11.38 | 5.487   | 2620.069 | 9,748,798  |
| 7  | Reach R-8           | 2 | 15.54 | 3.29  | 26.226  | 2681.692 |            |
| 7  | Grid 1-F / level 2  | 6 | 33.59 | 2.59  | 13.932  | 7272.345 |            |
| 7  | Ch. 7+975 to 14+400 | 6 | 2.78  | 9.66  | 36.033  | 5805.954 |            |
| 7  | Grid 1-F / level 2  | 4 | 25.36 | 10.59 | 3.01    | 3233.491 |            |
| 7  | Ch. 7+975 to 14+400 | 2 | 3.17  | 6.27  | 135.114 | 5371.025 | 10,695,808 |
| 8  | Structure S-23      | 3 | 33.5  | 10.09 | 2.382   | 2415.455 |            |
| 8  | Structure S-23      | 4 | 11.99 | 2.75  | 9.494   | 1252.164 |            |
| 8  | Reach R-8           | 2 | 39.92 | 4.75  | 7.309   | 2771.865 |            |
| 8  | Structure S-23      | 6 | 13.19 | 5.23  | 7.144   | 2956.917 |            |
| 8  | Grid 9-C / level 3  | 3 | 25.59 | 7.31  | 3.781   | 2121.854 |            |
| 8  | Ch. 9+983 to 15+502 | 2 | 6.04  | 4.57  | 45.471  | 2510.254 |            |
| 8  | Structure S-23      | 2 | 39.43 | 3.79  | 13.039  | 3897.088 |            |
| 8  | Ch. 9+983 to 15+502 | 5 | 17.35 | 2.36  | 18.6    | 3807.978 | 9,541,098  |
| 9  | Structure S-2       | 4 | 12.36 | 8.06  | 7.209   | 2872.688 |            |
| 9  | Grid 3-A / level 1  | 4 | 2.27  | 3.35  | 62.654  | 1905.809 |            |
| 9  | Grid 3-A / level 1  | 3 | 23.94 | 0.3   | 72.703  | 1566.459 |            |
| 9  | Ch. 4+331 to 17+846 | 4 | 7.1   | 11.4  | 4.649   | 1505.16  |            |
| 9  | Structure S-2       | 5 | 6.7   | 7.93  | 11.894  | 3159.701 |            |
| 9  | Structure S-2       | 4 | 23.03 | 5.0   | 4.205   | 1936.823 |            |
| 9  | Structure S-2       | 3 | 7.4   | 0.57  | 229.085 | 2898.842 | 6,956,146  |
| 11 | Reach R-7           | 1 | 14.33 | 4.8   | 30.704  | 2111.944 |            |
| 11 | Structure S-19      | 6 | 38.86 | 1.82  | 7.342   | 3115.587 |            |
| 11 | Grid 9-E / level 3  | 4 | 31.69 | 5.67  | 6.102   | 4385.686 |            |

|                              |                     |   |       |       |        |                   |                    |
|------------------------------|---------------------|---|-------|-------|--------|-------------------|--------------------|
| 11                           | Structure S-19      | 1 | 3.29  | 6.08  | 66.48  | 1329.813          |                    |
| 11                           | Reach R-7           | 1 | 33.7  | 11.33 | 6.025  | 2300.472          | 5,813,997          |
| 12                           | Grid 3-E / level 4  | 5 | 7.51  | 6.17  | 28.738 | 6658.12           |                    |
| 12                           | Grid 3-E / level 4  | 3 | 23.26 | 1.97  | 56.87  | 7817.726          |                    |
| 12                           | Grid 3-E / level 4  | 1 | 16.4  | 5.48  | 52.022 | 4675.321          |                    |
| 12                           | Grid 3-E / level 4  | 6 | 30.21 | 3.86  | 4.373  | 3059.629          |                    |
| 12                           | Structure S-12      | 6 | 9.67  | 6.97  | 17.705 | 7159.891          |                    |
| 12                           | Ch. 2+640 to 11+860 | 6 | 3.2   | 4.77  | 30.246 | 2770.05           |                    |
| 12                           | Ch. 2+640 to 11+860 | 3 | 5.09  | 8.15  | 39.067 | 4861.908          | 16,244,189         |
| 15                           | Ch. 5+552 to 18+890 | 5 | 27.75 | 6.31  | 7.099  | 6215.263          |                    |
| 15                           | Reach R-5           | 1 | 16.09 | 7.8   | 40.322 | 5060.492          |                    |
| 15                           | Reach R-5           | 5 | 23.96 | 5.07  | 10.219 | 6206.878          |                    |
| 15                           | Structure S-15      | 4 | 7.9   | 5.9   | 47.557 | 8866.527          | 11,567,508         |
| 16                           | Structure S-18      | 3 | 21.93 | 1.64  | 44.442 | 4795.096          |                    |
| 16                           | Grid 1-F / level 4  | 6 | 35.1  | 7.8   | 0.984  | 1616.397          |                    |
| 16                           | Ch. 6+909 to 15+806 | 3 | 27.24 | 4.43  | 9.105  | 3296.188          |                    |
| 16                           | Grid 1-F / level 4  | 1 | 26.53 | 11.23 | 17.92  | 5338.94           |                    |
| 16                           | Structure S-18      | 6 | 32.34 | 3.66  | 2.613  | 1855.717          |                    |
| 16                           | Grid 1-F / level 4  | 4 | 4.14  | 11.57 | 31.519 | 6039.015          |                    |
| 16                           | Ch. 6+909 to 15+806 | 5 | 9.17  | 11.79 | 4.225  | 2283.915          |                    |
| 16                           | Structure S-18      | 6 | 18.2  | 7.64  | 5.817  | 4853.053          | 13,204,422         |
| <b>Item total (executed)</b> |                     |   |       |       |        | <b>240696.977</b> | <b>105,665,973</b> |

**ITEM 9 — ROAD MARKINGS & SIGNAGE (LS @ 145,356,912)**

| RA                           | Location / particulars          | N | L | B | D | Qty          | Amount             |
|------------------------------|---------------------------------|---|---|---|---|--------------|--------------------|
| 1                            | Lump-sum milestone as certified | 1 | — | — | — | 0.073        | 10,540,070         |
| 3                            | Lump-sum milestone as certified | 1 | — | — | — | 0.056        | 8,073,692          |
| 4                            | Lump-sum milestone as certified | 1 | — | — | — | 0.084        | 12,234,596         |
| 5                            | Lump-sum milestone as certified | 1 | — | — | — | 0.112        | 16,314,044         |
| 8                            | Lump-sum milestone as certified | 1 | — | — | — | 0.093        | 13,514,209         |
| 9                            | Lump-sum milestone as certified | 1 | — | — | — | 0.053        | 7,764,004          |
| 10                           | Lump-sum milestone as certified | 1 | — | — | — | 0.157        | 22,863,582         |
| 11                           | Lump-sum milestone as certified | 1 | — | — | — | 0.064        | 9,280,587          |
| 12                           | Lump-sum milestone as certified | 1 | — | — | — | 0.101        | 14,739,370         |
| 13                           | Lump-sum milestone as certified | 1 | — | — | — | 0.152        | 22,107,180         |
| 15                           | Lump-sum milestone as certified | 1 | — | — | — | 0.034        | 4,910,403          |
| 16                           | Lump-sum milestone as certified | 1 | — | — | — | 0.036        | 5,279,411          |
| 17                           | Lump-sum milestone as certified | 1 | — | — | — | 0.037        | 5,332,284          |
| <b>Item total (executed)</b> |                                 |   |   |   |   | <b>1.052</b> | <b>152,953,432</b> |

---

Billing Engineer

---

Project Manager

---

For Jal Nigam, Gujarat (accepted)