

National Infrastructure Corp. Ltd.

GSTIN 19NAICC441701Z1 · Final Bill with Measurement Annexure

FINAL RUNNING ACCOUNT BILL

Contract #79 · Lakshya Engineering & Construction · 14 RA bills

FIN/79

March 31, 2026

PART I — CONTRACT ABSTRACT

|                            |                                      |
|----------------------------|--------------------------------------|
| Awarded Value              | INR 109.97 Cr                        |
| Total Value of Work Billed | INR 70.13 Cr                         |
| Period                     | November 15, 2023 — January 22, 2025 |

PART II — BOQ-WISE SUMMARY (AS EXECUTED)

| Item  | Description                          | Unit | Rate  | BOQ Qty    | Executed Value |
|-------|--------------------------------------|------|-------|------------|----------------|
| 1     | Earthwork in excavation & embankment | cum  | 203   | 425225.025 | 86,320,680     |
| 2     | Granular sub-base (GSB)              | cum  | 1,504 | 79399.42   | 119,416,727    |
| 3     | Wet mix macadam (WMM)                | cum  | 1,534 | 43037.244  | 66,019,133     |
| 4     | Dense bituminous macadam (DBM)       | MT   | 6,673 | 18308.476  | 122,172,462    |
| 5     | Bituminous concrete (BC)             | MT   | 6,491 | 16503.504  | 107,124,245    |
| 6     | RCC M30 for structures               | cum  | 8,197 | 24424.27   | 200,205,745    |
| Total |                                      |      |       |            | 701,258,992    |

PART III — BILL-WISE ABSTRACT

| RA | Bill No       | Date       | Value of Work | Cumulative  |
|----|---------------|------------|---------------|-------------|
| 1  | AR-2023-00450 | 2023-12-13 | 50,089,928    | 50,089,928  |
| 2  | AR-2024-00451 | 2024-01-11 | 50,089,928    | 100,179,856 |
| 3  | AR-2024-00452 | 2024-02-09 | 50,089,928    | 150,269,784 |
| 4  | AR-2024-00453 | 2024-03-09 | 50,089,928    | 200,359,712 |

|    |               |            |            |             |
|----|---------------|------------|------------|-------------|
| 5  | AR-2024-00454 | 2024-04-07 | 50,089,928 | 250,449,640 |
| 6  | AR-2024-00455 | 2024-05-06 | 50,089,928 | 300,539,568 |
| 7  | AR-2024-00456 | 2024-06-04 | 50,089,928 | 350,629,496 |
| 8  | AR-2024-00457 | 2024-07-03 | 50,089,928 | 400,719,424 |
| 9  | AR-2024-00458 | 2024-08-01 | 50,089,928 | 450,809,352 |
| 10 | AR-2024-00459 | 2024-08-30 | 50,089,928 | 500,899,280 |
| 11 | AR-2024-00460 | 2024-09-28 | 50,089,928 | 550,989,208 |
| 12 | AR-2024-00461 | 2024-10-27 | 50,089,928 | 601,079,136 |
| 13 | AR-2024-00462 | 2024-11-25 | 50,089,928 | 651,169,064 |
| 14 | AR-2024-00463 | 2024-12-24 | 50,089,928 | 701,258,992 |

## PART IV — MEASUREMENT ANNEXURE (ITEM-WISE, ALL BILLS)

### ITEM 1 — EARTHWORK IN EXCAVATION & EMBANKMENT (CUM @ 203)

| RA | Location / particulars | N | L     | B     | D       | Qty       | Amount     |
|----|------------------------|---|-------|-------|---------|-----------|------------|
| 2  | Structure S-4          | 4 | 15.08 | 3.76  | 37.795  | 8572.027  |            |
| 2  | Structure S-4          | 2 | 14.55 | 4.28  | 96.272  | 11990.485 |            |
| 2  | Grid 7-C / level 2     | 4 | 12.26 | 6.09  | 21.953  | 6556.342  |            |
| 2  | Structure S-4          | 6 | 35.77 | 2.54  | 22.258  | 12133.61  |            |
| 2  | Structure S-4          | 5 | 21.16 | 5.11  | 14.783  | 7992.252  |            |
| 2  | Structure S-4          | 4 | 37.23 | 4.43  | 18.012  | 11882.797 |            |
| 2  | Grid 7-C / level 2     | 3 | 24.74 | 5.51  | 13.229  | 5410.029  |            |
| 2  | Reach R-6              | 5 | 39.37 | 9.74  | 2.734   | 5241.95   | 14,165,205 |
| 3  | Structure S-7          | 3 | 31.72 | 6.76  | 18.052  | 11612.519 |            |
| 3  | Ch. 9+199 to 16+121    | 6 | 11.7  | 9.99  | 10.839  | 7601.369  |            |
| 3  | Reach R-8              | 4 | 28.44 | 9.66  | 13.143  | 14443.127 |            |
| 3  | Ch. 9+199 to 16+121    | 3 | 13.44 | 4.94  | 42.221  | 8409.613  |            |
| 3  | Grid 1-C / level 2     | 4 | 8.94  | 4.24  | 85.226  | 12922.171 |            |
| 3  | Ch. 9+199 to 16+121    | 2 | 6.99  | 4.93  | 74.672  | 5146.499  | 12,207,451 |
| 4  | Structure S-7          | 2 | 24.43 | 3.77  | 19.169  | 3530.972  |            |
| 4  | Ch. 0+136 to 11+729    | 1 | 28.59 | 0.8   | 305.123 | 6978.773  |            |
| 4  | Reach R-6              | 4 | 8.03  | 0.5   | 470.48  | 7555.909  |            |
| 4  | Reach R-6              | 2 | 12.9  | 2.65  | 86.572  | 5918.928  |            |
| 4  | Grid 9-F / level 4     | 5 | 24.17 | 9.75  | 7.789   | 9177.681  |            |
| 4  | Grid 9-F / level 4     | 3 | 19.4  | 4.81  | 11.193  | 3133.391  |            |
| 4  | Reach R-6              | 1 | 22.54 | 4.84  | 39.798  | 4341.707  |            |
| 4  | Structure S-7          | 1 | 10.41 | 3.3   | 81.669  | 2805.575  | 8,818,864  |
| 5  | Grid 5-E / level 1     | 3 | 34.59 | 11.03 | 9.446   | 10811.732 |            |

|    |                     |   |       |       |          |           |            |
|----|---------------------|---|-------|-------|----------|-----------|------------|
| 5  | Reach R-5           | 1 | 2.43  | 9.33  | 1317.872 | 29878.662 |            |
| 5  | Grid 5-E / level 1  | 1 | 24.57 | 9.0   | 36.933   | 8166.994  |            |
| 5  | Reach R-5           | 1 | 19.82 | 1.4   | 610.808  | 16948.7   |            |
| 5  | Reach R-5           | 2 | 6.3   | 2.97  | 229.791  | 8599.239  | 15,104,262 |
| 6  | Structure S-24      | 2 | 24.21 | 7.03  | 16.8     | 5718.596  |            |
| 6  | Ch. 7+395 to 10+977 | 4 | 4.65  | 2.56  | 168.466  | 8021.677  |            |
| 6  | Reach R-1           | 6 | 9.39  | 1.52  | 197.005  | 16870.878 |            |
| 6  | Grid 2-E / level 2  | 6 | 10.33 | 6.28  | 32.179   | 12525.174 |            |
| 6  | Structure S-24      | 3 | 9.27  | 3.09  | 217.488  | 18689.375 |            |
| 6  | Grid 2-E / level 2  | 5 | 15.54 | 5.39  | 24.686   | 10338.571 | 14,649,390 |
| 7  | Reach R-1           | 5 | 21.85 | 5.66  | 23.332   | 14427.459 |            |
| 7  | Ch. 1+097 to 16+134 | 2 | 2.62  | 2.39  | 544.801  | 6822.87   |            |
| 7  | Reach R-1           | 3 | 39.56 | 1.08  | 91.052   | 11670.535 |            |
| 7  | Reach R-1           | 4 | 26.77 | 2.07  | 81.818   | 18135.418 |            |
| 7  | Structure S-5       | 3 | 5.8   | 6.41  | 97.282   | 10850.251 |            |
| 7  | Grid 4-D / level 3  | 6 | 39.3  | 6.95  | 3.477    | 5698.142  |            |
| 7  | Grid 4-D / level 3  | 2 | 20.82 | 2.38  | 59.195   | 5866.414  | 14,914,655 |
| 9  | Ch. 9+825 to 19+880 | 1 | 30.69 | 3.03  | 230.857  | 21467.554 |            |
| 9  | Ch. 9+825 to 19+880 | 2 | 34.16 | 8.44  | 25.867   | 14915.45  |            |
| 9  | Grid 2-E / level 3  | 4 | 22.12 | 10.67 | 20.665   | 19509.446 |            |
| 9  | Reach R-4           | 6 | 18.32 | 7.3   | 24.753   | 19862.203 | 15,378,137 |
| 10 | Ch. 9+556 to 19+973 | 6 | 29.14 | 6.36  | 8.887    | 9882.188  |            |
| 10 | Grid 7-F / level 3  | 2 | 3.12  | 3.64  | 519.55   | 11800.851 |            |
| 10 | Grid 7-F / level 3  | 3 | 5.83  | 3.63  | 170.15   | 10802.602 |            |
| 10 | Reach R-6           | 5 | 38.26 | 6.62  | 5.668    | 7177.989  |            |
| 10 | Grid 7-F / level 3  | 5 | 8.78  | 5.5   | 42.914   | 10361.585 |            |
| 10 | Grid 7-F / level 3  | 2 | 27.01 | 11.51 | 11.826   | 7353.054  |            |

|                              |                     |   |       |       |          |                   |                    |
|------------------------------|---------------------|---|-------|-------|----------|-------------------|--------------------|
| 10                           | Ch. 9+556 to 19+973 | 1 | 13.97 | 10.1  | 59.578   | 8406.277          | 13,354,214         |
| 11                           | Grid 6-C / level 1  | 5 | 15.25 | 11.36 | 9.72     | 8419.464          |                    |
| 11                           | Ch. 4+245 to 16+705 | 1 | 15.33 | 2.82  | 309.017  | 13358.99          |                    |
| 11                           | Ch. 4+245 to 16+705 | 6 | 10.69 | 6.46  | 24.139   | 10001.859         |                    |
| 11                           | Grid 6-C / level 1  | 1 | 20.36 | 2.3   | 171.855  | 8047.626          |                    |
| 11                           | Structure S-1       | 6 | 39.98 | 3.06  | 15.735   | 11550.006         |                    |
| 11                           | Ch. 4+245 to 16+705 | 6 | 31.76 | 4.73  | 12.368   | 11147.882         | 12,692,824         |
| 12                           | Structure S-5       | 2 | 21.55 | 10.61 | 21.352   | 9764.077          |                    |
| 12                           | Ch. 3+077 to 15+285 | 1 | 18.75 | 3.14  | 138.268  | 8140.529          |                    |
| 12                           | Ch. 3+077 to 15+285 | 6 | 2.23  | 0.31  | 5195.723 | 21550.82          |                    |
| 12                           | Reach R-8           | 1 | 21.99 | 10.51 | 45.452   | 10504.634         |                    |
| 12                           | Reach R-8           | 5 | 39.35 | 8.67  | 6.926    | 11814.527         | 12,540,273         |
| 13                           | Grid 6-D / level 2  | 3 | 12.85 | 8.28  | 36.652   | 11699.098         |                    |
| 13                           | Structure S-22      | 6 | 34.33 | 10.63 | 10.333   | 22624.8           |                    |
| 13                           | Structure S-22      | 2 | 27.97 | 0.34  | 1027.176 | 19536.477         |                    |
| 13                           | Structure S-22      | 6 | 32.74 | 10.42 | 11.08    | 22679.705         |                    |
| 13                           | Grid 6-D / level 2  | 2 | 30.6  | 2.14  | 128.613  | 16844.187         |                    |
| 13                           | Reach R-7           | 6 | 7.9   | 5.96  | 81.051   | 22897.232         | 23,605,006         |
| 14                           | Grid 3-B / level 2  | 4 | 25.11 | 6.76  | 12.184   | 8272.624          |                    |
| 14                           | Reach R-5           | 3 | 37.49 | 7.52  | 8.323    | 7039.38           |                    |
| 14                           | Structure S-13      | 4 | 20.69 | 9.02  | 4.761    | 3554.064          |                    |
| 14                           | Grid 3-B / level 2  | 4 | 7.39  | 1.1   | 208.769  | 6788.333          |                    |
| 14                           | Ch. 5+944 to 12+163 | 3 | 3.86  | 7.76  | 49.7     | 4466.082          |                    |
| 14                           | Structure S-13      | 6 | 38.0  | 8.22  | 3.615    | 6775.088          |                    |
| 14                           | Ch. 5+944 to 12+163 | 6 | 20.74 | 7.04  | 5.63     | 4932.204          |                    |
| 14                           | Grid 3-B / level 2  | 4 | 21.04 | 5.53  | 9.36     | 4356.189          | 9,375,162          |
| <b>Item total (executed)</b> |                     |   |       |       |          | <b>821701.691</b> | <b>166,805,443</b> |

**ITEM 2 — GRANULAR SUB-BASE (GSB) (CUM @ 1,504)**

| RA | Location / particulars | N | L     | B     | D       | Qty      | Amount     |
|----|------------------------|---|-------|-------|---------|----------|------------|
| 1  | Reach R-5              | 1 | 19.11 | 2.83  | 16.184  | 875.252  |            |
| 1  | Structure S-8          | 6 | 7.4   | 10.4  | 5.133   | 2370.214 |            |
| 1  | Grid 8-F / level 3     | 4 | 11.29 | 4.18  | 3.795   | 716.378  |            |
| 1  | Ch. 0+666 to 10+100    | 3 | 18.96 | 7.77  | 4.738   | 2093.995 |            |
| 1  | Grid 8-F / level 3     | 1 | 10.92 | 11.94 | 17.208  | 2243.662 | 12,482,928 |
| 2  | Grid 4-C / level 2     | 5 | 8.85  | 9.21  | 4.689   | 1910.967 |            |
| 2  | Ch. 6+173 to 12+699    | 2 | 5.68  | 2.48  | 90.064  | 2537.355 |            |
| 2  | Ch. 6+173 to 12+699    | 4 | 24.62 | 5.7   | 7.317   | 4107.296 |            |
| 2  | Grid 4-C / level 2     | 5 | 28.93 | 5.45  | 2.849   | 2245.988 | 16,244,984 |
| 3  | Structure S-5          | 2 | 12.34 | 3.13  | 31.576  | 2439.195 |            |
| 3  | Ch. 0+244 to 12+272    | 2 | 14.34 | 9.41  | 4.263   | 1150.493 |            |
| 3  | Grid 2-F / level 1     | 3 | 32.03 | 11.12 | 1.164   | 1243.758 |            |
| 3  | Grid 2-F / level 1     | 2 | 39.08 | 9.82  | 1.891   | 1451.401 | 9,452,427  |
| 4  | Structure S-10         | 1 | 22.88 | 7.92  | 8.277   | 1499.872 |            |
| 4  | Structure S-10         | 2 | 34.49 | 7.26  | 1.469   | 735.668  |            |
| 4  | Grid 7-A / level 1     | 2 | 14.94 | 8.19  | 8.952   | 2190.708 |            |
| 4  | Ch. 1+094 to 14+446    | 4 | 33.74 | 2.49  | 5.427   | 1823.746 | 9,400,135  |
| 5  | Ch. 8+746 to 13+146    | 4 | 7.99  | 1.14  | 31.968  | 1164.735 |            |
| 5  | Grid 1-C / level 3     | 1 | 23.82 | 10.68 | 6.781   | 1725.07  |            |
| 5  | Ch. 8+746 to 13+146    | 1 | 5.17  | 1.31  | 246.861 | 1671.915 |            |
| 5  | Reach R-11             | 3 | 27.08 | 11.63 | 1.833   | 1731.857 |            |
| 5  | Structure S-22         | 6 | 7.9   | 3.33  | 14.565  | 2298.969 |            |
| 5  | Structure S-22         | 1 | 37.89 | 5.58  | 12.605  | 2665.027 | 16,930,893 |
| 7  | Reach R-9              | 4 | 11.52 | 7.56  | 1.019   | 354.984  |            |
| 7  | Reach R-9              | 5 | 30.47 | 6.71  | 0.4     | 408.907  |            |

|    |                     |   |       |       |        |          |            |
|----|---------------------|---|-------|-------|--------|----------|------------|
| 7  | Reach R-9           | 6 | 31.73 | 1.97  | 1.961  | 735.47   |            |
| 7  | Structure S-15      | 6 | 6.99  | 3.67  | 1.823  | 280.596  |            |
| 7  | Ch. 8+214 to 17+430 | 2 | 6.85  | 3.76  | 5.041  | 259.672  |            |
| 7  | Grid 9-B / level 3  | 6 | 33.95 | 6.16  | 0.654  | 820.634  | 4,300,366  |
| 8  | Grid 2-F / level 2  | 3 | 27.03 | 7.68  | 1.45   | 903.018  |            |
| 8  | Grid 2-F / level 2  | 6 | 9.25  | 4.32  | 9.366  | 2245.592 |            |
| 8  | Structure S-22      | 6 | 5.78  | 7.76  | 9.566  | 2574.371 |            |
| 8  | Grid 2-F / level 2  | 3 | 4.43  | 8.58  | 10.238 | 1167.421 |            |
| 8  | Structure S-22      | 2 | 36.84 | 8.78  | 4.494  | 2907.215 |            |
| 8  | Grid 2-F / level 2  | 4 | 31.01 | 8.97  | 1.292  | 1437.529 |            |
| 8  | Grid 2-F / level 2  | 3 | 8.56  | 11.54 | 2.925  | 866.816  |            |
| 8  | Ch. 0+129 to 16+918 | 6 | 12.19 | 0.44  | 81.944 | 2637.089 | 22,166,550 |
| 9  | Structure S-14      | 1 | 14.86 | 2.54  | 28.123 | 1061.486 |            |
| 9  | Grid 8-F / level 2  | 3 | 11.99 | 5.81  | 8.452  | 1766.347 |            |
| 9  | Structure S-14      | 1 | 21.07 | 4.6   | 13.231 | 1282.375 |            |
| 9  | Reach R-4           | 2 | 39.77 | 9.44  | 1.187  | 891.268  |            |
| 9  | Reach R-4           | 1 | 33.57 | 2.11  | 6.872  | 486.762  |            |
| 9  | Grid 8-F / level 2  | 6 | 7.85  | 2.01  | 17.963 | 1700.575 | 10,812,286 |
| 10 | Reach R-10          | 3 | 31.07 | 1.79  | 9.965  | 1662.619 |            |
| 10 | Ch. 2+122 to 16+060 | 3 | 12.52 | 5.57  | 7.731  | 1617.396 |            |
| 10 | Grid 5-B / level 4  | 5 | 18.32 | 5.0   | 4.941  | 2262.978 |            |
| 10 | Grid 5-B / level 4  | 6 | 20.49 | 7.46  | 0.928  | 851.099  | 9,616,941  |
| 11 | Ch. 5+087 to 17+120 | 3 | 15.14 | 7.46  | 1.279  | 433.368  |            |
| 11 | Grid 7-E / level 1  | 5 | 22.88 | 1.91  | 0.966  | 211.075  |            |
| 11 | Structure S-19      | 2 | 16.49 | 8.72  | 1.657  | 476.529  |            |
| 11 | Grid 7-E / level 1  | 3 | 24.95 | 7.58  | 0.474  | 268.93   |            |
| 11 | Reach R-5           | 1 | 29.0  | 10.38 | 1.4    | 421.428  |            |

|                              |                     |   |       |       |        |                  |                    |
|------------------------------|---------------------|---|-------|-------|--------|------------------|--------------------|
| 11                           | Ch. 5+087 to 17+120 | 5 | 10.87 | 4.47  | 1.398  | 339.636          |                    |
| 11                           | Reach R-5           | 1 | 28.35 | 11.3  | 0.668  | 213.997          | 3,556,293          |
| 12                           | Structure S-6       | 5 | 5.17  | 11.55 | 1.246  | 372.015          |                    |
| 12                           | Ch. 3+044 to 12+651 | 6 | 17.38 | 8.59  | 0.822  | 736.319          |                    |
| 12                           | Structure S-6       | 1 | 36.32 | 1.46  | 14.442 | 765.819          |                    |
| 12                           | Structure S-6       | 4 | 37.14 | 11.38 | 0.193  | 326.288          |                    |
| 12                           | Grid 3-E / level 1  | 6 | 11.19 | 0.58  | 15.057 | 586.338          |                    |
| 12                           | Reach R-6           | 2 | 30.1  | 10.91 | 0.596  | 391.442          |                    |
| 12                           | Ch. 3+044 to 12+651 | 2 | 29.51 | 11.94 | 1.42   | 1000.672         | 6,283,548          |
| 14                           | Ch. 8+484 to 10+594 | 5 | 13.7  | 2.43  | 12.506 | 2081.686         |                    |
| 14                           | Ch. 8+484 to 10+594 | 2 | 8.18  | 4.88  | 31.494 | 2514.38          |                    |
| 14                           | Grid 8-E / level 3  | 2 | 35.58 | 1.22  | 35.956 | 3121.527         |                    |
| 14                           | Grid 8-E / level 3  | 1 | 16.21 | 11.25 | 29.43  | 5366.928         | 19,679,103         |
| <b>Item total (executed)</b> |                     |   |       |       |        | <b>93701.101</b> | <b>140,926,454</b> |



**ITEM 3 — WET MIX MACADAM (WMM) (CUM @ 1,534)**

| RA | Location / particulars | N | L     | B     | D      | Qty      | Amount     |
|----|------------------------|---|-------|-------|--------|----------|------------|
| 2  | Grid 4-A / level 2     | 4 | 8.48  | 4.36  | 6.723  | 994.273  |            |
| 2  | Ch. 2+219 to 18+496    | 2 | 10.06 | 9.04  | 8.956  | 1628.96  |            |
| 2  | Structure S-8          | 6 | 9.46  | 1.28  | 8.058  | 585.436  |            |
| 2  | Ch. 2+219 to 18+496    | 6 | 22.8  | 11.4  | 0.852  | 1328.711 |            |
| 2  | Reach R-7              | 3 | 37.17 | 2.02  | 4.599  | 1035.926 |            |
| 2  | Grid 4-A / level 2     | 3 | 22.09 | 4.46  | 5.332  | 1575.948 | 10,966,079 |
| 3  | Ch. 9+461 to 19+300    | 3 | 29.73 | 6.81  | 1.72   | 1044.7   |            |
| 3  | Reach R-11             | 1 | 2.9   | 8.8   | 22.16  | 565.523  |            |
| 3  | Structure S-9          | 5 | 19.29 | 6.86  | 0.946  | 625.918  |            |
| 3  | Structure S-9          | 4 | 38.85 | 0.77  | 7.988  | 955.828  |            |
| 3  | Reach R-11             | 6 | 4.74  | 5.27  | 4.132  | 619.299  |            |
| 3  | Ch. 9+461 to 19+300    | 1 | 15.46 | 4.93  | 4.056  | 309.139  |            |
| 3  | Reach R-11             | 4 | 8.94  | 7.07  | 2.701  | 682.875  |            |
| 3  | Reach R-11             | 1 | 8.79  | 3.24  | 39.001 | 1110.733 | 9,072,331  |
| 4  | Reach R-12             | 2 | 26.11 | 1.91  | 6.923  | 690.501  |            |
| 4  | Ch. 4+088 to 18+226    | 2 | 35.27 | 7.88  | 0.599  | 332.957  |            |
| 4  | Ch. 4+088 to 18+226    | 2 | 22.88 | 3.84  | 5.978  | 1050.445 |            |
| 4  | Reach R-12             | 2 | 30.79 | 2.12  | 4.845  | 632.513  |            |
| 4  | Reach R-12             | 5 | 25.14 | 9.9   | 0.607  | 755.369  |            |
| 4  | Ch. 4+088 to 18+226    | 6 | 23.8  | 1.17  | 5.985  | 999.95   |            |
| 4  | Structure S-19         | 2 | 38.2  | 11.14 | 0.539  | 458.741  |            |
| 4  | Structure S-19         | 5 | 26.79 | 8.37  | 0.769  | 862.173  | 8,871,339  |
| 7  | Structure S-4          | 6 | 27.4  | 9.76  | 1.384  | 2220.689 |            |
| 7  | Structure S-4          | 4 | 8.23  | 4.65  | 12.424 | 1901.841 |            |

|    |                     |   |       |       |        |          |            |
|----|---------------------|---|-------|-------|--------|----------|------------|
| 7  | Structure S-4       | 2 | 31.26 | 11.96 | 1.696  | 1268.166 |            |
| 7  | Reach R-4           | 6 | 5.43  | 7.76  | 8.883  | 2245.807 |            |
| 7  | Grid 8-D / level 1  | 4 | 25.57 | 3.39  | 3.131  | 1085.609 | 13,378,568 |
| 8  | Grid 8-F / level 1  | 6 | 6.1   | 5.2   | 6.851  | 1303.882 |            |
| 8  | Grid 8-F / level 1  | 2 | 24.55 | 4.06  | 5.349  | 1066.302 |            |
| 8  | Grid 8-F / level 1  | 2 | 6.09  | 9.3   | 22.007 | 2492.821 |            |
| 8  | Ch. 0+533 to 13+793 | 3 | 2.3   | 5.06  | 49.366 | 1723.565 |            |
| 8  | Grid 8-F / level 1  | 1 | 7.27  | 10.81 | 18.85  | 1481.397 | 12,376,258 |
| 11 | Structure S-21      | 6 | 39.63 | 3.36  | 1.921  | 1534.765 |            |
| 11 | Grid 9-D / level 3  | 1 | 23.97 | 10.2  | 4.144  | 1013.183 |            |
| 11 | Ch. 8+624 to 17+339 | 2 | 3.94  | 7.22  | 21.837 | 1242.386 |            |
| 11 | Grid 9-D / level 3  | 2 | 30.51 | 1.63  | 11.644 | 1158.143 |            |
| 11 | Reach R-12          | 4 | 33.52 | 10.08 | 0.951  | 1285.302 |            |
| 11 | Grid 9-D / level 3  | 1 | 30.28 | 2.58  | 16.889 | 1319.409 | 11,587,104 |
| 12 | Grid 5-F / level 1  | 4 | 36.38 | 9.98  | 0.801  | 1163.284 |            |
| 12 | Reach R-4           | 3 | 2.8   | 6.32  | 12.906 | 685.154  |            |
| 12 | Structure S-22      | 5 | 32.75 | 0.57  | 11.027 | 1029.233 |            |
| 12 | Grid 5-F / level 1  | 4 | 21.21 | 5.19  | 2.129  | 937.44   |            |
| 12 | Ch. 7+814 to 17+094 | 2 | 25.03 | 11.29 | 1.363  | 770.337  |            |
| 12 | Reach R-4           | 1 | 10.56 | 7.11  | 16.636 | 1249.057 |            |
| 12 | Grid 5-F / level 1  | 1 | 20.7  | 7.86  | 5.061  | 823.435  |            |
| 12 | Reach R-4           | 4 | 37.03 | 5.06  | 1.316  | 986.325  | 11,725,181 |
| 13 | Ch. 4+844 to 12+986 | 6 | 17.2  | 9.35  | 1.151  | 1110.623 |            |
| 13 | Reach R-5           | 1 | 28.91 | 5.41  | 8.97   | 1402.936 |            |
| 13 | Reach R-5           | 6 | 9.66  | 10.2  | 1.189  | 702.927  |            |
| 13 | Grid 4-F / level 3  | 3 | 23.51 | 8.14  | 3.016  | 1731.528 |            |
| 13 | Reach R-5           | 3 | 36.32 | 1.92  | 5.26   | 1100.409 |            |

|                              |                    |   |       |       |        |                  |                    |
|------------------------------|--------------------|---|-------|-------|--------|------------------|--------------------|
| 13                           | Grid 4-F / level 3 | 2 | 9.07  | 8.76  | 11.687 | 1857.139         |                    |
| 13                           | Grid 4-F / level 3 | 2 | 3.27  | 6.45  | 29.246 | 1233.684         | 14,018,820         |
| 14                           | Structure S-14     | 1 | 8.04  | 2.39  | 69.931 | 1343.766         |                    |
| 14                           | Structure S-14     | 4 | 6.36  | 8.0   | 10.166 | 2068.984         |                    |
| 14                           | Structure S-14     | 4 | 24.2  | 10.94 | 1.724  | 1825.702         |                    |
| 14                           | Reach R-3          | 2 | 21.7  | 1.19  | 16.317 | 842.708          |                    |
| 14                           | Grid 1-D / level 3 | 3 | 14.1  | 4.05  | 14.691 | 2516.789         |                    |
| 14                           | Structure S-14     | 5 | 11.38 | 4.31  | 4.848  | 1188.919         | 15,012,407         |
| <b>Item total (executed)</b> |                    |   |       |       |        | <b>69757.553</b> | <b>107,008,087</b> |

#### ITEM 4 — DENSE BITUMINOUS MACADAM (DBM) (MT @ 6,673)

| RA | Location / particulars | N | L     | B     | D      | Qty     | Amount     |
|----|------------------------|---|-------|-------|--------|---------|------------|
| 1  | Structure S-5          | 4 | 8.35  | 1.2   | 13.908 | 557.433 |            |
| 1  | Reach R-11             | 1 | 4.09  | 5.3   | 24.468 | 530.393 |            |
| 1  | Ch. 4+222 to 17+227    | 1 | 11.64 | 2.03  | 25.199 | 595.432 |            |
| 1  | Grid 7-B / level 1     | 5 | 2.7   | 10.2  | 3.768  | 518.854 |            |
| 1  | Ch. 4+222 to 17+227    | 6 | 14.1  | 7.14  | 1.01   | 610.084 |            |
| 1  | Reach R-11             | 4 | 36.47 | 8.17  | 0.357  | 425.487 | 21,600,527 |
| 3  | Grid 9-E / level 2     | 6 | 23.63 | 11.3  | 0.091  | 145.792 |            |
| 3  | Reach R-7              | 4 | 33.89 | 2.59  | 0.616  | 216.278 |            |
| 3  | Reach R-7              | 6 | 23.35 | 8.7   | 0.168  | 204.77  |            |
| 3  | Grid 9-E / level 2     | 5 | 22.71 | 0.88  | 1.775  | 177.365 |            |
| 3  | Grid 9-E / level 2     | 4 | 5.32  | 11.46 | 0.596  | 145.346 |            |
| 3  | Structure S-10         | 6 | 25.59 | 7.71  | 0.175  | 207.164 |            |
| 3  | Grid 9-E / level 2     | 1 | 15.08 | 3.18  | 4.802  | 230.277 |            |
| 3  | Grid 9-E / level 2     | 3 | 21.1  | 2.83  | 0.733  | 131.309 | 9,732,455  |
| 7  | Ch. 7+522 to 19+363    | 2 | 7.85  | 5.93  | 1.313  | 122.242 |            |

|                              |                     |   |       |       |        |                |                   |
|------------------------------|---------------------|---|-------|-------|--------|----------------|-------------------|
| 7                            | Grid 6-F / level 3  | 5 | 28.09 | 11.08 | 0.149  | 231.872        |                   |
| 7                            | Ch. 7+522 to 19+363 | 4 | 34.16 | 2.55  | 0.577  | 201.045        |                   |
| 7                            | Reach R-4           | 3 | 14.78 | 3.68  | 0.731  | 119.278        |                   |
| 7                            | Grid 6-F / level 3  | 1 | 17.19 | 0.6   | 28.566 | 294.63         | 6,463,980         |
| 10                           | Reach R-2           | 2 | 35.35 | 8.46  | 0.174  | 104.073        |                   |
| 10                           | Ch. 8+418 to 15+277 | 3 | 39.17 | 1.49  | 1.245  | 217.987        |                   |
| 10                           | Ch. 8+418 to 15+277 | 4 | 16.6  | 7.62  | 0.407  | 205.929        |                   |
| 10                           | Grid 3-C / level 1  | 6 | 23.95 | 4.15  | 0.259  | 154.456        |                   |
| 10                           | Ch. 8+418 to 15+277 | 6 | 27.27 | 6.31  | 0.217  | 224.04         |                   |
| 10                           | Reach R-2           | 2 | 9.3   | 0.65  | 15.133 | 182.958        |                   |
| 10                           | Ch. 8+418 to 15+277 | 6 | 32.03 | 0.93  | 1.248  | 223.052        |                   |
| 10                           | Grid 3-C / level 1  | 4 | 33.48 | 10.38 | 0.102  | 141.789        | 9,708,385         |
| <b>Item total (executed)</b> |                     |   |       |       |        | <b>7119.04</b> | <b>47,505,347</b> |

**ITEM 5 — BITUMINOUS CONCRETE (BC) (MT @ 6,491)**

| RA | Location / particulars | N | L     | B     | D      | Qty     | Amount     |
|----|------------------------|---|-------|-------|--------|---------|------------|
| 2  | Grid 6-D / level 4     | 3 | 18.07 | 2.54  | 1.316  | 181.205 |            |
| 2  | Ch. 7+249 to 10+171    | 6 | 26.76 | 9.93  | 0.195  | 310.9   |            |
| 2  | Grid 6-D / level 4     | 5 | 28.7  | 10.9  | 0.204  | 319.087 |            |
| 2  | Grid 6-D / level 4     | 1 | 38.92 | 3.58  | 0.817  | 113.836 |            |
| 2  | Grid 6-D / level 4     | 5 | 24.3  | 7.8   | 0.293  | 277.676 |            |
| 2  | Ch. 7+249 to 10+171    | 2 | 19.54 | 5.64  | 0.642  | 141.504 | 8,713,660  |
| 3  | Grid 9-F / level 4     | 5 | 25.32 | 8.2   | 0.191  | 198.281 |            |
| 3  | Grid 9-F / level 4     | 6 | 22.71 | 1.84  | 1.115  | 279.551 |            |
| 3  | Structure S-17         | 1 | 28.51 | 7.33  | 1.541  | 322.036 |            |
| 3  | Structure S-17         | 2 | 22.4  | 0.48  | 5.277  | 113.477 |            |
| 3  | Structure S-17         | 1 | 29.51 | 2.87  | 2.723  | 230.621 |            |
| 3  | Reach R-3              | 5 | 37.18 | 7.73  | 0.071  | 102.027 |            |
| 3  | Grid 9-F / level 4     | 3 | 7.49  | 4.04  | 2.599  | 235.934 | 9,625,264  |
| 4  | Structure S-8          | 1 | 2.19  | 4.4   | 26.789 | 258.139 |            |
| 4  | Structure S-8          | 2 | 38.72 | 9.81  | 0.287  | 218.03  |            |
| 4  | Structure S-8          | 2 | 39.18 | 5.58  | 1.265  | 553.12  |            |
| 4  | Grid 4-C / level 3     | 4 | 13.63 | 1.78  | 3.451  | 334.904 | 8,852,452  |
| 6  | Ch. 2+479 to 13+007    | 4 | 26.31 | 3.26  | 1.519  | 521.142 |            |
| 6  | Structure S-20         | 3 | 31.67 | 3.62  | 0.533  | 183.318 |            |
| 6  | Reach R-10             | 1 | 22.07 | 7.67  | 2.872  | 486.163 |            |
| 6  | Structure S-20         | 4 | 35.08 | 10.55 | 0.133  | 196.89  |            |
| 6  | Structure S-20         | 2 | 29.05 | 2.7   | 3.034  | 475.944 |            |
| 6  | Reach R-10             | 6 | 16.9  | 1.63  | 1.408  | 232.717 |            |
| 6  | Structure S-20         | 1 | 3.33  | 10.17 | 10.824 | 366.567 | 15,984,370 |

|                              |                     |   |       |       |       |                  |                   |
|------------------------------|---------------------|---|-------|-------|-------|------------------|-------------------|
| 9                            | Ch. 0+276 to 11+120 | 3 | 39.62 | 6.32  | 0.742 | 557.387          |                   |
| 9                            | Ch. 0+276 to 11+120 | 3 | 38.67 | 6.26  | 0.878 | 637.623          |                   |
| 9                            | Reach R-11          | 6 | 32.45 | 4.55  | 0.67  | 593.543          |                   |
| 9                            | Grid 2-D / level 4  | 5 | 38.33 | 1.51  | 1.78  | 515.117          | 14,955,290        |
| 10                           | Ch. 2+157 to 15+650 | 6 | 30.14 | 7.58  | 0.119 | 163.121          |                   |
| 10                           | Structure S-12      | 3 | 8.44  | 5.69  | 2.001 | 288.286          |                   |
| 10                           | Reach R-8           | 6 | 11.38 | 4.03  | 1.001 | 275.444          |                   |
| 10                           | Structure S-12      | 1 | 17.22 | 6.01  | 3.302 | 341.731          |                   |
| 10                           | Grid 2-D / level 3  | 2 | 28.79 | 11.42 | 0.227 | 149.267          |                   |
| 10                           | Grid 2-D / level 3  | 5 | 31.38 | 10.24 | 0.181 | 290.805          | 9,796,877         |
| 11                           | Structure S-9       | 5 | 19.03 | 4.75  | 0.767 | 346.655          |                   |
| 11                           | Ch. 0+026 to 16+534 | 5 | 8.71  | 5.06  | 1.252 | 275.894          |                   |
| 11                           | Ch. 0+026 to 16+534 | 6 | 26.88 | 4.02  | 0.212 | 137.449          |                   |
| 11                           | Grid 5-A / level 1  | 4 | 9.74  | 6.44  | 0.849 | 213.016          |                   |
| 11                           | Structure S-9       | 4 | 28.96 | 8.33  | 0.385 | 371.505          |                   |
| 11                           | Grid 5-A / level 1  | 6 | 29.76 | 2.56  | 0.27  | 123.421          |                   |
| 11                           | Grid 5-A / level 1  | 6 | 34.61 | 0.51  | 3.474 | 367.92           | 11,915,372        |
| 12                           | Ch. 2+633 to 12+661 | 5 | 37.57 | 10.2  | 0.232 | 444.528          |                   |
| 12                           | Ch. 2+633 to 12+661 | 6 | 35.06 | 1.86  | 0.821 | 321.232          |                   |
| 12                           | Grid 9-D / level 3  | 1 | 17.83 | 3.76  | 5.943 | 398.423          |                   |
| 12                           | Grid 9-D / level 3  | 2 | 26.72 | 0.87  | 3.89  | 180.857          | 8,731,331         |
| <b>Item total (executed)</b> |                     |   |       |       |       | <b>13645.759</b> | <b>88,574,616</b> |

#### ITEM 6 — RCC M30 FOR STRUCTURES (CUM @ 8,197)

| RA | Location / particulars | N | L     | B    | D     | Qty     | Amount |
|----|------------------------|---|-------|------|-------|---------|--------|
| 1  | Structure S-20         | 3 | 31.57 | 6.33 | 0.294 | 176.257 |        |
| 1  | Reach R-11             | 3 | 29.4  | 7.12 | 0.596 | 374.278 |        |

|   |                     |   |       |       |       |         |            |
|---|---------------------|---|-------|-------|-------|---------|------------|
| 1 | Structure S-20      | 2 | 8.66  | 9.58  | 2.371 | 393.41  |            |
| 1 | Structure S-20      | 6 | 16.3  | 0.75  | 3.181 | 233.326 |            |
| 1 | Structure S-20      | 5 | 11.84 | 5.05  | 0.704 | 210.468 |            |
| 1 | Grid 6-B / level 4  | 4 | 12.37 | 10.01 | 0.853 | 422.486 |            |
| 1 | Reach R-11          | 5 | 27.33 | 9.18  | 0.114 | 143.007 | 16,006,473 |
| 4 | Grid 7-C / level 4  | 6 | 35.45 | 11.57 | 0.104 | 255.938 |            |
| 4 | Ch. 0+697 to 14+767 | 1 | 24.42 | 10.75 | 1.731 | 454.413 |            |
| 4 | Reach R-10          | 4 | 12.3  | 6.5   | 1.6   | 511.68  |            |
| 4 | Reach R-10          | 3 | 30.98 | 10.27 | 0.527 | 503.018 | 14,147,138 |
| 5 | Ch. 6+183 to 16+735 | 2 | 18.49 | 6.89  | 1.521 | 387.539 |            |
| 5 | Reach R-9           | 5 | 38.49 | 9.41  | 0.069 | 124.956 |            |
| 5 | Ch. 6+183 to 16+735 | 5 | 14.86 | 8.07  | 0.642 | 384.944 |            |
| 5 | Grid 1-C / level 1  | 6 | 10.28 | 2.2   | 1.001 | 135.832 |            |
| 5 | Reach R-9           | 5 | 12.07 | 7.18  | 0.509 | 220.556 |            |
| 5 | Grid 1-C / level 1  | 4 | 28.82 | 6.67  | 0.528 | 405.988 |            |
| 5 | Grid 1-C / level 1  | 2 | 29.28 | 2.3   | 2.682 | 361.233 |            |
| 5 | Structure S-17      | 3 | 21.22 | 8.06  | 0.352 | 180.611 | 18,054,773 |
| 6 | Ch. 9+168 to 15+075 | 5 | 13.95 | 2.55  | 1.956 | 347.899 |            |
| 6 | Grid 8-F / level 1  | 2 | 31.95 | 4.98  | 0.564 | 179.477 |            |
| 6 | Grid 8-F / level 1  | 5 | 4.24  | 10.25 | 1.592 | 345.942 |            |
| 6 | Reach R-5           | 1 | 36.82 | 10.85 | 0.866 | 345.964 |            |
| 6 | Grid 8-F / level 1  | 3 | 27.6  | 6.8   | 0.399 | 224.653 |            |
| 6 | Grid 8-F / level 1  | 3 | 19.88 | 7.9   | 0.597 | 281.28  |            |
| 6 | Reach R-5           | 3 | 34.32 | 11.78 | 0.255 | 309.282 |            |
| 6 | Ch. 9+168 to 15+075 | 6 | 35.17 | 6.39  | 0.251 | 338.453 | 19,456,168 |
| 7 | Ch. 9+338 to 10+321 | 1 | 21.18 | 0.9   | 9.636 | 183.681 |            |
| 7 | Reach R-4           | 1 | 35.92 | 11.23 | 0.296 | 119.401 |            |

|    |                     |   |       |       |        |         |            |
|----|---------------------|---|-------|-------|--------|---------|------------|
| 7  | Structure S-18      | 3 | 25.14 | 2.06  | 1.386  | 215.336 |            |
| 7  | Ch. 9+338 to 10+321 | 4 | 33.27 | 8.59  | 0.193  | 220.629 |            |
| 7  | Reach R-4           | 4 | 27.6  | 2.0   | 1.287  | 284.17  |            |
| 7  | Reach R-4           | 4 | 38.38 | 11.53 | 0.05   | 88.504  |            |
| 7  | Grid 1-E / level 1  | 6 | 18.57 | 5.46  | 0.219  | 133.229 |            |
| 7  | Ch. 9+338 to 10+321 | 5 | 36.83 | 4.85  | 0.126  | 112.534 | 11,032,359 |
| 8  | Reach R-11          | 2 | 7.08  | 11.82 | 1.303  | 218.085 |            |
| 8  | Reach R-11          | 2 | 25.42 | 2.98  | 1.658  | 251.192 |            |
| 8  | Reach R-11          | 3 | 19.24 | 10.8  | 0.621  | 387.116 |            |
| 8  | Reach R-11          | 3 | 12.69 | 6.17  | 0.877  | 206.0   |            |
| 8  | Reach R-11          | 3 | 24.69 | 5.57  | 1.049  | 432.786 |            |
| 8  | Grid 5-B / level 1  | 5 | 24.74 | 8.07  | 0.402  | 401.3   | 15,547,120 |
| 9  | Structure S-21      | 5 | 5.88  | 6.81  | 0.468  | 93.7    |            |
| 9  | Structure S-21      | 4 | 7.11  | 1.36  | 6.544  | 253.111 |            |
| 9  | Structure S-21      | 6 | 11.2  | 1.53  | 1.093  | 112.378 |            |
| 9  | Structure S-21      | 3 | 10.67 | 8.77  | 0.902  | 253.216 |            |
| 9  | Grid 8-D / level 4  | 1 | 8.12  | 0.46  | 28.796 | 107.559 |            |
| 9  | Ch. 6+590 to 13+578 | 3 | 16.44 | 6.32  | 0.28   | 87.277  |            |
| 9  | Structure S-21      | 5 | 36.65 | 6.73  | 0.067  | 82.629  |            |
| 9  | Reach R-11          | 6 | 27.92 | 9.55  | 0.063  | 100.788 | 8,944,215  |
| 10 | Grid 7-B / level 1  | 5 | 32.05 | 5.09  | 0.171  | 139.48  |            |
| 10 | Ch. 5+277 to 13+676 | 3 | 4.27  | 5.9   | 1.191  | 90.015  |            |
| 10 | Structure S-9       | 2 | 2.98  | 2.27  | 13.075 | 176.894 |            |
| 10 | Structure S-9       | 6 | 12.57 | 1.44  | 2.885  | 313.325 |            |
| 10 | Reach R-8           | 6 | 8.33  | 8.95  | 0.467  | 208.899 | 7,613,511  |
| 11 | Ch. 8+097 to 18+059 | 3 | 6.04  | 10.1  | 1.4    | 256.217 |            |
| 11 | Ch. 8+097 to 18+059 | 3 | 16.52 | 10.44 | 0.518  | 268.017 |            |



|                              |                     |   |       |       |        |                  |                    |
|------------------------------|---------------------|---|-------|-------|--------|------------------|--------------------|
| 11                           | Structure S-9       | 3 | 33.94 | 9.63  | 0.305  | 299.061          |                    |
| 11                           | Ch. 8+097 to 18+059 | 2 | 28.94 | 4.34  | 0.874  | 219.548          |                    |
| 11                           | Reach R-8           | 3 | 36.33 | 6.67  | 0.301  | 218.816          | 10,338,335         |
| 12                           | Grid 3-C / level 4  | 1 | 6.14  | 0.55  | 71.295 | 240.763          |                    |
| 12                           | Structure S-24      | 1 | 8.8   | 3.95  | 6.679  | 232.162          |                    |
| 12                           | Reach R-8           | 3 | 29.46 | 2.15  | 1.428  | 271.344          |                    |
| 12                           | Reach R-8           | 3 | 14.17 | 8.06  | 0.368  | 126.088          |                    |
| 12                           | Ch. 0+311 to 14+450 | 3 | 28.79 | 3.62  | 0.995  | 311.096          |                    |
| 12                           | Grid 3-C / level 4  | 1 | 36.73 | 0.77  | 4.858  | 137.394          | 10,809,595         |
| 13                           | Ch. 3+147 to 11+298 | 5 | 32.6  | 0.5   | 5.807  | 473.271          |                    |
| 13                           | Reach R-10          | 3 | 27.57 | 7.88  | 0.412  | 268.523          |                    |
| 13                           | Reach R-10          | 3 | 15.05 | 1.66  | 3.442  | 257.974          |                    |
| 13                           | Grid 6-F / level 1  | 4 | 35.92 | 2.0   | 1.813  | 520.984          | 12,466,102         |
| 14                           | Grid 6-F / level 1  | 5 | 39.36 | 7.18  | 0.05   | 70.651           |                    |
| 14                           | Ch. 4+968 to 12+952 | 3 | 9.53  | 1.35  | 1.754  | 67.698           |                    |
| 14                           | Structure S-12      | 3 | 38.98 | 8.36  | 0.155  | 151.531          |                    |
| 14                           | Ch. 4+968 to 12+952 | 2 | 5.54  | 6.55  | 2.298  | 166.775          |                    |
| 14                           | Grid 6-F / level 1  | 3 | 39.33 | 10.24 | 0.107  | 129.279          |                    |
| 14                           | Reach R-3           | 3 | 17.0  | 11.64 | 0.08   | 47.491           |                    |
| 14                           | Structure S-12      | 3 | 38.62 | 8.84  | 0.113  | 115.735          | 6,023,256          |
| <b>Item total (executed)</b> |                     |   |       |       |        | <b>18352.939</b> | <b>150,439,045</b> |

Billing Engineer

Project Manager

For Lakshya Engineering & Construction  
(accepted)