Status	Finished
Started	Saturday, 17 October 2026, 10:09 PM
Completed	Saturday, 17 October 2026, 10:16 PM
Duration	6 mins 54 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which among the following codes have equivalent logic?

Code 1:

```
if(value3>1000 and value3<1006):
  if(value1=="ABC"):
    if(value2=="A"):
      value4=10
    else:
      value4=8
  elif(value1=="XYZ"):
    if(value2=="A"):
      value4=8
    else:
      value4=6
print(value4)
```

Code 2:

```
if(value3>=1001 and value3<=1005 and value1=="ABC"):
    if(value2=="A"):
        value4=10
    else:
        value4=8
elif(value3>1000 and value3<1006 and value1=="XYZ"):
     if(value2=="A"):
        value4=8
     else:
        value4=6
print(value4)
```

Code 3:

```
if(value3>1000 and value3<1006 or value1=="ABC"):
   if(value2=="A"):
      value4=10
   else:
      value4=8
elif(value3>1000 and value3<1006 or  value1=="XYZ"):
   if(value2=="A"):
      value4=8
   else:
      value4=6
print(value4)
```

a. Code 1, Code 3

b. Code 2, Code 3

c. Code 1, Code 2 ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following statements in Python is used when no operation is to be performed?

a. Jump

b. Empty

c. pass ✓

d. None

Question **3**

Correct

Mark 1.00 out of 1.00

Can we write if/else into one line in python?

a. No

b. Yes ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Can we write if/else into one line in python?

a. No

b. Yes ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Number of elif in a program is dependent on the _____

a. All the Above

b. **number of variables in a program**

c. **number of loops in a program**

d. **number of conditions to be checked** ✓

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following code snippet?

```
a = "Hi"
b = "Arjuna"
c = "Bhimaa"
print("Hi", a, b, c)
```

- a. **Hi Hi Arjuna Bhimaa** ✓
- b. **Hi Arjuna Bhimaa Hi**
- c. **Hi Arjuna Bhimaa**
- d. **Hi Arjuna Hi Bhimaa**

Question **7**

Correct

Mark 1.00 out of 1.00

choose a valid Python if statement :

- a. if (a => 22)
- b. if a>=2 : ✓
- c. if (a >= 2)

Question **8**

Correct

Mark 1.00 out of 1.00

Python supports _____ types of control structures.

- a. 4
- b. 1
- c. 2
- d. 3 ✓

Question **9**

Correct

Mark 1.00 out of 1.00

What is the output of the below code snippet?

```
num1=100
num2=200
num3=6
if(5>=num3):
    if(num1>100 or num2>150):
        print("1")
elif(num1>=100 and num2>150):
    print("2")
else:
    print("3")
```

- a. 2 ✓
- b. 1
- c. 3

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the following code :

```
x=True
y=False
z=False
if x or y and z:
    print("YES")
elif x and y or z:
    print("yes")
else:
    print("no")
```

a. Error

b. YES ✓

c. yes

d. no

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
if 1 + 3 == 7:
    print("Hello")
else:
    print("REC")
```

a. Compiled Successfully, No Output.

b. **REC** ✓

c. Hello

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of the given code?

```
x,y=1,1
if(x ==y):
    print("equal")
if(x>y):
    print("1")
else:
    print("0")
```

a. 1

b. 0

c. equal

d. equal ✓

0

Question **13**

Correct

Mark 1.00 out of 1.00

Leading whitespace (spaces and tabs) at the beginning of a statement is called _____.

a. **indentation** ✓

b. **orientation**

c. **None of the above**

d. **Iteration**

Question **14**

Correct

Mark 1.00 out of 1.00

Write the output of the following code :

```
y=2
if 2!=y:
 print("H")
else :
 print("K")
```

a. No output

b. Error

c. K ✓

d. H

Question **15**

Correct

Mark 1.00 out of 1.00

Ahaana wants to make a fun program , if user enters any number a “Good” or “funny” message will appear . She is confused that which is the most suitable control to be used to make such program. Help her to choose correct option.

a. If

b. if elif

c. if else ✓

d. Nested if