8+1 3

More

Next Blog»

Nuts & Bolts of DataStage

Something about DataStage, DataStage Administration, Job Designing, Developing, DataStage troubleshooting, DataStage Installation & Configuration, ETL, DataWarel Teradata, Oracle and Scripting.

Home **Interview Questions DataStage Scenarios Series Posts** E-Books About Me !!

Total Pageviews

1731481

Try Me

Search

Must Reads

Issuing commands to a Queue Manager (runmqsc)

Know your DataStage Jobs Status without Director

DataSet in DataStage

Hash Files in DataStage

InfoSphere DataStage Jobstatus returned Codes from

Surrogate Key Generator - Create State File

Schema File in Datastage

Sort stage to remove duplicate

Interview Questions: DataStage - Part 1

Datastage Job Scheduler

Get daily dose of Tech Food

Email address.. Submit

tech foodies

DataStage4You









125 have us in circles



Blog Archive

- ▼ 2014 (116)
 - December (3)
 - November (6)
 - October (11)
 - September (9)
 - ► August (5)
- ▶ July (12)
- ▼ June (10)

Fork n Join in DataStage

Tuesday, June 03, 2014

Surrogate Key Generator - Delete State File

Adding this post as well with Surrogate Key walk through, In this post we will see how to delete a Surrogate Key State file. I creation.

a) Design:

Again, for the deletion of state file, we need only 1 stage in design and that is Surrogate Key Stage




b) Properties :

Open the stage and fill the properties accordingly.

Key Source Action: "DELETE"

Source Name = 'full path of state file which you want to delete'



Save, Compile and Run this job to delete the State file.

In business, there are very less chances (<2%) where we need to delete the state file, this is only happen when due to any corrupted and we need to create new one

More post in Series :

Surrogate Key Generator - Create State File Surrogate Key Generator - Create/Update State File

In next post we will discuss how to use a Surrogate Key in real time and what if the state file got corrupt what are the next s Surrogate Key?

Like the Facebook Page & join Group

https://www.facebook.com/DataStage4you https://www.facebook.com/groups/DataStage4you https://twitter.com/datastage4you

Suggested Reading.

& Bolts of DataSt	age. our rogate no				
Surrogate Key Generator - Generate Surrogate Key for Data	Surrogate Key Generator - Create State File	Surrogate Key Generator - Create/Update State File	Some DataStage Job design	Dummy Data Generation using Column Generator in DataStage	
				Linkwithin	
abels: DataSet, Da		nments ign, Designer, deve	elop, Job, keys, stage	s, surrogate, surrogat	e key generat
DataSet, Dat	ataStage, delete, desi		elop, Job, keys, stage	s, surrogate, surrogat	e key generat
DataSet, Dat	ataStage, delete, desi	ign, Designer, deve	elop, Job, keys, stage	s, surrogate, surrogat	e key generat

Subscribe to: Post Comments (Atom)

Home

Purpose of Parameters in ETL

List all RPMs in Linux

APT CONFIG FILE: Configuration File

FastTrack Makes Your DataStage Development Faster

Things need to consider while developing a Datasta...

Why Data Warehouses are Hard to Deploy

Interview Questions: Unix/Linux: Part-8

Surrogate Key Generator - Generate Surrogate Key f...

Surrogate Key Generator - Delete State

- ► May (13)
- ► April (10)
- ► March (9)
- ► February (16)
- ► January (12)
- **2013 (167)**
- 2012 (175)
- ▶ 2011 (8)

Tags Cloud

&PH& 421 Administration advantage Agents aggregator Answers application architecture ASB attribute authorities backup basic binary block books Buffer certification change channel checkpoint cleanup clear client Code column Column Generator Commands compiler Concept Conceptual conductor Configuration container copy counter create Crontab Data database DataSet DataStage DataWareHouse DB2 DBMS deadlock debug delete deploy design develop difference dimension Dimensional director Documentation dsenv dsjob DSparam DSRPC dump duplicate encrypt engine environment Errors ETL exception execution export fact factless FAQ file FileSet filter free ftp fun function fundamentals granularity Guest hadoop handling hash head hide horizontal Host huge hyperlink import increase index Information input install Interview issue istool Java jdbc Job join keys leaders Link Linux list listener load local locks Logging Logical Login logs lookup macro mail maintenance managers memory merge message queue Metadata Model modify Monitor MQ MQSC multiple names NLS node notes notification odbc odbc.ini operator

Newer Post

Optimizing Oracle orchadmin ORLogging orphan OS osh output package Parallel Parallelism parameter partition password peek performance Perl phantom Physical pivot player port Practices problem process profile programming Project purge Putty Questions read registry reject release remove report Resource Restart Roles routine row generator rows RTLogging run sample SCD scenario scheduler Schema score Scratch Script section Seq File sequence Server Service session Setting Share Shell shell scripting shortcuts show slowly snowflake solution sort source space SQL SSH stages Standards Star Start statistics status Stop storage surrogate switch system table tail target temporary teradata time tips tool trace transformation transformer trigger Troubleshoot tuning Tutorial type unique Unix User Utility UV uvodbc.config variables version videos view Vincent McBurney Virtual warnings WAS websphere windows write Write Range Map XMETA xml z/OS

Disclaimer

The postings on this site are my own and don't necessarily represent IBM's or other companies positions, strategies or opinions. All content provided on this blog is for informational purpose blog makes no representations as to the accuracy or completeness of any information on this site or found by following any link on this site. The owner will not be liable for any errors or omis nor for the availability of this information. The owner will not be liable for any losses, injuries, or damages from the display or use of his information.

Did you find this Blog helpful ?? Let me know @ www.facebook.com/datastage4you. Ethereal template. Powered by Blogger.