



Ayush Rawat
STUDENT ID = 19042075
University Roll No = 1921045

package com.example.implicitintent;

```
import android.content.Intent;
import android.net.Uri;
import android.support.v7.app.AppCompatActivity;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
```

```
public class MainActivity extends AppCompatActivity {
```

```
    Button button;
    EditText editText;
```

@Override

```
protected void onCreate(Bundle savedInstanceState) { super.onCreate(savedInstanceState);}
```

```
SetContentView(R.layout.activity_main);
```

buttonClicked() in `onCreate` By `ViewById(R.id.button)`;

`editText = findViewById(R.id.editText);`

button = findViewById(R.id.button);
editText = findViewById(R.id.editText);

button.setOnCLickListener(new View.OnClickListener() {

↳ OnClick Listener () :- @Override

```
public void onClick(View view) {
```

String initialValue = edit.getText();
getText(), to

Sitzungsgespräch - Beratung - Diskussion

"(b) Intent to intent = new Intent (Intent.ACTION_VIEW, Uri.parse(url));

Start Activity (Intent):

3 1 1302.0

XML

```
<?xml version="1.0" encoding="UTF-8?>
```

`<androidx.constraintlayout.widget.ConstraintLayout>`

xmlns: android = "http://schemas.android.com/

www.lapnk.org/seed/candaoip

~~xmlns:app="http://schemas.android.~~

com.lapkr/req-auton



XMlinstool8 := "http://schemas.android.

com / tools"

android : layout_width = "Match_parent"

android : layout_height = "Match_parent"

(Android . h) b1wplain font

tools : context = "MainActivity" >

editText

<EditText

ab3 : android:id = "@+id/editText"

android : layout_width = "wrap_content"

android : layout_height = "wrap_content"

android : layout_marginEnd = "8dp"

android : layout_marginStart = "8dp"

android : layout_marginTop = "60dp"

android : ems = "10";

(ConstraintVerticalLayout)

app : layout_constraintEnd_toEndOf = "parent"

app : layout_constraintHorizontal_bias =
"0.575"

app : layout_constraintStart_toStartOf =
"parent"

app : layout_constraintTop_toTopOf =
"parent" /> android : binding

<Button

ab3 : android:id = "@+id/button"

android:layout_width = "168dp" content"

android:layout_marginRight = "8dp"

android:layout_marginLeft = "156dp"

android:layout_marginTop = "172dp"

android:text = "Visit!"

app:layout_constraintEnd_toEndOf
= "parent"

app:layout_constraintHorizontal_bias
= "0.0" (0.5 is center)

app:layout_constraintStart_toStartOf
= "parent" (0.5 is center)

app:layout_constraintTop_toBottomOf
= "@+id/editText" /> (and android:layout_constraintBottom_toBottomOf="parent")

Code (XML 1): <toolkit>

<?xml version = "1.0" encoding =
"utf-8"?>

<LinearLayout xmlns:android = "http://
schemas.android.com/apk/res/android"
xmlns:app = "http://schemas.android.com/
apk/res-auto" >

xmlns:tools = "http://schemas.
android.com/tools"

android:layout_width = "Match-parent"
 android:layout_height = "Match-parent"
 android:background = "@color/teal_200"
 android:gravity := "center"
 android:orientation = "Vertical"
 tools:context = "Main Activity" />

<Bottom

 | : android:id = "@+id/bt_lone"
 | : android:layout_width = "30dp"
 | : android:layout_height = "50dp"
 | : android:text = "click and go Second Activity"
 | : android:textColor = "@android:Color/holo
 | : android:background = "#purple"
 | : app:backgroundTint = "@ android:Color/color
 | : orange_light" />

</LinearLayout>

Code (XML 2):

```
<?xml version = "1.0" encoding = "utf-8"?>  
<LinearLayout xmlns:android = "http://schemas.  
    android.com/apk/res/android"  
    xmlns:app = "http://schemas.android.com/  
        apk/res/attr" : auto" />  
    xmlns:tools = "http://schemas.android.com/  
        tools" />
```

android:layout_width = "match_parent"
 android:layout_height = "match_parent"
 android:background = "@android:color/holo_green_dark".
 android:gravity = "center"
 android:orientation = "vertical"
 tools:context = "Main Activity">
 android:baselineAligned = "true"
 android:layout_width = "wrap_content"
 android:layout_height = "wrap_content"

<Button

android:id = "@+id/bt1" style = "
 android:layout_width = "20dp"
 android:layout_height = "wrap_content"
 android:fontFamily = "@font/mnt"
 android:textColor = "?attr/colorPrimary"
 android:backgroundTint = "@android:color/holo
 orange_strokeWidth = "1px" />

<LinearLayout>

Code <JAVA>.

package com.example.explicitcontentdemo;

```
import android.appCompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
public class MainActivity extends AppCompatActivity {
    Button btOne;
```

Button btOne; // Initalization

@Override // OnCreate Listener
protected void onCreate(Bundle savedInstanceState) { super.onCreate(savedInstanceState);
setContentView(R.layout.activity_main);}

btOne = findViewById(R.id.btOne);

btOne.setOnClickListener(new View.OnClickListener() {

@Override

public void onClick(View)



bt - two st onclick listeners (new View)
on click listener () { @Override

public void onclick (View v) {

Bundle extras = getIntent().getExtras();
String value = extras.getString ("value");
Toast.makeText (SecondActivity.this,
"Hello " + value, Toast.LENGTH_LONG)
show();

3
3
3 4:

3
y