

Tree species and CO₂ sequestration defaults

Common name	Scientific name	Typical CO ₂ e range (kg/tree/year)	Recommended default (kg/tree/year)
Neem	Azadirachta indica	10–20	15
Mango	Mangifera indica	10–20	15
Teak	Tectona grandis	4–10	7
Eucalyptus	Eucalyptus spp.	20–42	30
Banyan	Ficus benghalensis	50–4,476	100
Peepal	Ficus religiosa	20–80	50
Ashoka	Saraca asoca	10–15	12
Gulmohar	Delonix regia	8–20	15
Indian Rosewood	Dalbergia sissoo	10–25	18
Cashew	Anacardium occidentale	10–15	12
Tamarind	Tamarindus indica	12–18	15
Jamun	Syzygium cumini	10–20	15
Pongamia	Pongamia pinnata	8–15	12
Babul / Acacia	Acacia nilotica	8–20	15
Prosopis	Prosopis juliflora	8–25	18
Rain Tree	Albizia saman	15–40	25
Ash	Fraxinus spp.	10–25	18
Oak	Quercus spp.	14–44	25
Maple	Acer spp.	12–30	20

Pine	Pinus spp.	10–25	18
Spruce	Picea spp.	14–40	25
Douglas fir	Pseudotsuga menziesii	15–44	30
Mahogany	Swietenia macrophylla	12–30	20
Bamboo (stand)	Bambusoideae	15–35	25
Mangrove (average)	Rhizophora spp. etc.	5–15	10

***Notes*:**

- Default values are mid-range kg CO₂e/tree/year, suitable for a simple carbon-accounting dashboard when you lack DBH/age data.

- For very large trees like Banyan, you may want a separate “large-tree” class (e.g., 250–1,000 kg/tree/year) if you track size classes.