

akansha@akansha-VirtualBox:~\$ ssh localhost

Welcome to Ubuntu 18.04.6 LTS (GNU/Linux 5.4.0-148-generic x86_64)

- * Documentation: <https://help.ubuntu.com>
- * Management: <https://landscape.canonical.com>
- * Support: <https://ubuntu.com/advantage>

62 updates can be applied immediately.

21 of these updates are standard security updates.

To see these additional updates run: `apt list --upgradable`

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law.

Failed to connect to <https://changelogs.ubuntu.com/meta-release-lts>. Check your Internet connection or proxy settings

Your Hardware Enablement Stack (HWE) is supported until April 2023.

Last login: Sun May 28 00:34:40 2023 from 127.0.0.1

akansha@akansha-VirtualBox:~\$ stop-all.sh

WARNING: Stopping all Apache Hadoop daemons as akansha in 10 seconds.

WARNING: Use CTRL-C to abort.

Stopping namenodes on [localhost]

Stopping datanodes

Stopping secondary namenodes [akansha-VirtualBox]

Stopping nodemanagers

Stopping resourcemanager

akansha@akansha-VirtualBox:~\$ hadoop namenode -format

WARNING: Use of this script to execute namenode is deprecated.

WARNING: Attempting to execute replacement "hdfs namenode" instead.

2023-05-28 00:57:57,690 INFO namenode.NameNode: STARTUP_MSG:

/*****

STARTUP_MSG: Starting NameNode

STARTUP_MSG: host = akansha-VirtualBox/127.0.1.1

STARTUP_MSG: args = [-format]

STARTUP_MSG: version = 3.2.4

STARTUP_MSG: classpath =

/home/akansha/hadoop-3.2.4/etc/hadoop:/home/akansha/hadoop-3.2.4/share/hadoop/common/lib/jackson-databind-2.10.5.1.jar:/home/akansha/hadoop-3.2.4/share/hadoop/common/

|

ib/snappy-java-1.0.5.jar:/home/akansha/hadoop-3.2.4/share/hadoop/common/lib/jaxb-api-2.

|

@@@@@@@@@OUTPUT DROPPED@@@@@@@@@@@@@

|

/tmp/hadoop-akansha/dfs/name has been successfully formatted.

2023-05-28 00:58:03,105 INFO namenode.FSImageFormatProtobuf: Saving image file

```
/tmp/hadoop-akansha/dfs/name/current/fsimage.ckpt_00000000000000000000 using no
compression
2023-05-28 00:58:03,262 INFO namenode.FSImageFormatProtobuf: Image file
/tmp/hadoop-akansha/dfs/name/current/fsimage.ckpt_00000000000000000000 of size 399
bytes saved in 0 seconds .
2023-05-28 00:58:03,283 INFO namenode.NNStorageRetentionManager: Going to retain 1
images with txid >= 0
2023-05-28 00:58:03,325 INFO namenode.FSNamesystem: Stopping services started for
active state
2023-05-28 00:58:03,325 INFO namenode.FSNamesystem: Stopping services started for
standby state
2023-05-28 00:58:03,335 INFO namenode.FSImage: FSImageSaver clean
checkpoint: txid=0 when meet shutdown.
2023-05-28 00:58:03,336 INFO namenode.NameNode: SHUTDOWN_MSG:
/*****
SHUTDOWN_MSG: Shutting down NameNode at akansha-VirtualBox/127.0.1.1
*****/
```

```
akansha@akansha-VirtualBox:~$ start-all.sh
```

```
WARNING: Attempting to start all Apache Hadoop daemons as akansha in 10 seconds.
```

```
WARNING: This is not a recommended production deployment configuration.
```

```
WARNING: Use CTRL-C to abort.
```

```
Starting namenodes on [localhost]
```

```
Starting datanodes
```

```
Starting secondary namenodes [akansha-VirtualBox]
```

```
Starting resourcemanager
```

```
Starting nodemanagers
```

```
akansha@akansha-VirtualBox:~$ hive
```

```
Hive Session ID = 8b767977-22e5-4f71-8e40-301af6465778
```

```
Logging initialized using configuration in
```

```
jar:file:/home/akansha/apache-hive-3.1.2-bin/lib/hive-common-3.1.2.jar!/hive-log4j2.propertie
s Async: true
```

```
Hive-on-MR is deprecated in Hive 2 and may not be available in the future versions.
```

```
Consider using a different execution engine (i.e. spark, tez) or using Hive 1.X
```

```
releases. Hive Session ID = a1531a37-ed59-417c-aad1-d3c55243974f
```

```
hive> SHOW DATABASES;
```

```
OK
```

```
default
```

```
flight_info_system
```

```
flightinfo
```

```
Time taken: 0.411 seconds, Fetched: 3 row(s)
```

```
hive> USE flight_info_system;
```

```
OK
```

```
Time taken: 0.026 seconds
```

```
hive> SHOW TABLES;
```

```
OK
```

```
airports
```

Time taken: 0.029 seconds, Fetched: 1 row(s)

```
hive> CREATE TABLE flight_info(  
> FL_NUM INT,  
  > ORIGIN_AIRPORT_ID INT,  
  > ORIGIN_STRING,  
  > DEST_AIRPORT_ID INT,  
  > DEST_STRING,  
  > DEP_TIME INT,  
  > DEP_DELAY INT,  
  > ARR_TIME INT,  
  > ARR_DELAY INT  
> )  
  > ROW FORMAT DELIMITED FIELDS TERMINATED BY ','  
  > tblproperties ("skip.header.line.count"="1");
```

OK

Time taken: 0.026 seconds

```
hive>  
  > LOAD DATA LOCAL INPATH  
  > '/home/akansha/flightdata.csv'  
  > INTO TABLE flight_info;
```

Loading data to table default.flight_info

OK

Time taken: 1.095 seconds

```
hive> select count(*) from flight_info;
```

Query ID =

akansha_20230528015929_d69d433b-a31a-4403-b996-e9626aaedd7f Total jobs
= 1

Launching Job 1 out of 1

Number of reduce tasks determined at compile time: 1

In order to change the average load for a reducer (in bytes):

set hive.exec.reducers.bytes.per.reducer=<number>

In order to limit the maximum number of reducers:

set hive.exec.reducers.max=<number>

In order to set a constant number of reducers:

set mapreduce.job.reduces=<number>

Starting Job = job_1685219240726_0001, Tracking URL =

http://akansha-VirtualBox:8088/proxy/application_1685219240726_0001

/ Kill Command = /home/akansha/hadoop-3.2.4/bin/mapred job -kill

job_1685219240726_0001

Hadoop job information for Stage-1: number of mappers: 1; number of reducers: 1

2023-05-28 01:59:42,844 Stage-1 map = 0%, reduce = 0%

2023-05-28 01:59:48,030 Stage-1 map = 100%, reduce = 0%, Cumulative CPU 1.95 sec

2023-05-28 01:59:53,195 Stage-1 map = 100%, reduce = 100%, Cumulative CPU 3.55 sec

MapReduce Total cumulative CPU time: 3 seconds 550 msec

Ended Job = job_1685219240726_0001

MapReduce Jobs Launched:

Stage-Stage-1: Map: 1 Reduce: 1 Cumulative CPU: 3.55 sec HDFS Read: 486791 HDFS

Write: 105 SUCCESS

Total MapReduce CPU Time Spent: 3 seconds 550 msec

OK

11231

Time taken: 26.967 seconds, Fetched: 1 row(s)

hive> ALTER TABLE flight_info RENAME TO

flight_info_internal; OK

Time taken: 0.171 seconds

hive> show tables;

OK

flight_info_internal

Time taken: 0.031 seconds, Fetched: 1 row(s)

hive> DROP TABLE flight_info_internal;

OK

Time taken: 0.405 seconds

hive> show tables;

OK

Time taken: 0.017 seconds

hive>

hive>

> CREATE EXTERNAL TABLE flight_info(

> FL_NUM INT,

> ORIGIN_AIRPORT_ID INT,

> ORIGIN STRING,

> DEST_AIRPORT_ID INT,

> DEST STRING,

> DEP_TIME INT,

> DEP_DELAY INT,

> ARR_TIME INT,

> ARR_DELAY INT

>)

> ROW FORMAT DELIMITED FIELDS TERMINATED BY ','

> STORED AS TEXTFILE

> LOCATION '/home/akansha/flightdata.txt'

> tblproperties ("skip.header.line.count"="1");

OK

Time taken: 0.134 seconds

hive> select count(*) from flight_info;

Query ID = akansha_20230528021330_34732551-1e8f-437f-bcdc-dfe7697ee18d

Total jobs = 1

Launching Job 1 out of 1

Number of reduce tasks determined at compile time: 1

In order to change the average load for a reducer (in bytes):

set hive.exec.reducers.bytes.per.reducer=<number>

In order to limit the maximum number of reducers:

```
set hive.exec.reducers.max=<number>
```

In order to set a constant number of reducers:

```
set mapreduce.job.reduces=<number>
```

Starting Job = job_1685219240726_0002, Tracking URL =

http://akansha-VirtualBox:8088/proxy/application_1685219240726_0002

/ Kill Command = /home/akansha/hadoop-3.2.4/bin/mapred job -kill

job_1685219240726_0002

Hadoop job information for Stage-1: number of mappers: 0; number of reducers: 1

2023-05-28 02:13:38,038 Stage-1 map = 0%, reduce = 0%

2023-05-28 02:13:44,220 Stage-1 map = 0%, reduce = 100%, Cumulative CPU 2.08 sec

MapReduce Total cumulative CPU time: 2 seconds 80 msec

Ended Job = job_1685219240726_0002

MapReduce Jobs Launched:

Stage-Stage-1: Reduce: 1 Cumulative CPU: 2.08 sec HDFS Read: 6683 HDFS Write: 101

SUCCESS

Total MapReduce CPU Time Spent: 2 seconds 80 msec

OK

0

Time taken: 14.891 seconds, Fetched: 1 row(s)

/*

LOCAL PATH DIDN'T WORK IN EXTERNAL TABLE

*/

```
hive> show tables;
```

OK

flight_info

Time taken: 0.02 seconds, Fetched: 1 row(s)

```
hive> LOAD DATA LOCAL INPATH
```

```
> '/home/akansha/flightdata.csv'
```

```
> INTO TABLE flight_info;
```

Loading data to table default.flight_info

OK

Time taken: 0.616 seconds

```
hive> show tables;
```

OK

flight_info

Time taken: 0.029 seconds, Fetched: 1 row(s)

```
hive> select count(*) from flight_info;
```

Query ID = akansha_20230528021451_47aa1d6b-d321-469e-8d09-3bf492bed2dd

Total jobs = 1

Launching Job 1 out of 1

Number of reduce tasks determined at compile time: 1

In order to change the average load for a reducer (in bytes):

```
set hive.exec.reducers.bytes.per.reducer=<number>
In order to limit the maximum number of reducers:
set hive.exec.reducers.max=<number>
In order to set a constant number of reducers:
set mapreduce.job.reduces=<number>
Starting Job = job_1685219240726_0003, Tracking URL =
http://akansha-VirtualBox:8088/proxy/application_1685219240726_0003
/ Kill Command = /home/akansha/hadoop-3.2.4/bin/mapred job -kill
job_1685219240726_0003
Hadoop job information for Stage-1: number of mappers: 1; number of reducers: 1
2023-05-28 02:14:57,540 Stage-1 map = 0%, reduce = 0%
2023-05-28 02:15:01,669 Stage-1 map = 100%, reduce = 0%, Cumulative CPU 1.44 sec
2023-05-28 02:15:06,822 Stage-1 map = 100%, reduce = 100%, Cumulative CPU 3.05 sec
MapReduce Total cumulative CPU time: 3 seconds 50 msec
Ended Job = job_1685219240726_0003
MapReduce Jobs Launched:
Stage-Stage-1: Map: 1 Reduce: 1 Cumulative CPU: 3.05 sec HDFS Read: 486784 HDFS
Write: 105 SUCCESS
Total MapReduce CPU Time Spent: 3 seconds 50 msec
OK
11231
Time taken: 17.031 seconds, Fetched: 1 row(s)
```

```
hive> DROP TABLE flight_info;
OK
Time taken: 0.12 seconds
```

```
/*
IN NEW TERMINAL, COPY flightdata.txt FILE INTO HDFS USING
COMMAND:
akansha@akansha-VirtualBox:~$ hdfs dfs -copyFromLocal flightdata.txt /data1/
*/
```

```
hive>
hive> CREATE EXTERNAL TABLE flight_info(
  > FL_NUM INT,
  > ORIGIN_AIRPORT_ID INT,
  > ORIGIN STRING,
  > DEST_AIRPORT_ID INT,
  > DEST STRING,
  > DEP_TIME INT,
  > DEP_DELAY INT,
  > ARR_TIME INT,
  > ARR_DELAY INT
```

```
> )  
> ROW FORMAT DELIMITED FIELDS TERMINATED BY ','  
> STORED AS TEXTFILE  
> LOCATION '/data1'  
> tblproperties ("skip.header.line.count"="1");
```

OK

Time taken: 0.063 seconds

```
hive> select count(*) from flight_info;
```

Query ID = akansha_20230528022054_c5756f67-d906-4755-b587-16a859f65a93

Total jobs = 1

Launching Job 1 out of 1

Number of reduce tasks determined at compile time: 1

In order to change the average load for a reducer (in bytes):

```
set hive.exec.reducers.bytes.per.reducer=<number>
```

In order to limit the maximum number of reducers:

```
set hive.exec.reducers.max=<number>
```

In order to set a constant number of reducers:

```
set mapreduce.job.reduces=<number>
```

Starting Job = job_1685219240726_0004, Tracking URL =

http://akansha-VirtualBox:8088/proxy/application_1685219240726_0004

/ Kill Command = /home/akansha/hadoop-3.2.4/bin/mapred job -kill

job_1685219240726_0004

Hadoop job information for Stage-1: number of mappers: 1; number of reducers: 1

2023-05-28 02:21:00,625 Stage-1 map = 0%, reduce = 0%

2023-05-28 02:21:04,751 Stage-1 map = 100%, reduce = 0%, Cumulative CPU 1.74 sec

2023-05-28 02:21:09,915 Stage-1 map = 100%, reduce = 100%, Cumulative CPU 3.16 sec

MapReduce Total cumulative CPU time: 3 seconds 160 msec

Ended Job = job_1685219240726_0004

MapReduce Jobs Launched:

Stage-Stage-1: Map: 1 Reduce: 1 Cumulative CPU: 3.16 sec HDFS Read: 464238 HDFS

Write: 105 SUCCESS

Total MapReduce CPU Time Spent: 3 seconds 160 msec

OK

11231

Time taken: 16.974 seconds, Fetched: 1 row(s)

```
hive>
```

```
hive> INSERT INTO TABLE flight_info
```

```
VALUES(1872,10397,"ATL",14757,"SEA",1111,-2,1316,-24);
```

Query ID = akansha_20230528023519_b62e39c2-ee02-4580-aa65-8718eab89ea6

Total jobs = 3

Launching Job 1 out of 3

Number of reduce tasks determined at compile time: 1

In order to change the average load for a reducer (in bytes):

```
set hive.exec.reducers.bytes.per.reducer=<number>
```

In order to limit the maximum number of reducers:

```
set hive.exec.reducers.max=<number>
```

In order to set a constant number of reducers:

```
set mapreduce.job.reduces=<number>
```

Starting Job = job_1685219240726_0005, Tracking URL =

http://akansha-VirtualBox:8088/proxy/application_1685219240726_0005

/ Kill Command = /home/akansha/hadoop-3.2.4/bin/mapred job -kill

job_1685219240726_0005

Hadoop job information for Stage-1: number of mappers: 1; number of reducers: 1

2023-05-28 02:35:26,025 Stage-1 map = 0%, reduce = 0%

2023-05-28 02:35:32,252 Stage-1 map = 100%, reduce = 0%, Cumulative CPU 2.42 sec

2023-05-28 02:35:36,366 Stage-1 map = 100%, reduce = 100%, Cumulative CPU 3.82 sec

MapReduce Total cumulative CPU time: 3 seconds 820 msec

Ended Job = job_1685219240726_0005

Stage-4 is selected by condition resolver.

Stage-3 is filtered out by condition resolver.

Stage-5 is filtered out by condition resolver.

Moving data to directory

hdfs://localhost:9000/data1/.hive-staging_hive_2023-05-28_02-35-19_811_6412122859836285794-1/-ext-10000

Loading data to table default.flight_info

MapReduce Jobs Launched:

Stage-Stage-1: Map: 1 Reduce: 1 Cumulative CPU: 3.82 sec HDFS Read: 23100 HDFS

Write: 536 SUCCESS

Total MapReduce CPU Time Spent: 3 seconds 820 msec

OK

Time taken: 18.927 seconds

```
hive> ALTER TABLE flight_info
```

```
> ADD COLUMNS (cancelled BOOLEAN);
```

OK

Time taken: 0.088 seconds

```
hive> describe flight_info;
```

OK

fl_num int

origin_airport_id int

origin string

dest_airport_id int

dest string

dep_time int

dep_delay int

arr_time int

arr_delay int

cancelled boolean

Time taken: 0.029 seconds, Fetched: 10 row(s)

hive>

hive> ALTER TABLE flight_info

> SET TBLPROPERTIES ('default.cancelled'='False');

OK

Time taken: 0.052 seconds

hive>

hive> SELECT AVG(DEP_DELAY) AS average

> FROM flight_info

> WHERE DEP_TIME=2008;

Query ID = akansha_20230528030342_405c8a49-5c0b-4d13-bc79-bf95eeba20ee

Total jobs = 1

Launching Job 1 out of 1

Number of reduce tasks determined at compile time: 1

In order to change the average load for a reducer (in bytes):

set hive.exec.reducers.bytes.per.reducer=<number>

In order to limit the maximum number of reducers:

set hive.exec.reducers.max=<number>

In order to set a constant number of reducers:

set mapreduce.job.reduces=<number>

Starting Job = job_1685219240726_0006, Tracking URL =

http://akansha-VirtualBox:8088/proxy/application_1685219240726_0006

/ Kill Command = /home/akansha/hadoop-3.2.4/bin/mapred job -kill

job_1685219240726_0006

Hadoop job information for Stage-1: number of mappers: 1; number of reducers: 1

2023-05-28 03:03:48,923 Stage-1 map = 0%, reduce = 0%

2023-05-28 03:03:54,055 Stage-1 map = 100%, reduce = 0%, Cumulative CPU 2.49 sec

2023-05-28 03:03:59,204 Stage-1 map = 100%, reduce = 100%, Cumulative CPU 4.69 sec

MapReduce Total cumulative CPU time: 4 seconds 690 msec

Ended Job = job_1685219240726_0006

MapReduce Jobs Launched:

Stage-Stage-1: Map: 1 Reduce: 1 Cumulative CPU: 4.69 sec HDFS Read: 468316 HDFS

Write: 118 SUCCESS

Total MapReduce CPU Time Spent: 4 seconds 690 msec

OK

12.571428571428571

Time taken: 17.591 seconds, Fetched: 1 row(s)

hive>