AWS Static Website Hosting


Services: Amazon S3, CloudFront, AWS Certificate Manager, Route 53

How it works

Visitor (browser) → Route 53 (A/AAAA alias) → CloudFront (HTTPS + TLS cert) → Amazon S3 (website files)

1. Create the S3 bucket


- Go to Amazon S3 → Buckets → Create bucket.
- Region: Asia Pacific (Mumbai) ap-south-1.
- Bucket type: General purpose.
- Namespace: Global namespace (or Account Regional).
- Bucket name: vishvajeet.shop (must be globally unique).
- Click Create bucket.



Create bucket configuration in the AWS console (ap-south-1).

2. Verify the bucket

- Confirm the bucket appears under General purpose buckets.
- Bucket name: vishvajeet.shop | Region: Asia Pacific (Mumbai) ap-south-1




Bucket list showing the newly created vishvajeet.shop bucket.

3. Upload the website files

- Open the bucket and upload the website assets:


– index.html
– style.css
– script.js
– profile_photo (1).jpg



Objects uploaded to the S3 bucket.

4. Enable bucket versioning


- Properties → Bucket Versioning → Edit → Enable → Save changes.
- Versioning helps recover from accidental deletes or overwrites.



Bucket Versioning settings (enable for production use).

5. Request a public certificate (ACM)


- Go to AWS Certificate Manager → Request certificate → Request public certificate.
- Domain name: vishvajeet.shop
- Validation method: DNS validation (recommended).
- Click Request / Next.



Request a public certificate in ACM.

6. Certificate issued


- After DNS validation, the certificate status should show **Issued**.
- Certificate ID: 6c59ce57-4295-463a-a732-6f67038a5aa5
- Common name: vishvajeet.shop



ACM Certificates list – status Issued.

7. Validate the certificate / Domain status


- In the certificate details, confirm Domain status is Success.
- Use “Create records in Route 53” if the CNAME validation record is not yet present.
- Region note: CloudFront requires the certificate in us-east-1 (N. Virginia).



Certificate details showing Issued status and successful domain validation.

8. Create the CloudFront distribution


- Go to CloudFront → Create distribution (or use existing).
- Distribution ID: ED659E4WCYJ78
- Status: Enabled | Type: Standard
- Origin: the S3 bucket (vishvajeet.shop).
- Alternate domain names (CNAMEs): vishvajeet.shop



CloudFront Distributions list – distribution Enabled.

9. CloudFront settings


- Distribution domain name: d1y2ikdwwdw93y.cloudfront.net
- Alternate domain name: vishvajeet.shop
- Custom SSL certificate: vishvajeet.shop (ACM)
- Default root object: index.html
- Price class: Use all edge locations (best performance)
- Security policy: TLSv1.2_2021 (or newer)



CloudFront distribution details and settings.

10. Configure Route 53 records


- Open the hosted zone for vishvajeet.shop.
- Create A and AAAA alias records pointing to the CloudFront distribution (d1y2ikdwwdw93y.cloudfront.net).
- Alias = Yes for both records.
- The zone also retains the default NS and SOA records.



Route 53 hosted zone records – A / AAAA aliases to CloudFront.

11. Test the website

- Open https://vishvajeet.shop in a browser.
- The site should load over HTTPS and the browser should show a secure connection.
- Verify the portfolio content, navigation, and resume download work as expected.



Live website at https://vishvajeet.shop – "Vishvajeet Shinde deploys the cloud."

Architecture summary: Browser → Route 53 (alias) → CloudFront (TLS termination + caching) → S3 origin (static assets).

This guide documents the successful deployment of a static personal portfolio website on AWS using S3, CloudFront, ACM, and Route 53.