

Gui code

```
<LinearLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    android:orientation="vertical"
    android:padding="20dp"
    android:layout_width="match_parent"
    android:layout_height="match_parent">

    <EditText
        android:id="@+id/email"
        android:hint="Recipient Email"
        android:inputType="textEmailAddress"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"/>

    <EditText
        android:id="@+id/subject"
        android:hint="Subject"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"/>

    <EditText
        android:id="@+id/message"
        android:hint="Message"
        android:minLines="4"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"/>

    <Button
        android:id="@+id/sendBtn"
        android:text="Send Email"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_marginTop="20dp"/>

</LinearLayout>
```

java code

```
package com.example.emailapp;

import android.content.Intent;
import android.net.Uri;
import android.os.Bundle;
import android.util.Patterns;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

import androidx.appcompat.app.AppCompatActivity;

public class MainActivity extends AppCompatActivity {

    // Declare variables
    EditText email, subject, message;
    Button sendBtn;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
    }
}
```

```

// Initialize components
email = findViewById(R.id.email);
subject = findViewById(R.id.subject);
message = findViewById(R.id.message);
sendBtn = findViewById(R.id.sendBtn);

// Button click listener
sendBtn.setOnClickListener(v -> sendEmail());
}

// Method to send email
private void sendEmail() {

    String emailText = email.getText().toString().trim();
    String subjectText = subject.getText().toString().trim();
    String messageText = message.getText().toString().trim();

    // Validation
    if (emailText.isEmpty() || subjectText.isEmpty() || messageText.isEmpty()) {
        Toast.makeText(this, "All fields are required!",
Toast.LENGTH_SHORT).show();
        return;
    }

    if (!Patterns.EMAIL_ADDRESS.matcher(emailText).matches()) {
        Toast.makeText(this, "Enter valid email address!",
Toast.LENGTH_SHORT).show();
        return;
    }

    // Create email intent
    Intent intent = new Intent(Intent.ACTION_SENDTO);
    intent.setData(Uri.parse("mailto:" + emailText));
    intent.putExtra(Intent.EXTRA_SUBJECT, subjectText);
    intent.putExtra(Intent.EXTRA_TEXT, messageText);

    try {
        startActivity(intent);
    } catch (Exception e) {
        Toast.makeText(this, "No email app found!", Toast.LENGTH_SHORT).show();
    }
}
}

```

output

