

Mechanical Multi-Functional Punching and Shearing Machine

Overview: A versatile heavy-duty mechanical machine engineered to handle multiple metal fabrication operations including plate shearing, punching, bar cutting, and notch-making in a single compact unit.



Key Features:

- All-in-one multi-station design for high workshop productivity.
- Rigid structural steel frame engineered to withstand high cyclic mechanical loads.
- Integrated safety guards and user-friendly control station for operator security.

Specifications:

Parameter	Specification Details
Operation Type	Mechanical action with flywheel and clutch transmission
Functions	Punching, shearing (flat/angle bars), and notch cutting
Frame Construction	Heavy-duty fabricated steel plate body

Applications: Structural steel fabrication, fabrication workshops, busbar processing, and general metal manufacturing.

Hydraulic C-Type Punching Machine

Overview: An open-throat C-frame hydraulic punching machine offering wide accessibility from three sides, designed for accurate, high-tonnage punching operations on plates, channels, and structural sections.



Key Features:

- C-frame design provides unobstructed material handling and easy workpiece loading.
- Smooth hydraulic power delivery ensuring clean holes with minimal burrs.
- Equipped with foot pedal operation and an integrated electrical control panel.

Specifications:

Parameter	Specification Details
Frame Type	C-Type open throat welded steel structure
Drive Mechanism	Hydraulic power pack with precision cylinder
Control	Push-button control box with foot switch operation

Applications: Sheet metal shops, electrical panel manufacturing, automobile component punching, and structural fabrication.

Hydraulic H-Type Press Machine

Overview: A heavy-duty four-column H-type hydraulic press engineered for high-precision deep drawing, forming, moulding, and heavy industrial pressing applications with uniform load distribution.



Key Features:

- Robust H-frame structure ensuring maximum rigidity and minimal deflection under full tonnage.
- Precision-guided moving ram for exceptional parallel accuracy.
- Independent hydraulic power pack with pressure gauge and adjustable tonnage controls.

Specifications:

Parameter	Specification Details
Structure	H-Type fabricated heavy steel structure
Hydraulics	Motorized hydraulic power unit with control valves
Bed Setup	T-slotted heavy bolster plate for secure die clamping

Applications: Metal forming, deep drawing, rubber moulding, heavy assembly pressing, and industrial component manufacturing.

H-Type Hydraulic Workshop Press - Power Operated

Overview: A motorized power-operated H-type workshop press built for general engineering maintenance, straightening, bending, and bearing insertion tasks with high speed and precision.



Key Features:

- Motorized hydraulic pump unit delivering quick approach and return strokes.
- Adjustable work table height using a winch or lifting mechanism.
- Heavy-duty pressure gauge for accurate load monitoring during operation.

Specifications:

Parameter	Specification Details
Operation	Motor-driven hydraulic power pack
Design	H-Frame floor model with adjustable lower bolster
Safety	Overload relief valve integrated into the hydraulic circuit

Applications: Automotive service garages, machine maintenance shops, straightening shafts, and press-fit assembly work.

H-Type Manual Workshop Press

Overview: A reliable hand-operated H-frame mechanical/hydraulic press designed for precision pressing, bush extraction, bending, and small-scale workshop utility jobs without requiring external electric power.



Key Features:

- Hand-lever or hand-pump hydraulic operation for fine control over pressing force.
- Compact and sturdy H-frame construction built from high-grade structural steel.
- Movable work bed positions to accommodate various workpiece heights.

Specifications:

Parameter	Specification Details
Operation	Manual hand pump / lever mechanism
Capacity	Available in various tonnage ratings (e.g., 10T to 50T options)
Construction	Bolted and welded steel H-frame profile

Applications: Tool rooms, repair workshops, bearing fitting, light straightening, and vocational training centers.

Hydraulic Busbar Bending & Cutting Machines (Manual & NC)

Overview: Specialized machinery designed for precise bending, cutting, and punching of copper and aluminium busbars used extensively in electrical switchgear and panel building.

Key Features:

- Clean, distortion-free cutting and radius/angle bending for copper/aluminum busbars.
- Available in manual and Numerical Control (NC) variations for high-volume accurate production.
- Compact hydraulic units with dedicated tooling dies.

Specifications:

Parameter	Specification Details
Material Compatibility	Copper and Aluminium busbars
Control Options	Manual hydraulic or NC programmable controller
Operations	Bending, cutting, and offset forming modules

Applications: Electrical panel manufacturing, switchgear fabrication, power distribution equipment, and electrical contracting.

Imported Milling Machine

Overview: High-precision universal / vertical milling machine imported to deliver superior machining accuracy, rigidity, and versatility for complex workpiece shaping, slotting, and face milling.

Key Features:

- Hardened and ground guide ways ensuring long-term cutting accuracy and wear resistance.
- Wide speed range gearbox supporting diverse cutting tools and material types.
- Rigid cast iron column and knee design absorbing heavy cutting vibrations.

Specifications:

Parameter	Specification Details
Spindle Type	Precision-machined high RPM spindle with ISO/R8 taper options
Table Size	Precision slotted work table with longitudinal/cross feeds
Build Quality	Heavy ribbed Melanite cast iron structure

Applications: Tool and die making, mould manufacturing, general engineering workshops, and precision component machining.

Hydraulic C-Type Press Machine - SPM

Overview: A Special Purpose Machine (SPM) built on a C-frame hydraulic platform, custom-engineered for dedicated, high-speed repetitive manufacturing processes with automated or semi-automated cycles.



Key Features:

- Custom-engineered tooling and fixture integration for specific component assembly or forming.
- Fast cycle times designed for mass production environments.
- Advanced safety interlocks and PLC-based control integration.

Specifications:

Parameter	Specification Details
Machine Type	Special Purpose Hydraulic C-Press (SPM)
Control System	PLC-based automation with sensor feedback
Customization	Tailored stroke, daylight, and table dimensions

Applications: Automotive ancillaries, dedicated component assembly lines, mass-production stamping, and specialized pressing.

CNC Front Cylinder Hydraulic Press Brake Machine

Overview: An advanced CNC hydraulic press brake featuring front-cylinder design for superior synchronization, high bending accuracy, and multi-axis back gauge positioning.



Key Features:

- CNC graphical controller for intuitive angle programming and automatic depth calculation.
- Rigid synchro-hydraulic design ensuring parallel ram movement across the entire bending length.
- Quick-clamp tooling system for rapid punch and die changes.

Specifications:

Parameter	Specification Details
Cylinder Configuration	Front-mounted dual hydraulic cylinders
Controller	Advanced CNC touch screen control system
Bending Capacity	Available in various tonnage and bending length configurations

Applications: Sheet metal fabrication, enclosure manufacturing, architectural panel bending, HVAC ducting, and aerospace components.

NC Hydraulic Shearing Machine

Overview: A precision NC-controlled hydraulic guillotine shearing machine designed for clean, high-speed straight-line cutting of sheet metals with motorized back gauge positioning.



Key Features:

- NC programmable back gauge with ball screw mechanism for precise cut length accuracy.
- Hydraulic hold-down jacks securely clamp sheets during the cutting stroke to prevent slippage.
- Adjustable rake angle and blade clearance for burr-free cuts across varying sheet thicknesses.

Specifications:

Parameter	Specification Details
Control System	NC controller with digital readout for back gauge
Cutting Action	Swing beam or guillotine hydraulic shearing action
Blade Material	High-alloy chromium-molybdenum tool steel blades

Applications: Sheet metal processing centres, steel service centres, fabrication plants, and general metal manufacturing.

INDUSTRIAL COMPONENTS & HARDWARE CATALOG

High-Precision Machine Spares, Fasteners, Connectors, & Structural Components

Plates & Custom Mounts

Overview: High-precision industrial plates and covers designed for machinery, structural enclosures, and specialized assembly interfaces.

CUSTOMIZED MOUNT



SQUARE COVER PLATE



ROUND COVER PLATE





Key Features:

- **High-Precision Machining:** Manufactured with tight tolerances for exact fitment and alignment.
- **Surface Finish:** Available in clean brushed, smooth milled, or precision-faced finishes.
- **Robust Construction:** Offers exceptional strength, rigidity, and resistance to deformation under load.
- **Customization:** Available in custom dimensions, hole patterns, and thicknesses as per exact project requirements.

Specifications & Types:

Product / Category	Description & Details
Square Cover Plates	Features a 4-hole or multi-hole corner configuration with clean countersunk or standard bolt holes.
Round Cover Plates	Precision-turned circular plates designed for sealing or mounting applications.
Heavy-Duty Mounting Plates	Integrated with multiple threaded ports, pilot holes, and counterbores for complex SPM setups.

Applications: Machinery housings and gearboxes, SPM and jig fixtures, Industrial enclosures and fluid systems.

Fasteners, Nuts & Precision Parts

Overview: Essential precision hardware components engineered for secure fastening, alignment, and smooth operation in industrial machinery.

KNURLED NUTS

SPM COVER NUTS

PRECISIONS

KNURLED NUTS

Straight Knurled Nut

Thin Type Knurled Nut

Step Knurled Nut

Long Knurled Nut

Flange Knurled Nut

Internal Thread Knurled Nut

FEATURES

- High strength & durability
- Excellent grip for easy tightening
- Precise dimensions & threading
- Available in MS / SS / DS / Aluminum
- Custom sizes available as per requirement

APPLICATIONS

Machine Tools

Industrial Equipment

SPM & Jig Fixtures

Automation

Precision Instruments

MATERIAL & FINISH

Mild Steel (Black)

Stainless Steel (Natural)

Brass (Natural)

Zinc Plated (Blue Passivated)

SPM COVER NUTS

Dome Cover Nut

High Dome Cover Nut

Acorn Cover Nut

Cap Nut (Closed End)

Open End Cover Nut

Flange Cover Nut

FEATURES

- Protects bolt end & provides a finished look
- Corrosion resistant & long-lasting
- Perfect for safety & aesthetic applications
- Available in MS / SS / Brass
- Custom sizes available

MATERIAL & FINISH

Mild Steel (Black)

Stainless Steel (Natural)

Brass (Natural)

Zinc Plated (Blue Passivated)

PRECISIONS

Precision Shaft

Shoulder Bolt

Dowel Pin

Bush

Spacer

Guide Pillar

Ejector Pin

Locating Pin

Round Nut

Threaded Insert

Ball Plunger

Precision Sleeve

Key Features:

- **High Strength & Durability:** Built to withstand rigorous operational stress and frequent handling.
- **Precision Threading:** Clean, uniform threads for smooth tightening and secure retention.
- **Corrosion Resistance:** Available in multiple surface finishes to prevent rust and wear.

Specifications & Types:

Product / Category	Description & Details
Knurled Nuts	Includes Straight, Thin Type, Step, Long, Flange, and Internal Thread Knurled Nuts for easy manual or tool-assisted gripping.
SPM Cover Nuts	Dome Cover Nuts, High Dome, Acorn, and Closed/Open-End Cap Nuts designed to protect bolt ends and provide a clean, safe, aesthetic finish.
Precision Parts	Precision Shafts, Shoulder Bolts, Dowel Pins, Bushings, Spacers, Guide Pillars, Ejector Pins, Locating Pins, Round Nuts, Threaded Inserts, and Ball Plungers.

Applications: Mild Steel (Black / Zinc Plated), Stainless Steel (Natural / Passivated), Brass.

Brackets

Overview: Heavy-duty structural brackets designed to provide rigid support, alignment, and secure mounting for frames, motors, and piping systems.



Key Features:

- **Heavy-Duty Load Bearing:** Engineered to support substantial weight and absorb mechanical vibrations.
- **Versatile Mounting:** Features slotted, pre-drilled, or gusset-reinforced holes for flexible and secure installation.
- **Durable Build:** High structural integrity with clean edges and robust welding where applicable.

Specifications & Types:

Product / Category	Description & Details
Bracket Variations	Includes L Brackets, Triangle Brackets, U Brackets, Corner Brackets, T Brackets, Clevis Brackets, Z Brackets, Box Brackets, Slotted Brackets, Mounting Brackets, Pipe/Clamp Brackets, and Heavy-Duty Brackets.

Applications: Structural framing and industrial assembly lines, Machine tool builds and automation setups, Pipe routing and equipment anchoring.

Reducing Adapters & Pipe Fittings

Overview: High-performance transition fittings designed to connect pipes, tubes, and hoses of varying sizes and thread standards seamlessly.

• REDUCING ADAPTERS •

MALE TO MALE REDUCING ADAPTERS


HEX REDUCING NIPPLE


SQUARE REDUCING NIPPLE


HEX CONE REDUCING NIPPLE


PARALLEL REDUCING NIPPLE


LONG REDUCING NIPPLE


STEPPED REDUCING NIPPLE


MALE FLARE REDUCING ADAPTER

MALE TO FEMALE REDUCING ADAPTERS


HEX MALE X FEMALE REDUCER


SQUARE MALE X FEMALE REDUCER


HEX CONE MALE X FEMALE REDUCER


PARALLEL MALE X FEMALE REDUCER


MALE FLARE X FEMALE ADAPTER


MALE NPT X FEMALE NPT REDUCER


MALE BSP X FEMALE BSP REDUCER

FEMALE TO FEMALE REDUCING ADAPTERS


HEX REDUCING BUSHING


SQUARE REDUCING BUSHING


LONG REDUCING BUSHING


STEP REDUCING BUSHING


REDUCING COUPLING


REDUCING SOCKET


REDUCING UNION

SPECIAL REDUCING ADAPTERS


TUBE OD REDUCING ADAPTER


COMPRESSION REDUCING ADAPTER


HYDRAULIC REDUCING ADAPTER


METRIC REDUCING ADAPTER


JIC REDUCING ADAPTER


ORFS REDUCING ADAPTER


PIPE REDUCING ADAPTER

Key Features:

- **Leak-Proof Seal:** Precision-machined threads (BSP, NPT, Metric, JIC, ORFS) ensure a tight, secure seal under pressure.
- **High Pressure Rating:** Built to safely handle demanding industrial fluid and gas applications.
- **Corrosion Resistant:** Premium metallic composition prevents degradation in harsh chemical or moisture-rich environments.

Specifications & Types:

Product / Category	Description & Details
Reducing Nipples & Bushings	Hex, Square, Cone, Parallel, Long, and Stepped variations.
Couplings & Unions	Reducing couplings, sockets, and unions for flexible pipeline modifications.
Specialty Adapters	Tube OD, Compression, Hydraulic, Metric, and Flare reducing adapters.


Applications: Hydraulic fluid lines, pneumatic systems, chemical processing plants, and high-pressure fluid transfer.

SPM Collars

Overview: Precision-engineered SPM collars designed for secure component positioning, bearing-face halting, and mechanical stop applications on rotating shafts.

SPM COLLARS

Precision • Strength • Reliability



d – Bore Diameter (Shaft Diameter)
D – Outside Diameter
L – Overall Length
W – Width
H – Height
M – Bolt Size

Features

- ✓ Precision machined
- ✓ High clamping strength
- ✓ Uniform load distribution
- ✓ Easy installation & removal
- ✓ Available in various sizes and finishes

Applications


Power Press Machines


Press Drive Shafts


Flywheels / Pulleys


General Engineering



MILD STEEL (BLACK)

ZINC PLATED

STAINLESS STEEL

BLACK OXIDE

Note: All dimensions are in mm.

Key Features:

- **Precision Machined:** Ensures a true, concentric bore for uniform clamping power without marring the shaft.
- **High Clamping Strength:** Evenly distributes holding power around the circumference using high-tensile socket head cap screws.
- **Easy Installation & Removal:** Split-design allows for quick installation and adjustment without dismantling entire assemblies.

Specifications & Types:

Product / Category	Description & Details
Bore Diameter (d)	Customizable as per exact shaft size requirements.
Materials Available	Mild Steel (Black), Zinc Plated, Stainless Steel, and Black Oxide finish.

Applications: Rotating machinery shafts, conveyor guide rails, motor mounts, and linear actuator stops.

Clevis Ends, U Hooks & Pins

Overview: Robust linkage components designed for pivoting, motion transfer, and mechanical connection systems.



Key Features:

- **Secure Articulation:** Allows smooth angular movement and load transfer in mechanical linkages.
- **High Shear Strength:** Pins and hooks manufactured from high-grade materials to prevent bending or shearing under cyclic loads.
- **Complete Assembly:** Available with matching pins, washers, and R-clips/split pins for fast, secure deployment.

Specifications & Types:

Product / Category	Description & Details
U Hooks (Clevis Ends)	Designed for high-load tension linkage with precision pin hole diameters.
Clevis Pins	Available with R-Clip, Hex Head, and Plain variations for secure locking.

Applications: Mechanical linkage systems, steering mechanisms, trailer hitches, and agricultural machinery.

Eye Bolts & Sleeve Bushings

Overview: Safe lifting solutions and friction-reduction bushings built for heavy industrial lifting and moving machinery parts.

EYE BOLTS

STRONG • RELIABLE • SAFE LIFTING

Eye bolts are designed for safe lifting, hoisting and rigging applications. Built for strength and durability, they provide a secure anchorage point for various industrial uses.

TYPES OF EYE BOLTS

SHOULDER EYE BOLT
General purpose lifting eye bolt with shoulder.

PLAIN EYE BOLT
Used in light duty lifting applications.

EYE BOLT WITH NUT
Supplied with nut for extra holding.

FORGED EYE BOLT
High strength forged type for heavy duty lifting.

SWIVEL EYE BOLT
360° rotation for flexible lifting.

LONG SHANK EYE BOLT
Extra long shank for fixed positions.

FEATURES

- ✓ High tensile strength
- ✓ Safe and reliable lifting point
- ✓ Various sizes and types available
- ✓ Corrosion resistant finishes
- ✓ Easy to install and remove
- ✓ Complies with international standards

APPLICATIONS

MATERIAL & FINISHES

Material	Standard	Finish/Coating	Features
Carbon Steel	IS 1907 / EN 1877-1	Zinc Plated	Good corrosion resistance, general purpose
Alloy Steel	EN 1877-1	Hot Dip Galvanized	High strength, heavy duty applications
Stainless Steel	SS 304 / SS 316	Polished	Excellent corrosion resistance, marine use

NOTE:

- Always ensure the eye bolt is fully tightened.
- Do not exceed the Working Load Limit (WLL).
- Do not use eye bolts on lifting surfaces (knock pins) to avoid.
- Inspect before each use.

SLEEVE BUSHINGS

PRECISION | DURABILITY | RELIABILITY

Sleeve bushings are widely used to reduce friction, wear and ensure smooth motion between moving parts. Manufactured with precise dimensions for high performance and long service life.

MATERIALS

- Bronze
- Phosphor Bronze
- Steel (EN8 / EN31)
- Case Hardened Steel
- Stainless Steel (SS304 / SS316)
- Special Materials (as per requirement)

FEATURES

- ✓ High wear resistance
- ✓ Low friction & smooth operation
- ✓ Excellent dimensional accuracy
- ✓ High load carrying capacity
- ✓ Corrosion & abrasion resistant
- ✓ Long service life
- ✓ Custom sizes available

APPLICATIONS

TYPES OF SLEEVE BUSHINGS

PLAIN SLEEVE BUSHING

SELF LUBRICATING BUSHING

FLANGED BUSHING

SPLIT BUSHING

OIL GROOVED BUSHING

STEPPED BUSHING

Key Features:

- **Eye Bolts:** Designed for safe lifting, hoisting, and rigging. Built with high-tensile forged steel to provide a secure anchorage point with high load capacities.
- **Sleeve Bushings:** Engineered to reduce friction, minimize wear, and ensure smooth linear or rotational motion between moving parts.

Specifications & Types:

Product / Category	Description & Details
Eye Bolt Types	Shoulder Eye Bolt, Plain Eye Bolt, Eye Bolt with Nut, Forged Eye Bolt, Swivel Eye Bolt, and Long Shank Eye Bolt.
Sleeve Bushing Types	Plain, Self-Lubricating, Flanged, Split, Oil Grooved, and Stepped Bushings (Bronze, Phosphor Bronze, Case Hardened Steel, Stainless Steel).

Applications: Crane hoisting, equipment rigging, heavy machinery bearing assemblies, and automotive linkages.

Metal Connectors & MS Nipples

Overview: A comprehensive suite of industrial connection elements designed for fluid power, electrical routing, structural clamping, and piping networks.

MS NIPPLES

(MILD STEEL NIPPLES)

MS Nipples are short lengths of pipe with male threads on both ends, used to connect fittings, valves and other pipe components.



1/4" 3/8" 1/2" 3/4" 1" 1 1/4" 1 1/2" 2"

COMMON LENGTHS (MM)

Nominal Size (NB)	Standard Lengths (mm)
1/4"	32, 40, 50, 65, 80, 100
3/8"	32, 40, 50, 65, 80, 100
1/2"	32, 40, 50, 65, 80, 100
3/4"	40, 50, 65, 80, 100, 150
1"	50, 65, 80, 100, 150, 200
1 1/4"	65, 80, 100, 150, 200, 300
1 1/2"	65, 80, 100, 150, 200, 300
2"	80, 100, 150, 200, 300



FEATURES

- Made from high quality Mild Steel (MS)
- Male threads on both ends (BSP/NPT)
- High strength and durability
- Good machinability and weldability
- Suitable for high pressure applications
- Corrosion resistant (with proper coating)

SPECIFICATIONS

Material	Mild Steel (MS)
Type	Threaded Nipple
Ends	Male Thread (BSP / NPT)
Standard	IS 1239 / ASTM A53 / ANSI B1.20.1
Size Range	1/4" NB to 4" NB
Length	Customizable (32mm to 300mm or as per requirement)
Pressure Rating	Up to 3000 PSI (varies by size)
Finish	Black / Plain / Galvanized

APPLICATIONS

- Plumbing & Piping Systems
- Water Supply Lines
- Oil & Gas Industry
- Heating & Cooling Systems
- Industrial & Structural Applications

METAL CONNECTORS

STRONG • DURABLE • RELIABLE

1. PIPE CONNECTORS



Hex Nipple Coupling Reducer Elbow 90°

2. HOSE CONNECTORS



Hose Nipple Hose Coupling Camlock Coupling

3. HYDRAULIC CONNECTORS



Male Connector Female Connector Swivel Connector

4. ELECTRICAL CONNECTORS



Cable Gland EMT Connector Liquid Tight Connector Flexible Conduit Connector

5. FLANGE CONNECTORS



Weld Neck Flange Socket Weld Flange Threaded Flange

6. STRUCTURAL CONNECTORS



Beam Clamp U-Bolt Turnbuckle

7. FASTENING CONNECTORS



Hex Bolt Hex Nut Stud Threaded Rod

8. TUBE & PIPE FITTINGS



Compression Fitting Union Tee Cross

9. SPECIAL PURPOSE CONNECTORS



Quick Release Pin Lifting Eye Bolt Shackle Snap Hook

Key Features:

- MS Nipples:** Short lengths of mild steel pipe with male threads on both ends (BSP/NPT), offering excellent machinability, weldability, and high-pressure suitability. Available in sizes from 1/4" to 2" NB.
- U-Bolts:** Formed for a strong hold and secure fit on pipes, tubes, and hoses with corrosion-resistant finishes.

Specifications & Types:

Product / Category	Description & Details
Connectors	Pipe, Hose, Hydraulic, Electrical (Cable Glands/EMT), Flange, Structural (Beam Clamps/Turnbuckles), Fastening, and Special Purpose Connectors.
U-Bolt Varieties	Standard, Square Bend, Round Bend, Long Leg, Offset, and V-Type U-Bolts.

Applications: Plumbing & piping systems, water supply lines, oil & gas industry, heating & cooling systems, and electrical conduit routing.

CNC Carbide Turning Inserts (Catalog Collection)

Overview: A diverse assortment of indexable carbide turning inserts featuring various geometries (Triangular, Rhombic/Diamond, Square, and Round) with specialized Chip breaker designs and multi-colour performance coatings.



Key Features:

- **Multi-Material Compatibility:** Engineered with distinct coating variants optimized for efficient cutting across steel, stainless steel, and cast iron.
- **Advanced Chip breakers:** Intricate molded top-face geometries ensure optimal chip curling, lower cutting resistance, and smooth chip evacuation.
- **High Wear Resistance:** Manufactured from micro-grain carbide substrates that maintain edge integrity under high thermal and mechanical loads.
- **Precision Indexability:** Ground to exact dimensional tolerances for secure clamping, reliable positioning, and repeatable performance.

Specifications & Types:

Parameter / Type	Details
Insert Geometries	Available in Triangular (T-type), Rhombic/Diamond (C, D, V, W-types), Square (S-type), Trigon (W-type), and Round (R-type) configurations.
Corner Radii & Sizes	Multiple sizes and corner radius options (0.4 mm, 0.8 mm, etc.) suited for roughing, semi-finishing, and finishing operations.
Material Grades	Tailored substrates and coatings for Steel, Stainless Steel (SS), and Cast Iron machining.

Applications: External and internal turning, facing, and profiling operations on CNC lathes and turning centres; automotive and general engineering.

Industrial Round Flange / Machined Ring

Overview: A heavy-duty circular steel flange featuring a uniform multi-hole bolt circle and a central bored aperture, built for piping, structural joining, or mechanical mating applications.



Key Features:

- **Durable Construction:** Forged or machined from high-strength steel to handle heavy structural and fluid-handling demands.
- **Accurate Bolt Piling:** Uniformly spaced bolt holes ensure even pressure distribution and secure fastening.
- **Clean Finish:** Smoothly turned faces and bore edges designed for reliable sealing or close-tolerance fitting.

Specifications & Types:

Parameter / Type	Details
Configuration	Circular flange with symmetric bolt hole circle and central through-bore.
Material Options	Available in Mild Steel and Stainless-Steel variants upon request.

Applications: Pipe joining and industrial fluid pipeline systems, mechanical shaft assemblies, and structural equipment flanges.

Industrial Three-Phase Induction Motors (Foot & Flange Mount)

Overview: Rugged, high-efficiency three-phase AC induction motors designed for demanding industrial applications. Built with heavy-duty cast housings, optimal cooling fins, and precision-balanced rotors for continuous, reliable operation.



Key Features:

- **High Efficiency & Performance:** Engineered for low energy consumption, high starting torque, and stable operational speeds.
- **Robust Cooling System:** Integrated cast cooling ribs maximize heat dissipation, preventing thermal overload during continuous duty.
- **Ingress Protection (IP55):** Sealed terminal box with cable glands protects against dust and water jets in harsh plant environments.
- **Dual Mounting Versatility:** Available in foot-mounted, flange-mounted (B5/B14), and combined configurations for flexible machine integration.

Technical Specifications:

Technical Parameter	Specification Details
Power Rating	Standard models available from fractional to high kW ratings (e.g., 5.5 kW / 7.5 HP featured model).
Voltage & Frequency	380V - 415V, 50 Hz / 60 Hz configurations.
Speed (RPM)	Standard pole configurations (e.g., 1440 RPM 4-pole design).
Insulation & Protection	Class F insulation system with IP55 enclosure protection.
Enclosure Material	Durable cast iron or high-grade aluminium alloy body with precision machined bearing shields.

Applications: Industrial machinery drives, pumps, compressors, fans, conveyor systems, Special Purpose Machines (SPMs), and general manufacturing automation.

Industrial Raw Materials & Metal Scrap Trading

At AptisMech Corporation LLP, we specialize in the reliable supply and professional trading of high-grade industrial metal scrap and raw materials. We ensure seamless sourcing, precision categorization, and transparent transactions designed to keep your industrial production moving forward.



Our Categorized Metal Scrap Streams

Scrap Category	Key Materials & Specifications
MS Scrap (Mild Steel)	Structural Scrap, Cut Pieces, Heavy Machine Scrap, Fabrication Scrap
SS Scrap (Stainless Steel)	SS 304 / 316 Scrap, Sheet & Plate Scrap, Pipe & Tube Scrap, Cutlery Scrap
Aluminium Scrap	Extrusion Scrap, Sheet & Plate Scrap, Cast Aluminium Scrap, Cable & Wire Scrap
Copper Scrap	Copper Wire Scrap, Copper Tube Scrap, Copper Sheet Scrap, Electrical Scrap
Brass Scrap	Brass Rod Scrap, Brass Sheet Scrap, Brass Pipe Scrap, Mixed Brass Scrap