






KICC/11/212/041 css free templates download - 5 × 10 Healet Free Website Template | × () wallpaperflare.com\_wallpaper (1 × + 00 portaliazure.com login - Search X Noverview - Microsoft Azure G ← C storageddk.blob.core.windows.net 📝 🚅 📴 🐞 👛 👰 A ENG ( 4) 1022 AM () USD/CHY -0.24%

















```
2 * IoT Hub Raspberry Pi Nodel5 - Microsoft Sample Code - Copyright (c) 2017 -
        const wpi = require('wiring-pi');
        const Client = require('azure-lot-device').Client;
        const Message = require('azure-iot-device').Message;
        const Protocol = require('azure-iot-device-mqtt').Mqtt;
        const BME280 - require('bme280-sensor');
    10 - const BME280_OPTION = {
          i2cBusNo: 1, // defaults to 1
          12cAddress: BME280.BME280_DEFAULT_I2C_ADDRESS() // defaults to 0x77
   13
   14
        const connectionString ="HostName=rights.azure-devices.net;DeviceId=vivo;Share
       const LEDPin = 4;
   17
       var sendingHessage = false;
       var messageId - 0;
       var client, sensor;
       var blinkLEDTimeout = null;
   Stop
        Reset
Message sent to Azure IoT Hub
Sending message: ["messageId": P4. "deviceId": "Raspberry Pi Web Client", "temperature": 28
Message sent to Azune IoT But
Sending mensage: ("mensageld": 80, "dempiceld": "Rangibercy Fi Web Client", "temperature": 27,
Pessage sent to Azure Iot mun.
```