



# हाफ्किन प्रशिक्षण, संशोधन व चाचणी संस्था

महाराष्ट्र शासन अनुदानित सोसायटीज रजिस्ट्रेशन अॅक्ट १८६० अधिनियमान्वये नोंदणी कृत स्वायत्त संस्था

भारत सरकार, विज्ञान व प्रौद्योगिक मंत्रालय, मान्यताप्राप्त "वैज्ञानिक आणि औद्योगिक संशोधन संस्था"

## Haffkine Institute for Training, Research & Testing

An Autonomous Grant in aid Institute of Govt. of Maharashtra Registered under Societies Registration Act 1860

Recognised as "Scientific & Industrial Research Organisation" (SIRO) by Govt. of India, Ministry of Science & Technology.



Page 1 of 5

### REPORT ON

#### IN-VITRO EVALUATION OF THE ANTI-VIRAL (VIRUCIDAL) EFFICACY OF TABLET (IN SOLUTION) IN MY SAFETY CARD

SUBMITTED

BY

M/s. J. D. SURGICALS

#### TESTED AT

DEPARTMENT OF VIROLOGY

HAFFKINE INSTITUTE FOR TRAINING RESEARCH & TESTING

PAREL, MUMBAI – 400012

REPORT NO.: HI/VIRUCIDAL/004/2021



# हाफ्किन प्रशिक्षण, संशोधन व चाचणी संस्था

महाराष्ट्र शासन अनुदानित सोसायटीज रजिस्ट्रेशन अंकत १८६० अधिनियमान्वये नोंदणी कृत स्वायत्त संस्था

भारत सरकार, विज्ञान व प्रौद्योगिक मंत्रालय, मान्यताप्राप्त "वैज्ञानिक आणि औद्योगिक संशोधन संस्था"

## Haffkine Institute for Training, Research & Testing

An Autonomous Grant in aid Institute of Govt. of Maharashtra Registered under Societies Registration Act 1860

Recognised as "Scientific & Industrial Research Organisation" (SIRO) by Govt. of India, Ministry of Science & Technology.



Page 2 of 5

### IN-VITRO EVALUATION OF THE ANTI-VIRAL (VIRUCIDAL) EFFICACY OF TABLET (IN SOLUTION) IN MY SAFETY CARD

#### 1. SAMPLE DETAILS

**Product Name:** MY SAFETY CARD

Sr. No.	Sample label	Mfg. Date	Batch No.
1.	Chlorine Dioxide generator (Sodium Chlorite, Natural Zeolite)	04/2021	043421

Performed by:	Checked by:	Approved by:
Ms. Chetan Zope Senior Technical Assistant Department of Virology Haffkine Institute	Mr. Pavankumar Todkar Scientific Officer, Department of Virology Haffkine Institute	Dr. Sandeepan Mukherjee Scientific Officer & Head Department of Virology Haffkine Institute

पत्ता : आचार्य दोंदे मार्ग, परळ, मुंबई - ४०० ०१२. दूरध्वनी क्र. ०२२-२४१६०९४७, २४१६०९६१, २४१६०९६२, फॅक्स - ०२२-२४१६१७८७

Address : Acharya Donde Marg, Parel, Mumbai - 400 012. Tel: 022 - 24160947, 24160961, 24160962. Fax : 022 - 24161787

email : haffkineinstitute@gmail.com, info@haffkineinstitute.org, website: www.haffkineinstitute.org



# हाफ्किन प्रशिक्षण, संशोधन व चाचणी संस्था

महाराष्ट्र शासन अनुदानित सोसायटीज रजिस्ट्रेशन अॅक्ट १८६० अधिनियमान्वये नोंदणी कृत स्वायत्त संस्था

भारत सरकार, विज्ञान व प्रौद्योगिक मंत्रालय, मान्यताप्राप्त "वैज्ञानिक आणि औद्योगिक संशोधन संस्था"

## Haffkine Institute for Training, Research & Testing

An Autonomous Grant in aid Institute of Govt. of Maharashtra Registered under Societies Registration Act 1860

Recognised as "Scientific & Industrial Research Organisation" (SIRO) by Govt. of India, Ministry of Science & Technology.



Page 3 of 5

### TEST PROCEDURE

#### 2.1. Sample evaluation conditions

**Virus used:** pH1N1 virus (ATCC-VR-1469)

Sr. No.	Sample code	Contact Time with virus
1.	My Safety Card Tablet (in solution)	30 sec

#### 2.2. Testing of samples against pH1N1 virus (ATCC-VR-1469)

The testing of the sample was carried out in accordance with the EN 14476: 2013 Chemical Disinfectants and Antiseptics - Quantitative Suspension Test for The Evaluation of Virucidal Activity.

One 2 mg tablet from the packet was dissolved in 500 mL of Normal Saline to prepare a stock of 4 ppm. 1 mL of this preparation was incubated with an equal volume of standard virus suspension at 37°C for 30 secs. Subsequently this mix was filtered out through a resin column (Microspin S-400HR) as per manufacturer's instructions. The eluate was used to infect a susceptible cell line (MDCK cells).

Performed by:	Checked by:	Approved by:
 Ms. Chetan Zope Senior Technical Assistant Department of Virology Haffkine Institute	 Mr. Pavankumar Todkar Scientific Officer, Department of Virology Haffkine Institute	 Dr. Sandeepan Mukherjee Scientific Officer & Head Department of Virology Haffkine Institute

पत्ता : आचार्य दोंदे मार्ग, परल, मुंबई - ४०० ०१२. दूरध्वनी क्र. ०२२-२४१६०९४७, २४१६०९६१, २४१६०९६२, फॉक्स - ०२२-२४१६१७८७

Address : Acharya Donde Marg, Parel, Mumbai - 400 012. Tel: 022 - 24160947, 24160961, 24160962. Fax : 022 - 24161787

email : haffkineinstitute@gmail.com, info@haffkineinstitute.org, website: www.haffkineinstitute.org



# हाफ्किन प्रशिक्षण, संशोधन व चाचणी संस्था

महाराष्ट्र शासन अनुदानित सोसायटीज रजिस्ट्रेशन अँकड १८६० अधिनियमान्वये नोंदणी कृत स्वायत्त संस्था

भारत सरकार, विज्ञान व प्रौद्योगिक मंत्रालय, मान्यताप्राप्त "वैज्ञानिक आणि प्रौद्योगिक संशोधन संस्था"

## Haffkine Institute for Training, Research & Testing

An Autonomous Grant in aid Institute of Govt. of Maharashtra Registered under Societies Registration Act 1860

Recognised as "Scientific & Industrial Research Organisation" (SIRO) by Govt. of India, Ministry of Science & Technology.



Page 4 of 5

The infection was carried out in a 96 well plate, keeping 6 replicates for each dilution of the virus. Prior to infection, cell monolayers were washed with serum-free medium and virus was treated with porcine trypsin (10 µg/mL) for 60 mins at 37°C. Activated virus was adsorbed to cells for 60 minutes at 37°C, the inoculum was removed, and the cells were grown in MEM with FBS and suitable virus growth medium. They were maintained at 5% CO<sub>2</sub> at 37°C for a period of 5 days.

On day 5, the medium was removed, Hemagglutination assay was performed to estimate the virus titer. The virus titer was calculated using the Spearman-Karber formula and compared with the control virus titer.

## 2. OBSERVATION

### 3.1. Virucidal efficacy against pH1N1 virus (ATCC-VR-1469)

Sr. No.	Sample	Contact Time	Log (Initial Titer)	Log (Final Titer)	Log Reduction
1	My Safety Card Tablet (in solution)	30 secs	7.8	2.2	5.6

Performed by:	Checked by:	Approved by:
Ms. Chetan Zope Senior Technical Assistant Department of Virology Haffkine Institute	Mr. Pavankumar Todkar Scientific Officer, Department of Virology Haffkine Institute	Dr. Sandeepan Mukherjee Scientific Officer & Head Department of Virology Haffkine Institute



# हाफ्किन प्रशिक्षण, संशोधन व चाचणी संस्था

महाराष्ट्र शासन अनुदानित सोसायटीज रजिस्ट्रेशन अॅक्ट १८६० अधिनियमान्वये नोंदणी कृत स्वायत्त संस्था

भारत सरकार, विज्ञान व प्रौद्योगिक मंत्रालय, मान्यताप्राप्त "वैज्ञानिक आणि औद्योगिक संशोधन संस्था"

## Haffkine Institute for Training, Research & Testing

An Autonomous Grant in aid Institute of Govt. of Maharashtra Registered under Societies Registration Act 1860

Recognised as "Scientific & Industrial Research Organisation" (SIRO) by Govt. of India, Ministry of Science & Technology.



Page 5 of 5

### 3. CONCLUSION

The solution of tablet in My Safety Card submitted by M/s J. D. Surgicals. exhibited 5.6 log reductions (> 99.99 % activity).

### 4. REFERENCES

EN 14476:2013, Chemical Disinfectants and Antiseptics - Quantitative Suspension Test for The Evaluation of Virucidal Activity in The Medical Area - Test Method and Requirements

### DISCLAIMER

This report is issued with an explicit understanding that the data from this report can be considered for extending product claims on virucidal activity of the products tested in the form in which it was tested (in solution). however the report or the name of the Institute would neither be used for the purpose of advertisement nor it would be produced as evidence without prior permission of the undersigned. Further, this report is restricted only to the samples submitted to the Department for evaluation.

.....END OF DOCUMENT.....

Performed by:	Checked by:	Approved by:
Ms. Chetan Zope Senior Technical Assistant Department of Virology Haffkine Institute	Mr. Pavankumar Todkar Scientific Officer, Department of Virology Haffkine Institute	Dr. Sandeepan Mukherjee Scientific Officer & Head Department of Virology Haffkine Institute



# हाफ्किन प्रशिक्षण, संशोधन व चाचणी संस्था

महाराष्ट्र शासन अनुदानित सोसायटीज रजिस्ट्रेशन अँकट १८६० अधिनियमान्वये नोंदपी कृत स्वायत्त संस्था

भारत सरकार, विज्ञान व प्रौद्योगिक मंत्रालय, मान्यताप्राप्त "वैज्ञानिक आणि औद्योगिक संशोधन संस्था"

## Haffkine Institute for Training, Research & Testing

An Autonomous Grant in aid Institute of Govt. of Maharashtra Registered under Societies Registration Act 1860

Recognised as "Scientific & Industrial Research Organisation" (SIRO) by Govt. of India, Ministry of Science & Technology.



Page 1 of 2

### Cytotoxicity assay of MY SAFETY CARD

Submitted by  
M/s. J D Surgical, Palghar, Maharashtra

REPORT No.: HI/VYR/CYTOX/002/2021; Date: 11/01/2021

#### 1. Sample Details

Sr. No.	Product Name	Batch No./Lot No.	Mfg. Date
1	MY SAFETY CARD	018920	Sep 2020

#### 2. Test Procedure

Determination of Cytotoxicity of samples:

Cytotoxicity was evaluated on MDCK cells using a modified MTT-Formazan assay. Briefly, around  $10^4$ - $10^5$  cells were seeded onto 96 well plate containing Minimal Essential Medium with 2% Fetal Bovine Serum (FBS). After reaching confluence the cells were treated with MY SAFETY CARD's active component in the concentrations 10  $\mu\text{g}/\text{mL}$ -0.001  $\mu\text{g}/\text{mL}$  in six replicates each. Untreated cell culture control was parallelly grown. 100  $\mu\text{L}$  of test sample were inoculated and incubated at 37°C under 5 % CO<sub>2</sub> for 72 hours. Post incubation, 100  $\mu\text{L}$  of 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT) at a concentration of 0.5 mg/mL was added to the wells and plate was incubated for 4 hours at 37°C under 5% CO<sub>2</sub>.

The content of the well was gently discarded post incubation, without disturbing cells. Thereafter, 100  $\mu\text{L}$  of Dimethyl Sulphoxide (DMSO) was added to solubilize the formazan crystals. This was incubated for 10 minutes. The plate was then read for absorbance at 570 nm with microplate reader.

Performed by:	Checked by:	Approved by:
Ms. Manjula Jadhav Senior Technical Assistant Department of Virology Haffkine Institute	Mr. Pavankumar Todkar Scientific Officer, Department of Virology Haffkine Institute	Dr. Sandeepan Mukherjee Scientific Officer & Head Department of Virology Haffkine Institute



# हाफ्किन प्रशिक्षण, संशोधन व चाचणी संस्था

महाराष्ट्र शासन अनुदानित सोसायटीज रजिस्ट्रेशन ऑफिस १८६० अधिनियमान्वये नोंदवणी कृत स्वायत्त संस्था

भारत सरकार, विज्ञान व प्रौद्योगिक मंत्रालय, मान्यताप्राप्त "वैज्ञानिक आणि औद्योगिक संशोधन संस्था"

## Haffkine Institute for Training, Research & Testing

An Autonomous Grant in aid Institute of Govt. of Maharashtra Registered under Societies Registration Act 1860

Recognised as "Scientific & Industrial Research Organisation" (SIRO) by Govt. of India, Ministry of Science & Technology.



Page 2 of 2

### 3. Calculation of Median Cytotoxic Concentration (CC50)

CC50 was calculated using non linear regression curve in MS Excel

### 4. Result

The Median Cytotoxic Concentration (CC50) was estimated to be 6 µg/mL


### 5. References

Mossman Tim, Rapid Colorimetric Assay for Cellular Growth and Survival: Application to Proliferation and Cytotoxicity assay, Journal of Immunological Methods, 65(1983), 55-63

### DISCLAIMER

This report is issued with an explicit understanding that the data from this report can be considered for extending product claims on cytotoxic activity of the products tested, however the report or the name of the Institute would neither be used for the purpose of advertisement nor it would be produced as evidence without prior permission of the undersigned. Further, this report is restricted only to the samples submitted to the Department for evaluation.

.....END OF DOCUMENT.....

Performed by:	Checked by:	Approved by:
 11/01/2021	 11/01/21	 11/01/2021
Ms. Manjula Jadhav Senior Technical Assistant Department of Virology Haffkine Institute	Mr. Pavankumar Todkar Scientific Officer Department of Virology Haffkine Institute	Dr. Sandeepan Mukherjee Scientific Officer & Head Department of Virology Haffkine Institute







Central Laboratory: Fourth Floor, Unit No. 1,  
Banking Complex II, Plot No 9 & 10, Sector 19-A,  
Nr. APMC Market 2 , Vashi, Navi Mumbai 400 703. India.

Tel. : +91 22 41239185 / 27831910

Fax : +91 22 27831911

Mob. : +91 98677 91055 / 81690 66785

Email: enquiry@bombaytesthouse.com

bombaytesthouse@gmail.com

CIN : U74900TZ2011PTC017261

Date : 25 July 2020

### TEST REPORT

No. BTH/TR/000157/339/20-21

**M/S. J D Surgical**  
204/133, Sec-4, Evershine City,  
Vasai (E), Palghar 401 208  
Maharashtra

Sample submitted by : Party

Sample      **My Safety Card (48 hour)**

Test Condition:      Environmental Temperature 30±2°C  
Environmental Humidity 60±5% RH

Received by us On : 13 Jul 2020

Area:      Closed Room (Sample-1)

Analysis Started On : 13 Jul 2020

Completed On : 25 Jul 2020

Sr.No	Parameter	Test Method	Results
<b>Microbiology Parameters</b>			
1	Antibacterial Efficacy Test	After installing of sterilization card (48 hour) Test Value as total Bacterial Count, cfu/m³	NIL

Sample      **My Safety Card (48 hours)**

No. BTH/TR/000157/343/20-21

Location:      Environmental Temperature 30±2°C  
Environmental Humidity 60±5% RH

Area:      Closed Room (Sample-2)

Sr.No	Parameter	Test Method	Results
<b>Microbiology Parameters</b>			
1	Antibacterial Efficacy Test	After installing of sterilization card (48 hour) Test Value as total Bacterial Count, cfu/m³	NIL

**Remark:** The Sample Air freshener Sterilization Card has shown the decrease in removal bacterial count by 100% for sample 1 and 2 within 48 hours of exposure with respect to above test only

>>>>>>>>>>>>>>>>>>>>>>>>

<<<<<<<<<<<<<<<<<<<<<<<

End of the test report



Page 1 of 1

Note:1. The test results are to the above submitted sample(s) only. 2. This report cannot be re-produced or used wholly or in part, and cannot be sued as Legal Evidence or for any advertising media without the prior written permission of Bombay Test House Pvt. Ltd. 3. Samples will be retained by us for one month for non-perishable items only. Perishable items will be destroyed after the completion of test. 4. Total liability of our Laboratory is limited to this Invoice amount only. 5. The above tested parameter(s) are not covered under NABL scope.

**BRANCH LABORATORIES : SALEM • VISAKHAPATNAM • BALLARI**

Accurate Impartial & Reliable Services

\* PORT REPRESENTATIVE OFFICES : MUMBAI • JNPT • CHENNAI • TUTICORIN • VIZAG • K'PATNAM • KHANDLA • MUNDRA • HALDIA • PARADEEP • GOA • MANGALORE • COCHIN \*



**Central Laboratory:** Fourth Floor, Unit No. 1,  
Banking Complex II, Plot No 9 & 10, Sector 19-A,  
N.P. APMC Market 2 , Vashi, Navi Mumbai 400 703, India.

Tel. : +91 22 41239185 / 27831910 Email: [enquiry@bombaytesthouse.com](mailto:enquiry@bombaytesthouse.com)  
Fax : +91 22 27831911 [bombaytesthouse@gmail.com](mailto:bombaytesthouse@gmail.com)  
Mob. : +91 98677 97055 / 81690 66785 CIN : U74900TZ2011PTC017261

Date : 14 August 2020

TEST REPORT

No. BTH/TR/000279/553/20-21

**M/S. J D Surgical**  
204/133, Sec-4, Evershine City,  
Vasai (E), Palghar 401 208  
Maharashtra

Sample submitted by : Party

**Sample My Safety Card (21 Days)**

Test Condition: Environmental Temperature 30±2°C  
Environmental Humidity 60±5% RH  
Area: Closed Room (Sample 1)

Analysis Started On : 13 Jul 2020

Closed Room (Sample-1)		Completed On : 13 Aug 2020	
Sr.No	Parameter	Test Method	Results
<b>Microbiology Parameters</b>			
1	Antibacterial Efficacy Test	After installing of sterilization card (21 Days) Test Value as total Bacterial Count, cfu/m <sup>3</sup>	NIL

**Sample My Safety Card (30 Days)**

No. BTH/TR/000279/554/20-21

Location: Environmental Temperature  $30 \pm 2^\circ\text{C}$   
Environmental Humidity  $60 \pm 5\%$  RH  
Area: Closed Room (Sample-1)

Sr.No	Parameter	Test Method	Results
<b>Microbiology Parameters</b>			
1	Antibacterial Efficacy Test	After installing of sterilization card (30 Days) Test Value as total Bacterial Count, cfu/m <sup>3</sup>	NIL

**Remark:** The Sample My Safety Card Air freshener Sterilization Card has shown the removal bacterial count by 100% for 21days and 30days of exposure with respect to above test only.



For Bombay Test House Pvt. Ltd.

Page 1 of 1

 Authorised Signatory

Note:1. The test results are to the above submitted sample(s) only. 2. This report cannot be re-produced or used wholly or in part, and cannot be sued as Legal Evidence or for any advertising media without the prior written permission of Bombay Test House Pvt. Ltd. 3. Samples will be retained by us for one month for non-perishable items only. Perishable items will be destroyed after the completion of test. 4. Total liability of our Laboratory is limited to this Invoice amount only. 5. The above tested parameter(s) are not covered under NABL scope.

**BRANCH LABORATORIES : SALEM • VISAKHAPATNAM • BALLARI**

**Accurate Impartial & Reliable Services**

\* PORT REPRESENTATIVE OFFICES : MUMBAI • JNPT • CHENNAI • TUTICORIN • VIZAG • K'PATNAM • KHANDLA • MUNDRA • HALDIA • PARADEEP • GOA • MANGALORE • COCHIN \*



# Certificate of Registration



This is to certify that the  
**Quality Management System**  
of  
**J D SURGICAL**

at

**204/133 , Sec-4 , Evershine city Vasai (E) Palghar 401208 , Maharashtra**

has been independently assessed and is  
compliant with the requirements of:

## **ISO 9001:2015**

For the following scope of activities:

**Manufacturing of My Safety Card to prevent from bacteria and viruses  
in Air**

**Certificate Number: UQ-2020061911**

**Validity of this certificate can be verified at [www.eurocertverify.com](http://www.eurocertverify.com)**

Date of Certification	18th June 2020
1 <sup>st</sup> Surveillance Audit Due	17th June 2021
2 <sup>nd</sup> Surveillance Audit Due	17th June 2022
Certificate Expiry (subject to the company maintaining its system to the required standard)	17th June 2023

  
Authorised Signatory



This certificate is the property of Eurocert Inspection Limited and shall be returned immediately on request.  
International House, 10 Churchill Way, Cardiff, United Kingdom, CF10 2HE  
Website:- [www.eurocertverify.com](http://www.eurocertverify.com), Email:- [info@eurocertverify.com](mailto:info@eurocertverify.com)  
Company No. 11956886

# Certificate of Registration



This is to certify that the

Quality Management System for Medical Devices

of

**J D SURGICAL**

at

**204/133 , Sec-4 , Evershine city Vasai (E) Palghar 401208 , Maharashtra**

has been independently assessed and is

compliant with the requirements of:

**ISO 13485:2016**

For the following scope of activities:

**Manufacturing of My Safety Card to prevent from bacteria and viruses  
in Air**

**Certificate Number: UQ-2020061912**

Validity of this certificate can be verified at [www.eurocertverify.com](http://www.eurocertverify.com)

Date of Certification	18th June 2020
1 <sup>st</sup> Surveillance Audit Due	17th June 2021
2 <sup>nd</sup> Surveillance Audit Due	17th June 2022
Certificate Expiry (subject to the company maintaining its system to the required standard)	17th June 2023

  
Authorised Signatory



This certificate is the property of Eurocert Inspection Limited and shall be returned immediately on request.  
International House, 10 Churchill Way, Cardiff, United Kingdom, CF10 2HE  
Website:- [www.eurocertverify.com](http://www.eurocertverify.com), Email:- [info@eurocertverify.com](mailto:info@eurocertverify.com)  
Company No. 11956886

# Certificate of Compliance



This is to certify that the

## J D SURGICAL

at

204/133 , Sec-4 , Evershine city Vasai (E) Palghar 401208 ,  
Maharashtra

has been assessed and found working satisfactorily as per the norms of

# FDA

**Scope: Manufacturing of My Safety Card to prevent from bacteria and viruses in Air**

**Certificate Number: UQ-2020061913**

This certificate is issued under the following conditions:

1. It applies only to the quality system maintained in the manufacture of above referenced scope / activities.
2. The certificate remains valid until the manufacturing conditions or the quality systems are changed and is subject to continuous surveillance according to the FDA Guidelines
3. The certificate validity is conditioned by positive results or surveillance audits

**Validity of this certificate can be verified at [www.eurocertverify.com](http://www.eurocertverify.com)**

Date of Certification	18th June 2020
1 <sup>st</sup> Surveillance Audit Due	17th June 2021
2 <sup>nd</sup> Surveillance Audit Due	17th June 2022
Certificate Expiry (subject to the company maintaining its system to the required standard)	17th June 2023

Authorised Signatory



This certificate is the property of Eurocert Inspection Limited and shall be returned immediately on request.  
International House, 10 Churchill Way, Cardiff, United Kingdom, CF10 2HE  
Website:- [www.eurocertverify.com](http://www.eurocertverify.com), Email:- [info@eurocertverify.com](mailto:info@eurocertverify.com)  
Company No. 11956886

# Certificate of Compliance



We hereby declare that the technical files of all the items in each product group complies with the requirements of the Council Directive on Medical Devices 93/42/EEC as Amended 2007/47/EC Class I.

**Certificate No.: CE-1137-EU**

**Manufacturer : J D SURGICAL**

**Address : 204/133 , Sec-4 , Evershine city Vasai (E) Palghar 401208 , Maharashtra**

**Products : My Safety Card to prevent from bacteria and viruses in Air**

**Complies with the requirements applicable to it**

The quality system file has been assessed, approved and is subject to continuous surveillance according to the Council Directive on Medical Devices 93/42/EEC as Amended 2007/47/EC Class I.

**This certificate is issued under the following conditions:**

1. It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design or type-examination procedures, if requested.
2. The certificate remains valid until the manufacturing conditions or quality systems are changed.
3. The certificate validity is conditioned by positive results or surveillance audits.

The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of conformity and compliance with all relevant EC Directives. The statement is based on a evaluation of test report of one sample of above mentioned product. It does not imply an assessment of the whole production.

**Validity of this certificate can be verified at [www.eurocertverify.com](http://www.eurocertverify.com)**

<b>Date of Certification</b>	<b>18th June 2020</b>
<b>1<sup>st</sup> Surveillance Audit Due</b>	<b>17th June 2021</b>
<b>2<sup>nd</sup> Surveillance Audit Due</b>	<b>17th June 2022</b>
<b>Certificate Expiry (subject to the company maintaining its system to the required standard)</b>	<b>17th June 2023</b>

**Authorised Signatory**



This certificate is the property of Eurocert Inspection Limited and shall be returned immediately on request.

International House, 10 Churchill Way, Cardiff, United Kingdom, CF10 2HE

Website:- [www.eurocertverify.com](http://www.eurocertverify.com), Email:- [info@eurocertverify.com](mailto:info@eurocertverify.com)

Company No. 11956886

# Certificate of Compliance



This is to certify that the

## J D SURGICAL

at

204/133 , Sec-4 , Evershine city Vasai (E) Palghar 401208,  
Maharashtra

has been assessed and found working satisfactorily as per the norms of

## Good Manufacturing Practice (GMP) System

For the following scope of activities: applied to its products

**Manufacturing of My Safety Card to prevent from bacteria and  
viruses in Air**

**Certificate Number: UQ-2020061914**

Validity of this certificate can be verified at [www.eurocertverify.com](http://www.eurocertverify.com)

Date of Certification	18th June 2020
1 <sup>st</sup> Surveillance Audit Due	17th June 2021
2 <sup>nd</sup> Surveillance Audit Due	17th June 2022
Certificate Expiry (subject to the company maintaining its system to the required standard)	17th June 2023

Authorised Signatory



This certificate is the property of Eurocert Inspection Limited and shall be returned immediately on request.

International House, 10 Churchill Way, Cardiff, United Kingdom, CF10 2HE

Website:- [www.eurocertverify.com](http://www.eurocertverify.com), Email:- [info@eurocertverify.com](mailto:info@eurocertverify.com)

Company No. 11956886

**Controller General of Patents, Designs & Trade Marks**  
**S.M.Road, Antop Hill, Mumbai-400037**  
**Tel No. (091)(022) 241377010, 24141026 Fax No. 022 26130387**  
**E-mail: mumbai-patent@nic.in**  
**Web Site: www.ipindia.gov.in**



**Docket No 15714**

**Date/Time** 2021/03/22  
14:29:38

**Vivek Singh Sagacious Research,  
Plot No. B7/B8, Sector 32, Echelon  
Institutional Area, Gurgaon,  
Haryana - 122001**

Sr. No.	Ref. No./Application No.	App. Number	Amount Paid	C.B.R. No.	Form Name	Fee Payment	Remarks
1	E-2/469/2021/MUM	202021029301	0	-	FORM 2	Full	ONLINE

**Total Amount : ₹ 0**

**Amount in Words: Rupees Only**

[Print](#)

[Home](#)

[About Us](#)

[Contact Us](#)

06/09/2020

Examination Report

GOVERNMENT OF INDIA  
TRADE MARKS REGISTRY



LOCATION:  
SECTION: EXM  
REPORT: EXM007

WORD MARK SEARCH REPORT  
APPLICATION NUMBER: 4593503  
Class : ---  
TRADEMARK: 'MY SAFETY CARD'

USER : HIP  
PAGE:1  
DATE: 25/08/2020

APPL NO	CLASS	CONFLICTING MARK	JOURNAL No	PROPRIETOR NAME	PROPRIETOR ADDRESS	STATUS	TM IMAGE
GOODS SERVICES							

HIMALI S PATIL  
For REGISTRAR OF TRADE MARKS

Exit  Print

06/09/2020

Examination Report

No: TMR/MUMBAI/EXM/2020/



ભારત સરકાર /GOVERNMENT OF INDIA

ચ્યાપાર વિનહ રજિસ્ટ્રેશન /TRADE MARKS REGISTRY

ચ્યાપાર વિનહ છાલ્યા બોલ્ડિન અન્ધકા મંગ ક્રીક્ટર હિલ કાળચર કે ખાલ્ય મે  
એન એમ પેન્ડ ક્રીક્ટર હિલ ગુમણ - 400037

Trade Marks Division Intellectual Property Bhavan, Beside Antop Hill Post Office,  
S.M. Road, Antop Hill, Mumbai -400037



From : The Registrar of Trade Marks, MUMBAI

Date: 29/08/2020 22:16:45

To,

**SUBHAJIT DEY**

**FASTINFO LEGAL SERVICES PRIVATE LIMITED GE 115, Rajdanga Main Rd, near Ruby, Sector G, Kasba,  
Kolkata, West Bengal 700107**

Application No: 4593503 in Class/Classes : 5

In the name of M/s: RAHUL DILIP PANCHAL, PROPRIETOR OF J D SURGICAL

Gentlemen/Madam,

The above mentioned application has been examined under the provisions of Trade Mark Act,1999 and Trade Mark Rules,2002 and the trade mark applied for is open to objection under the following sections :

1. The objection is raised under S 9(1) (a) of the Trade Marks Act 1999, as the mark is non-distinctive and as such it is not capable of distinguishing the goods of one person from those of others.

Hence, the above application is liable to be refused. Accordingly, you are requested to submit your response/submissions, if any, along-with supporting documents, with in One Month from the date of receipt of this Examination Report or you may apply for a hearing.

Please Note that if no reply is received or a request for a hearing is applied for within the above mentioned stipulated time ,the said application shall be treated to have been abandoned for lack of prosecution under Section 132 of the Trade Marks Act,1999 and there after the status of application in the computer database shall reflect the factual position

Note:The reply should be submitted online through Comprehensive eFiling services or through email at [parm.tmr@nic.in](mailto:parm.tmr@nic.in). With the subject as REPLY TO EXAMINATION REPORT.

Yours faithfully,

HIMALI S PATIL

For Registrar of Trade Marks

## Search Report