Punctical list 2

	Date/_/
Q.1	what does (Chackelash) character
	indicates?
	Limbert Library Constant
→	It is a social abountou also called
	110 0 0 0 0 0 0 0 0 0
	to eleverating electron with
	space character.
	1 1 100.0
Q·2	Give Example of if control flow
₹~ A	Atatemonia
uel	is the Jones also see seem and the
\rightarrow	If statement: it progresses no
	D. C WILLY
	* If the number is positive, we print
	an apperopriate message
	an appropriate training.
4	num = 3 : 0 == mun file
	(" auss") tried
("	if num > 0: print ("positive number")
(trans	of Its else statement ignored ovin 8-6
LUNN	A chicke mumber is positive ou not
	V V
	num = 3 divel or of
	If num >= 0: x tring

	Principal List 2
	Saathi
19,1	Date/_/_
1	puint (" positive or Zero")
	5 13 to 1 to 1 to 1
	print ("Negative number")
in ()	ma must interpreted their on all AT 4.
day	the totale character It is
-	Silve nichura entrape of
	python if elif else statement
	13.00
-	In this program,
	lace disch it much been it positive
-	we check if number is positive or
	negative of ou zeus and display an appropriate menage ""
	appropriate recording
-	num = 3.4
+	
	A I the number is peatitive use it
	if mum > O is required.
	print ("positive")
	elit num == 0: &- mum
	point (" zero")
	else: :0< mun 7!
	("vednurpuinteg ("Negative number")
9.3	Crive Example of four loop statement?
→	tenfermits = () apple " banana ", "cherry"
	for n in fruit :- mur
	V
	point (n) 0 -5 min 1-

S-164	
4	Date_/_/_
G.4	what is used to define a block of code in python?
	code in python?
\rightarrow	Python uses indentation. A code block stauts with indentation and ends with the first unindented line.
	block stauts with indentation and
	ends with the fillst animoge
	1 June
9.5	rehat is used to take input from
	the tiste or pro
→	Python uses built in function rame
	ALL TO THE STATE OF THE STATE O
	as a string and can be arrived
	to a variable.