

```

mysql> create database UTU;
Query OK, 1 row affected (0.11 sec)

mysql>
mysql> use UTU;
Database changed
mysql>
mysql> create table tblDealer(
    -> DCODE int primary key,
    -> DNAME varchar(50) not null);
Query OK, 0 rows affected (0.44 sec)

mysql>
mysql> desc tblDealer;
+-----+-----+-----+-----+-----+-----+
| Field | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| DCODE | int(11)       | NO   | PRI | NULL    |       |
| DNAME | varchar(50)   | NO   |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.06 sec)

mysql>
mysql> insert into tblDealer values (101,'Reliable
Stationers');
Query OK, 1 row affected (0.05 sec)

mysql> insert into tblDealer values (102,'Classic Plastics');
Query OK, 1 row affected (0.13 sec)

mysql> insert into tblDealer values (103,'Clear Deals');
Query OK, 1 row affected (0.10 sec)

mysql> insert into tblDealer values (104,'Krishna Cosmetik');
Query OK, 1 row affected (0.06 sec)

mysql> insert into tblDealer values (105,'Surbhi Collection');
Query OK, 1 row affected (0.04 sec)

mysql>
mysql> select*from tblDealer;
+-----+-----+
| DCODE | DNAME          |
+-----+-----+
| 101   | Reliable Stationers |
| 102   | Classic Plastics   |
| 103   | Clear Deals        |
| 104   | Krishna Cosmetik   |
| 105   | Surbhi Collection  |
+-----+-----+
5 rows in set (0.00 sec)

mysql>
mysql> create table tblItem(
    -> ID varchar (15) primary key,
    -> NAME varchar (25) not null,
    -> MANUFACTURER varchar (20) not null,

```

```

    -> PRICE float(6,2) not null,
    -> QTY decimal not null,
    -> STOCKDATE date not null,
    -> DCODE int references tblDealer (DCODE));
Query OK, 0 rows affected (0.45 sec)

```

```

mysql>
mysql> desc tblItem;

```

```

+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| ID             | varchar(15)   | NO   | PRI | NULL     |       |
| NAME           | varchar(25)   | NO   |     | NULL     |       |
| MANUFACTURER   | varchar(20)   | NO   |     | NULL     |       |
| PRICE          | float(6,2)    | NO   |     | NULL     |       |
| QTY            | decimal(10,0) | NO   |     | NULL     |       |
| STOCKDATE      | date          | NO   |     | NULL     |       |
| DCODE          | int(11)       | YES  |     | NULL     |       |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.04 sec)

```

```

mysql>
mysql> insert into tblItem values ('TP01','Talcom
Powder','Persona',40,45,'18-02-11',104);
Query OK, 1 row affected (0.05 sec)

```

```

mysql> insert into tblItem values ('FW05','Face
Wash','Attitude',45,55,'18-04-15',105);
Query OK, 1 row affected (0.07 sec)

```

```

mysql> insert into tblItem values ('BS01','Bath
Soap','Persona',55,80,'18-02-11',104);
Query OK, 1 row affected (0.05 sec)

```

```

mysql> insert into tblItem values
('SH06','Shampoo','Patanjali',12,50,'17-01-05',105);
Query OK, 1 row affected (0.05 sec)

```

```

mysql> insert into tblItem values ('FW12','Face
Wash','Loreal',95,45,'16-01-05',105);
Query OK, 1 row affected (0.05 sec)

```

```

mysql> insert into tblItem values ('S5005','Ball Pen
0.5','Nataraj Classic',16,100,'10-03-31',102);
Query OK, 1 row affected (0.06 sec)

```

```
mysql> insert into tblItem values ('S5003','Ball Pen
0.25','Nataraj Classic',20,150,'10-01-01',102);
Query OK, 1 row affected (0.10 sec)
```

```
mysql> insert into tblItem values ('S5002','Gel Pen
Premium','Pilot Juice',14,125,'10-02-14',101);
Query OK, 1 row affected (0.06 sec)
```

```
mysql> insert into tblItem values ('S5006','Gel Pen
Classic','Pilot Juice',22,200,'10-01-01',101);
Query OK, 1 row affected (0.05 sec)
```

```
mysql> insert into tblItem values ('S5001','Eraser
Small','Apsara',15,210,'09-03-19',102);
Query OK, 1 row affected (0.07 sec)
```

```
mysql> insert into tblItem values ('S5004','Eraser
Big','Apsara',10,60,'09-12-12',102);
Query OK, 1 row affected (0.07 sec)
```

```
mysql> insert into tblItem values ('S5009','Sharper
Classic','Nataraj Classic',18,160,'09-01-23',103);
Query OK, 1 row affected (0.07 sec)
```

```
mysql>
```

```
mysql> select * from tblItem;
```

```
+-----+-----+-----+-----+-----+-----+
| ID      | NAME                | MANUFACTURER      | PRICE | QTY |
STOCKDATE | DCODE |
+-----+-----+-----+-----+-----+-----+
| BS01    | Bath Soap           | Persona            | 55.00 | 80 |
2018-02-11 | 104 |
| FW05    | Face Wash           | Attitude           | 45.00 | 55 |
2018-04-15 | 105 |
| FW12    | Face Wash           | Loreal              | 95.00 | 45 |
2016-01-05 | 105 |
| S5001   | Eraser Small        | Apsara              | 15.00 | 210 |
2009-03-19 | 102 |
| S5002   | Gel Pen Premium     | Pilot Juice         | 14.00 | 125 |
2010-02-14 | 101 |
| S5003   | Ball Pen 0.25       | Nataraj Classic    | 20.00 | 150 |
2010-01-01 | 102 |
| S5004   | Eraser Big          | Apsara              | 10.00 | 60 |
2009-12-12 | 102 |
| S5005   | Ball Pen 0.5        | Nataraj Classic    | 16.00 | 100 |
2010-03-31 | 102 |
| S5006   | Gel Pen Classic     | Pilot Juice         | 22.00 | 200 |
2010-01-01 | 101 |
| S5009   | Sharper Classic     | Nataraj Classic    | 18.00 | 160 |
2009-01-23 | 103 |
| SH06    | Shampoo             | Patanjali           | 12.00 | 50 |
2017-01-05 | 105 |
| TP01    | Talcom Powder       | Persona             | 40.00 | 45 |
2018-02-11 | 104 |
+-----+-----+-----+-----+-----+-----+
```

```

-----+-----+
12 rows in set (0.00 sec)

mysql>
mysql> create table tblClient(
    -> ID int primary key,
    -> FNAME varchar(20) not null,
    -> CITY varchar(15) not null,
    -> ITEMID varchar(15) references tblItem(ID));
Query OK, 0 rows affected (0.36 sec)

mysql>
mysql> desc tblClient;
+-----+-----+-----+-----+-----+-----+
| Field | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| ID    | int(11)       | NO   | PRI | NULL    |       |
| FNAME | varchar(20)   | NO   |     | NULL    |       |
| CITY  | varchar(15)   | NO   |     | NULL    |       |
| ITEMID | varchar(15)   | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.01 sec)

mysql>
mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values
(01,'Krishna','Surat','FW05');
Query OK, 1 row affected (0.12 sec)

mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values
(06,'Nayan','Navsari','s5009');
Query OK, 1 row affected (0.12 sec)

mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values
(12,'Aesha','Surat','SH06');
Query OK, 1 row affected (0.09 sec)

mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values
(15,'Krunal','Navsari','S5005');
Query OK, 1 row affected (0.07 sec)

mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values
(16,'Dhruvin','Vapi','TP01');
Query OK, 1 row affected (0.06 sec)

mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values
(20,'Dhvani','Bardoli','BS01');
Query OK, 1 row affected (0.06 sec)

mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values
(24,'Drashti','Valsad','FW12');
Query OK, 1 row affected (0.06 sec)

mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values
(25,'Manan','Surat','S5003');
Query OK, 1 row affected (0.07 sec)

mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values

```

```

(30,'Shyam','Bardoli','FW05');
Query OK, 1 row affected (0.06 sec)

mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values
(31,'Bhavik','Surat','FW12');
Query OK, 1 row affected (0.06 sec)

mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values
(35,'Naman','Mumbai','S5009');
Query OK, 1 row affected (0.05 sec)

mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values
(36,'Urja','Baroda','S5003');
Query OK, 1 row affected (0.11 sec)

mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values
(42,'Raj','Valsad','BS01');
Query OK, 1 row affected (0.14 sec)

mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values
(43,'Kush','Baroda','S5006');
Query OK, 1 row affected (0.10 sec)

mysql> insert into tblClient(ID,FNAME,CITY,ITEMID) values
(45,'Shrey','Anand','TP01');
Query OK, 1 row affected (0.07 sec)

mysql>
mysql> select*from tblClient;
+----+-----+-----+-----+
| ID | FNAME   | CITY    | ITEMID |
+----+-----+-----+-----+
| 1  | Krishna | Surat   | FW05   |
| 6  | Nayan   | Navsari | s5009   |
| 12 | Aesha   | Surat   | SH06   |
| 15 | Krunal  | Navsari | S5005   |
| 16 | Dhruvin | Vapi    | TP01   |
| 20 | Dhvani  | Bardoli | BS01   |
| 24 | Drashti | Valsad  | FW12   |
| 25 | Manan   | Surat   | S5003   |
| 30 | Shyam   | Bardoli | FW05   |
| 31 | Bhavik  | Surat   | FW12   |
| 35 | Naman   | Mumbai  | S5009   |
| 36 | Urja    | Baroda  | S5003   |
| 42 | Raj     | Valsad  | BS01   |
| 43 | Kush    | Baroda  | S5006   |
| 45 | Shrey   | Anand   | TP01   |
+----+-----+-----+-----+
15 rows in set (0.00 sec)

mysql>
mysql> select NAME,PRICE,MANUFACTURER from tblItem where
MANUFACTURER='Persona';
+-----+-----+-----+
| NAME           | PRICE | MANUFACTURER |
+-----+-----+-----+
| Bath Soap     | 55.00 | Persona      |

```

Talcom Powder	40.00	Persona
---------------	-------	---------

2 rows in set (0.00 sec)

```
mysql>
mysql> select count(distinct(MANUFACTURER)) from tblItem;
```

count(distinct(MANUFACTURER))	7
-------------------------------	---

1 row in set (0.00 sec)

```
mysql> select*from tblClient where FNAME like('Dh%');
```

ID	FNAME	CITY	ITEMID
16	Dhruvin	Vapi	TP01
20	Dhvani	Bardoli	BS01

2 rows in set (0.00 sec)

```
mysql>
mysql> select*from tblItem where NAME in('Ball Pen 0.5','Ball Pen 0.25','Gel Pen Premium','Gel Pen Classic');
```

ID	NAME	MANUFACTURER	PRICE	QTY	STOCKDATE	DCODE
S5002	Gel Pen Premium	Pilot Juice	14.00	125	2010-02-14	101
S5003	Ball Pen 0.25	Nataraj Classic	20.00	150	2010-01-01	102
S5005	Ball Pen 0.5	Nataraj Classic	16.00	100	2010-03-31	102
S5006	Gel Pen Classic	Pilot Juice	22.00	200	2010-01-01	101

4 rows in set (0.00 sec)

```
mysql>
mysql> select NAME,PRICE,QTY from tblItem where PRICE>80;
```

NAME	PRICE	QTY
Face Wash	95.00	45

1 row in set (0.00 sec)

```
mysql>
mysql> select NAME,PRICE from tblItem where PRICE<=20;
```

NAME	PRICE
------	-------

Eraser Small	15.00	
Gel Pen Premium	14.00	
Ball Pen 0.25	20.00	
Eraser Big	10.00	
Ball Pen 0.5	16.00	
Sharper Classic	18.00	
Shampoo	12.00	

+-----+-----+

7 rows in set (0.00 sec)

mysql>

mysql> select*from tblItem where DCODE=102 or QTY>100;

+-----+-----+-----+-----+-----+-----+

-----+-----+

ID	NAME	MANUFACTURER	PRICE	QTY	
STOCKDATE	DCODE				

+-----+-----+-----+-----+-----+-----+

-----+-----+

S5001	Eraser Small	Apsara	15.00	210	
2009-03-19	102				

S5002	Gel Pen Premium	Pilot Juice	14.00	125	
2010-02-14	101				

S5003	Ball Pen 0.25	Nataraj Classic	20.00	150	
2010-01-01	102				

S5004	Eraser Big	Apsara	10.00	60	
2009-12-12	102				

S5005	Ball Pen 0.5	Nataraj Classic	16.00	100	
2010-03-31	102				

S5006	Gel Pen Classic	Pilot Juice	22.00	200	
2010-01-01	101				

S5009	Sharper Classic	Nataraj Classic	18.00	160	
2009-01-23	103				

+-----+-----+-----+-----+-----+-----+

-----+-----+

7 rows in set (0.00 sec)

mysql>

mysql> select*from tblItem where DCODE=102 and QTY>100;

+-----+-----+-----+-----+-----+-----+

-----+-----+

ID	NAME	MANUFACTURER	PRICE	QTY	
STOCKDATE	DCODE				

+-----+-----+-----+-----+-----+-----+

-----+-----+

S5001	Eraser Small	Apsara	15.00	210	
2009-03-19	102				

S5003	Ball Pen 0.25	Nataraj Classic	20.00	150	
2010-01-01	102				

+-----+-----+-----+-----+-----+-----+

-----+-----+

2 rows in set (0.00 sec)

mysql>

mysql> select * from tblItem where QTY between 50 and 100;

+-----+-----+-----+-----+-----+-----+

-----+-----+

ID	NAME	MANUFACTURER	PRICE	QTY	
----	------	--------------	-------	-----	--

```

STOCKDATE | DCODE |
+-----+-----+-----+-----+-----+-----+
-----+-----+
| BS01 | Bath Soap | Persona | 55.00 | 80 |
2018-02-11 | 104 |
| FW05 | Face Wash | Attitude | 45.00 | 55 |
2018-04-15 | 105 |
| S5004 | Eraser Big | Apsara | 10.00 | 60 |
2009-12-12 | 102 |
| S5005 | Ball Pen 0.5 | Nataraj Classic | 16.00 | 100 |
2010-03-31 | 102 |
| SH06 | Shampoo | Patanjali | 12.00 | 50 |
2017-01-05 | 105 |
+-----+-----+-----+-----+-----+-----+
-----+-----+
5 rows in set (0.00 sec)

```

```

mysql>
mysql> update tblItem set PRICE=PRICE+10;
Query OK, 12 rows affected (0.26 sec)
Rows matched: 12 Changed: 12 Warnings: 0

```

```

mysql>
mysql> select*from tblItem;
+-----+-----+-----+-----+-----+-----+
-----+-----+
| ID | NAME | MANUFACTURER | PRICE | QTY |
STOCKDATE | DCODE |
+-----+-----+-----+-----+-----+-----+
-----+-----+
| BS01 | Bath Soap | Persona | 65.00 | 80 |
2018-02-11 | 104 |
| FW05 | Face Wash | Attitude | 55.00 | 55 |
2018-04-15 | 105 |
| FW12 | Face Wash | Loreal | 105.00 | 45 |
2016-01-05 | 105 |
| S5001 | Eraser Small | Apsara | 25.00 | 210 |
2009-03-19 | 102 |
| S5002 | Gel Pen Premium | Pilot Juice | 24.00 | 125 |
2010-02-14 | 101 |
| S5003 | Ball Pen 0.25 | Nataraj Classic | 30.00 | 150 |
2010-01-01 | 102 |
| S5004 | Eraser Big | Apsara | 20.00 | 60 |
2009-12-12 | 102 |
| S5005 | Ball Pen 0.5 | Nataraj Classic | 26.00 | 100 |
2010-03-31 | 102 |
| S5006 | Gel Pen Classic | Pilot Juice | 32.00 | 200 |
2010-01-01 | 101 |
| S5009 | Sharper Classic | Nataraj Classic | 28.00 | 160 |
2009-01-23 | 103 |
| SH06 | Shampoo | Patanjali | 22.00 | 50 |
2017-01-05 | 105 |
| TP01 | Talcom Powder | Persona | 50.00 | 45 |
2018-02-11 | 104 |
+-----+-----+-----+-----+-----+-----+
-----+-----+
12 rows in set (0.00 sec)

```



```
mysql>
mysql> update tblItem set QTY=QTY-30;
Query OK, 12 rows affected (0.06 sec)
Rows matched: 12  Changed: 12  Warnings: 0
```

```
mysql>
mysql> select*from tblItem;
+-----+-----+-----+-----+-----+
| ID      | NAME                | MANUFACTURER    | PRICE  | QTY  |
STOCKDATE | DCODE              |
+-----+-----+-----+-----+-----+
| BS01    | Bath Soap           | Persona          | 65.00  | 50   |
2018-02-11 | 104                |
| FW05    | Face Wash           | Attitude         | 55.00  | 25   |
2018-04-15 | 105                |
| FW12    | Face Wash           | Loreal           | 105.00 | 15   |
2016-01-05 | 105                |
| S5001   | Eraser Small        | Apsara           | 25.00  | 180  |
2009-03-19 | 102                |
| S5002   | Gel Pen Premium     | Pilot Juice      | 24.00  | 95   |
2010-02-14 | 101                |
| S5003   | Ball Pen 0.25       | Nataraj Classic  | 30.00  | 120  |
2010-01-01 | 102                |
| S5004   | Eraser Big          | Apsara           | 20.00  | 30   |
2009-12-12 | 102                |
| S5005   | Ball Pen 0.5        | Nataraj Classic  | 26.00  | 70   |
2010-03-31 | 102                |
| S5006   | Gel Pen Classic     | Pilot Juice      | 32.00  | 170  |
2010-01-01 | 101                |
| S5009   | Sharper Classic     | Nataraj Classic  | 28.00  | 130  |
2009-01-23 | 103                |
| SH06    | Shampoo             | Patanjali        | 22.00  | 20   |
2017-01-05 | 105                |
| TP01    | Talcom Powder       | Persona          | 50.00  | 15   |
2018-02-11 | 104                |
+-----+-----+-----+-----+-----+
12 rows in set (0.00 sec)
```

```
mysql>
mysql> update tblItem set PRICE=PRICE+(PRICE*15)/100;
Query OK, 12 rows affected (0.07 sec)
Rows matched: 12  Changed: 12  Warnings: 0
```

```
mysql>
mysql> select*from tblItem;
+-----+-----+-----+-----+-----+
| ID      | NAME                | MANUFACTURER    | PRICE  | QTY  |
STOCKDATE | DCODE              |
+-----+-----+-----+-----+-----+
| BS01    | Bath Soap           | Persona          | 74.75  | 50   |
2018-02-11 | 104                |
```

FW05	Face Wash	Attitude	63.25	25
2018-04-15	105			
FW12	Face Wash	Loreal	120.75	15
2016-01-05	105			
S5001	Eraser Small	Apsara	28.75	180
2009-03-19	102			
S5002	Gel Pen Premium	Pilot Juice	27.60	95
2010-02-14	101			
S5003	Ball Pen 0.25	Nataraj Classic	34.50	120
2010-01-01	102			
S5004	Eraser Big	Apsara	23.00	30
2009-12-12	102			
S5005	Ball Pen 0.5	Nataraj Classic	29.90	70
2010-03-31	102			
S5006	Gel Pen Classic	Pilot Juice	36.80	170
2010-01-01	101			
S5009	Sharper Classic	Nataraj Classic	32.20	130
2009-01-23	103			
SH06	Shampoo	Patanjali	25.30	20
2017-01-05	105			
TP01	Talcom Powder	Persona	57.50	15
2018-02-11	104			

12 rows in set (0.00 sec)

```
mysql>
mysql> select max(PRICE),min(PRICE) from tblItem;
```

max(PRICE)	min(PRICE)
120.75	23.00

1 row in set (0.00 sec)

```
mysql>
mysql> select avg(PRICE) from tblItem;
```

avg(PRICE)
46.191667

1 row in set (0.00 sec)

```
mysql>
mysql> select sum(PRICE),sum(PRICE)/12 from tblItem;
```

sum(PRICE)	sum(PRICE)/12
554.30	46.191667

1 row in set (0.00 sec)

```
mysql>
mysql> select concat(NAME,'Price is',' ',PRICE)from tblItem;
```

concat(NAME,'Price is',' ',PRICE)

```

+-----+
| Bath SoapPrice is 74.75 |
| Face WashPrice is 63.25 |
| Face WashPrice is 120.75 |
| Eraser SmallPrice is 28.75 |
| Gel Pen PremiumPrice is 27.60 |
| Ball Pen 0.25Price is 34.50 |
| Eraser BigPrice is 23.00 |
| Ball Pen 0.5Price is 29.90 |
| Gel Pen ClassicPrice is 36.80 |
| Sharper ClassicPrice is 32.20 |
| ShampooPrice is 25.30 |
| Talcom PowderPrice is 57.50 |
+-----+
12 rows in set (0.00 sec)

```

```

mysql>
mysql> select concat(NAME,'','stoke date is',' ',STOCKDATE)
from tblItem;

```

```

+-----+
| concat(NAME,'','stoke date is',' ',STOCKDATE) |
+-----+
| Bath Soapstoke date is 2018-02-11 |
| Face Washstoke date is 2018-04-15 |
| Face Washstoke date is 2016-01-05 |
| Eraser Smallstoke date is 2009-03-19 |
| Gel Pen Premiumstoke date is 2010-02-14 |
| Ball Pen 0.25stoke date is 2010-01-01 |
| Eraser Bigstoke date is 2009-12-12 |
| Ball Pen 0.5stoke date is 2010-03-31 |
| Gel Pen Classicstoke date is 2010-01-01 |
| Sharper Classicstoke date is 2009-01-23 |
| Shampoostoke date is 2017-01-05 |
| Talcom Powderstoke date is 2018-02-11 |
+-----+
12 rows in set (0.00 sec)

```

```

mysql>
mysql> select*from tblClient order by ITEMID;

```

```

+-----+
| ID | FNAME | CITY | ITEMID |
+-----+
| 20 | Dhvani | Bardoli | BS01 |
| 42 | Raj | Valsad | BS01 |
| 1 | Krishna | Surat | FW05 |
| 30 | Shyam | Bardoli | FW05 |
| 24 | Drashti | Valsad | FW12 |
| 31 | Bhavik | Surat | FW12 |
| 25 | Manan | Surat | S5003 |
| 36 | Urja | Baroda | S5003 |
| 15 | Krunal | Navsari | S5005 |
| 43 | Kush | Baroda | S5006 |
| 6 | Nayan | Navsari | s5009 |
| 35 | Naman | Mumbai | S5009 |
| 12 | Aesha | Surat | SH06 |
| 16 | Dhruvin | Vapi | TP01 |
| 45 | Shrey | Anand | TP01 |

```

```
+-----+-----+-----+-----+
15 rows in set (0.00 sec)
```

```
mysql>
mysql> select NAME from tblItem order by STOCKDATE desc;
```

```
+-----+
| NAME |
+-----+
| Face Wash |
| Bath Soap |
| Talcom Powder |
| Shampoo |
| Face Wash |
| Ball Pen 0.5 |
| Gel Pen Premium |
| Ball Pen 0.25 |
| Gel Pen Classic |
| Eraser Big |
| Eraser Small |
| Sharper Classic |
+-----+
```

```
12 rows in set (0.00 sec)
```

```
mysql>
mysql> select FNAME,CITY from tblClient where CITY not
in('Surat','Vapi','Valsad');
```

```
+-----+-----+
| FNAME | CITY |
+-----+-----+
| Nayan | Navsari |
| Krunal | Navsari |
| Dhvani | Bardoli |
| Shyam | Bardoli |
| Naman | Mumbai |
| Urja | Baroda |
| Kush | Baroda |
| Shrey | Anand |
+-----+-----+
```

```
8 rows in set (0.00 sec)
```

```
mysql>
mysql> select upper(FNAME),upper(CITY),upper(ITEMID) from
tblClient;
```

```
+-----+-----+-----+
| upper(FNAME) | upper(CITY) | upper(ITEMID) |
+-----+-----+-----+
| KRISHNA | SURAT | FW05 |
| NAYAN | NAVSARI | S5009 |
| AESHA | SURAT | SH06 |
| KRUNAL | NAVSARI | S5005 |
| DHARUVIN | VAPI | TP01 |
| DHVANI | BARDOLI | BS01 |
| DRASHTI | VALSAD | FW12 |
| MANAN | SURAT | S5003 |
| SHYAM | BARDOLI | FW05 |
| BHAVIK | SURAT | FW12 |
| NAMAN | MUMBAI | S5009 |
+-----+-----+-----+
```

URJA	BARODA	S5003
RAJ	VALSAD	BS01
KUSH	BARODA	S5006
SHREY	ANAND	TP01

-----+

15 rows in set (0.00 sec)

mysql>

mysql> select upper(NAME) from tblItem;

-----+

upper (NAME)

-----+

BATH SOAP
FACE WASH
FACE WASH
ERASER SMALL
GEL PEN PREMIUM
BALL PEN 0.25
ERASER BIG
BALL PEN 0.5
GEL PEN CLASSIC
SHARPER CLASSIC
SHAMPOO
TALCOM POWDER

-----+

12 rows in set (0.00 sec)

mysql>

mysql> select NAME,length(NAME) as NAME_LENGTH from tblItem;

-----+

NAME	NAME_LENGTH
------	-------------

-----+

Bath Soap	9
Face Wash	9
Face Wash	9
Eraser Small	12
Gel Pen Premium	15
Ball Pen 0.25	13
Eraser Big	10
Ball Pen 0.5	12
Gel Pen Classic	15
Sharper Classic	15
Shampoo	7
Talcom Powder	13

-----+

12 rows in set (0.00 sec)

mysql>

mysql> select lower(MANUFACTURER) from tblItem;

-----+

lower (MANUFACTURER)

-----+

persona
attitude
loreal
apsara
pilot juice

```

| nataraj classic      |
| apsara               |
| nataraj classic      |
| pilot juice          |
| nataraj classic      |
| patanjali            |
| persona              |
+-----+
12 rows in set (0.00 sec)

```

```

mysql>
mysql> alter table tblClient add column GENDER char(1) after
FNAME;
Query OK, 0 rows affected (1.57 sec)
Records: 0  Duplicates: 0  Warnings: 0

```

```

mysql>
mysql> select*from tblClient;
+-----+-----+-----+-----+-----+
| ID | FNAME   | GENDER | CITY   | ITEMID |
+-----+-----+-----+-----+-----+
| 1  | Krishna | NULL   | Surat  | FW05   |
| 6  | Nayan   | NULL   | Navsari | s5009  |
| 12 | Aesha   | NULL   | Surat  | SH06   |
| 15 | Krunal  | NULL   | Navsari | S5005  |
| 16 | Dhruvin | NULL   | Vapi   | TP01   |
| 20 | Dhvani  | NULL   | Bardoli | BS01   |
| 24 | Drashti | NULL   | Valsad | FW12   |
| 25 | Manan   | NULL   | Surat  | S5003  |
| 30 | Shyam   | NULL   | Bardoli | FW05   |
| 31 | Bhavik  | NULL   | Surat  | FW12   |
| 35 | Naman   | NULL   | Mumbai | S5009  |
| 36 | Urja    | NULL   | Baroda | S5003  |
| 42 | Raj     | NULL   | Valsad | BS01   |
| 43 | Kush    | NULL   | Baroda | S5006  |
| 45 | Shrey   | NULL   | Anand  | TP01   |
+-----+-----+-----+-----+-----+
15 rows in set (0.00 sec)

```

```

mysql>
mysql> update tblClient set GENDER='F' where ID=01;
Query OK, 1 row affected (0.05 sec)
Rows matched: 1  Changed: 1  Warnings: 0

```

```

mysql> update tblClient set GENDER='M' where ID=06;
Query OK, 1 row affected (0.08 sec)
Rows matched: 1  Changed: 1  Warnings: 0

```

```

mysql> update tblClient set GENDER='F' where ID=12;
Query OK, 1 row affected (0.07 sec)
Rows matched: 1  Changed: 1  Warnings: 0

```

```

mysql> update tblClient set GENDER='M' where ID=15;
Query OK, 1 row affected (0.09 sec)
Rows matched: 1  Changed: 1  Warnings: 0

```

```

mysql> update tblClient set GENDER='M' where ID=16;

```

```

Query OK, 1 row affected (0.12 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> update tblClient set GENDER='F' where ID=20;
Query OK, 1 row affected (0.15 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> update tblClient set GENDER='F' where ID=24;
Query OK, 1 row affected (0.09 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> update tblClient set GENDER='M' where ID=25;
Query OK, 1 row affected (0.09 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> update tblClient set GENDER='M' where ID=30;
Query OK, 1 row affected (0.07 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> update tblClient set GENDER='M' where ID=31;
Query OK, 1 row affected (0.07 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> update tblClient set GENDER='M' where ID=35;
Query OK, 1 row affected (0.08 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> update tblClient set GENDER='F' where ID=36;
Query OK, 1 row affected (0.07 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> update tblClient set GENDER='M' where ID=42;
Query OK, 1 row affected (0.06 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> update tblClient set GENDER='M' where ID=43;
Query OK, 1 row affected (0.07 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> update tblClient set GENDER='M' where ID=45;
Query OK, 1 row affected (0.07 sec)
Rows matched: 1  Changed: 1  Warnings: 0

```

```

mysql>
mysql> select*from tblClient;
+-----+-----+-----+-----+-----+
| ID | FNAME   | GENDER | CITY   | ITEMID |
+-----+-----+-----+-----+-----+
| 1  | Krishna | F      | Surat  | FW05   |
| 6  | Nayan   | M      | Navsari | s5009  |
| 12 | Aesha   | F      | Surat  | SH06   |
| 15 | Krunal  | M      | Navsari | S5005  |
| 16 | Dhruvin | M      | Vapi   | TP01   |
| 20 | Dhvani  | F      | Bardoli | BS01   |
| 24 | Drashti | F      | Valsad | FW12   |
| 25 | Manan   | M      | Surat  | S5003  |
| 30 | Shyam   | M      | Bardoli | FW05   |

```

31	Bhavik	M	Surat	FW12
35	Naman	M	Mumbai	S5009
36	Urja	F	Baroda	S5003
42	Raj	M	Valsad	BS01
43	Kush	M	Baroda	S5006
45	Shrey	M	Anand	TP01

15 rows in set (0.00 sec)

```
mysql>
mysql> select count(distinct(DCODE)) from tblItem;
```

count(distinct(DCODE))
5

1 row in set (0.00 sec)

```
mysql>
mysql> select trim(DNAME) from tblDealer;
```

trim(DNAME)
Reliable Stationers
Classic Plastics
Clear Deals
Krishna Cosmetik
Surbhi Collection

5 rows in set (0.00 sec)

```
mysql>
mysql> alter table tblDealer add column LOCATION varchar(15);
Query OK, 0 rows affected (0.29 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql>
mysql> select*from tblDealer;
```

DCODE	DNAME	LOCATION
101	Reliable Stationers	NULL
102	Classic Plastics	NULL
103	Clear Deals	NULL
104	Krishna Cosmetik	NULL
105	Surbhi Collection	NULL

5 rows in set (0.00 sec)

```
mysql> update tblDealer set LOCATION='Mumbai'where
DNAME='Clear Deals';
Query OK, 1 row affected (0.10 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

```
mysql> select*from tblDealer;
```

DCODE	DNAME	LOCATION
-------	-------	----------


```

+-----+-----+-----+
| 101 | Reliable Stationers | NULL |
| 102 | Classic Plastics    | NULL |
| 103 | Clear Deals         | Mumbai |
| 104 | Krishna Cosmetik    | NULL |
| 105 | Surbhi Collection   | NULL |
+-----+-----+-----+
5 rows in set (0.00 sec)

```

```

mysql>
mysql> select*from tblDealer where LOCATION is null;
+-----+-----+-----+
| DCODE | DNAME                | LOCATION |
+-----+-----+-----+
| 101   | Reliable Stationers  | NULL     |
| 102   | Classic Plastics     | NULL     |
| 103   | Clear Deals          | NULL     |
| 104   | Krishna Cosmetik     | NULL     |
| 105   | Surbhi Collection    | NULL     |
+-----+-----+-----+
5 rows in set (0.00 sec)

```

```

mysql>
mysql> alter table tblDealer drop LOCATION;
Query OK, 0 rows affected (1.19 sec)
Records: 0  Duplicates: 0  Warnings: 0

```

```

mysql>
mysql> select*from tblDealer;
+-----+-----+-----+
| DCODE | DNAME                |
+-----+-----+-----+
| 101   | Reliable Stationers  |
| 102   | Classic Plastics     |
| 103   | Clear Deals          |
| 104   | Krishna Cosmetik     |
| 105   | Surbhi Collection    |
+-----+-----+-----+
5 rows in set (0.00 sec)

```

```

mysql>
mysql> select count(ID) as Total_Client,CITY from tblClient
group by city;
+-----+-----+-----+
| Total_Client | CITY      |
+-----+-----+-----+
| 4            | Surat    |
| 2            | Navsari  |
| 1            | Vapi     |
| 2            | Bardoli  |
| 2            | Valsad   |
| 1            | Mumbai   |
| 2            | Baroda   |
| 1            | Anand    |
+-----+-----+-----+
8 rows in set (0.00 sec)

```

```
mysql>
mysql> select count(ID) as Total_MaleClient,CITY from
tblClient where GENDER='M' group by city;
```

Total_MaleClient	CITY
2	Navsari
1	Vapi
2	Surat
1	Bardoli
1	Mumbai
1	Valsad
1	Baroda
1	Anand

8 rows in set (0.00 sec)

```
mysql>
mysql> select count(ID) as Total_Client,CITY from tblClient
where CITY='Mumbai'group by city;
```

Total_Client	CITY
1	Mumbai

1 row in set (0.00 sec)

```
mysql>
mysql> select count(NAME) as Toatl_Item,MANUFACTURER from
tblItem group by MANUFACTURER;
```

Toatl_Item	MANUFACTURER
2	Persona
1	Attitude
1	Loreal
2	Apsara
2	Pilot Juice
3	Nataraj Classic
1	Patanjali

7 rows in set (0.14 sec)

```
mysql>
mysql> select max(PRICE),DCODE from tblItem group by DCODE;
```

max(PRICE)	DCODE
74.75	104
120.75	105
34.50	102
36.80	101
32.20	103

5 rows in set (0.00 sec)

```
mysql>
```

```
mysql> select SUM(PRICE) from tblItem where
STOCKDATE='10-01-01';
```

```
+-----+
| SUM(PRICE) |
+-----+
|      71.30 |
+-----+
1 row in set (0.00 sec)
```

```
mysql>
mysql> select DATE_ADD(STOCKDATE,interval 2 month) from
tblItem;
```

```
+-----+
| DATE_ADD(STOCKDATE,interval 2 month) |
+-----+
| 2018-04-11 |
| 2018-06-15 |
| 2016-03-05 |
| 2009-05-19 |
| 2010-04-14 |
| 2010-03-01 |
| 2010-02-12 |
| 2010-05-31 |
| 2010-03-01 |
| 2009-03-23 |
| 2017-03-05 |
| 2018-04-11 |
+-----+
12 rows in set (0.00 sec)
```

```
mysql>
mysql> delete from tblClient where CITY='Bardoli';
Query OK, 2 rows affected (0.14 sec)
```

```
mysql>
mysql> select*from tblClient;
```

```
+-----+-----+-----+-----+-----+
| ID | FNAME | GENDER | CITY | ITEMID |
+-----+-----+-----+-----+-----+
| 1 | Krishna | F | Surat | FW05 |
| 6 | Nayan | M | Navsari | s5009 |
| 12 | Aesha | F | Surat | SH06 |
| 15 | Krunal | M | Navsari | S5005 |
| 16 | Dhruvin | M | Vapi | TP01 |
| 24 | Drashti | F | Valsad | FW12 |
| 25 | Manan | M | Surat | S5003 |
| 31 | Bhavik | M | Surat | FW12 |
| 35 | Naman | M | Mumbai | S5009 |
| 36 | Urja | F | Baroda | S5003 |
| 42 | Raj | M | Valsad | BS01 |
| 43 | Kush | M | Baroda | S5006 |
| 45 | Shrey | M | Anand | TP01 |
+-----+-----+-----+-----+-----+
13 rows in set (0.00 sec)
```

```
mysql>
mysql> truncate table tblDealer;
```

Query OK, 0 rows affected (2.11 sec)

```
mysql> select*from tblDealer;  
Empty set (0.05 sec)
```

```
mysql>  
mysql> truncate table tblItem;  
Query OK, 0 rows affected (0.91 sec)
```

```
mysql> select*from tblItem;  
Empty set (0.01 sec)
```

```
mysql>  
mysql> truncate table tblClient;  
Query OK, 0 rows affected (0.97 sec)
```

```
mysql> select*from tblClient;  
Empty set (0.06 sec)
```