ET AI HACKATHON: AGENTIC EDITION

Presented by Accenture

SentinelGate


Zero-Trust Prompt Injection Firewall

Inspect before the agent can act.

PROBLEM STATEMENT 2 | F3 · 9/9 ATTACKS | D2 VERIFIED

VISHWAJEET KUMAR

Working prototype + structural architecture



THE CHALLENGE


Untrusted content can become agent authority

THE BRIEF

Detect and neutralize malicious instructions before they influence an AI agent—while legitimate content passes with minimal disruption.

WHY IT MATTERS

- Secret and credential extraction
- Unauthorized tool execution
- Context poisoning across turns
- Indirect attacks hidden in retrieved content



INPUT SURFACE

Chat · Web · Email · PDF · DOCX · HTML · API · Code · OCR

THE SOLUTION

Security decisions live outside the model

SentinelGate is a security control plane between untrusted content and trusted agent execution.



Signed context broker — Blocked content becomes an empty payload—not a warning the agent may ignore.

Immutable intent anchor — Detects semantic drift and multi-turn jailbreaks across the session.

Least-privilege tool gate — Server-side permissions, strict schemas, destination policy, confirmation.


Output + evidence guard — Redaction, honey-canaries, and a verifiable SHA-256 audit chain.

REQUIREMENT COVERAGE

F3 implemented · D2 verified · D3 conditional

F3 requires ≥7 attack families. SentinelGate demonstrates **9/9.**

01 Instruction Override	02 Role Change	03 Secret Extraction
04 Tool Abuse	05 Credential Theft	06 Context Poisoning
07 Multi-Step Jailbreak	08 Encoded Instructions	09 Indirect Injection



DEPTH CLAIM

D2 verified locally

D3 remains conditional until image OCR is runtime-ready and demonstrated.

STRUCTURAL ARCHITECTURE

Trust boundaries and enforcement flow

UNTRUSTED INPUT ZONE

TRUSTED EXECUTION ZONE



01 Intent contract

Immutable session objective

02 Tool gate

Authorization + schemas

03 Output guard

Secrets + PII + canary


04 Evidence ledger

Hash-chained decisions

Fail-closed rule: residual malicious content or policy failure never reaches the agent.

WORKING PROTOTYPE

Live firewall: mixed content → enforceable verdict




WHAT THE DEMO PROVES

- Useful revenue data is preserved
- Instruction override is detected
- Secret extraction is detected
- Credential theft is detected
- Provenance escalates indirect risk
- Decision includes evidence and route
-

BLOCK | 100 / 100 RISK | POST-SCAN VERIFIED

LIVE ENTERPRISE DEFENSE

Real-time malicious file tracking and quarantine



FILES INSPECTED	ALLOWED
6	3


QUARANTINED	FINGERPRINTED
3	SHA-256

REAL PIPELINE EVENTS

- Hidden HTML instruction
- Encoded API injection
- Credential-theft email
- Clean report + code pass

AGENTIC CAPABILITY

Stateful intent defense and action governance



INTENT ANCHOR — Locks the declared objective and detects drift across turns.


TOOL POLICY — Validates authorization, allowlist, schema, destination, and payload.


HUMAN OVERSIGHT — High-risk actions stay disabled until explicit confirmation.

The model proposes. The security plane authorizes.

END-TO-END ENFORCEMENT

No unsafe handoff. No unsafe output.





INBOUND CONTROL

Blocked payloads contain no content and no capabilities.

EGRESS CONTROL


Secrets, PII, system prompts, and honey-canaries are redacted.

MEASURED EVIDENCE

Transparent evaluation—with limitations stated

CASES	SYNTHETIC RECALL	SYNTHETIC PRECISION
1,900	100%	100%

FALSE POSITIVES	P95 LATENCY	INTEGRATION TESTS
0%	13.1 ms	13 / 13



Coverage: 45 attack phrasings · 10 context wrappers · PDF/DOCX/EML/HTML adapter tests

HONEST LIMITATION

Synthetic regression evidence—not production accuracy. Independent benchmark validation is the next gate.

IMPACT AND SCALABILITY

From hackathon prototype to enterprise security plane

RISK REDUCTION

Stops malicious influence before context or tool execution.

PRODUCTIVITY

Preserves legitimate content instead of blocking entire workflows.

AUDITABILITY

Creates evidence for security review, compliance, and incident response.

PRODUCTION ROADMAP

1 **Independent benchmark**

Calibrated thresholds + confidence intervals

2 **Model upgrade**

ONNX embeddings + adversarial retraining

3 **Enterprise controls**

RBAC · tenant isolation · SIEM export

4 **D3 completion**

OCR runtime + representative image tests

Designed as an adapter-based, policy-versioned control plane that scales independently of the agent.

VISHWAJEET KUMAR

SentinelGate

Security outside the model.

Untrusted content becomes controlled data—not agent authority.

Significant	Protects real agent actions
Innovative	Signed context + intent anchors
Agentic	State, tools, recovery, oversight
Robust	Fail closed + tamper-evident evidence

SUBMISSION CHECKLIST

- ✓ Working prototype
- ✓ Pitch deck
- ✓ Narrated demo video

GITHUB REPOSITORY

github.com/vishwajeetkumar9631/sentinelgate-agentic-security

Final claim

F3 implemented · D2 verified · D3 conditional

Inspect before the agent can act.