



AWS VPC: Creating a Private Network in AWS

- 1. Create a VPC(Virtual Private Cloud)**
- 2. Create PUBLIC SUBNET**
- 3. Create PRIVATE SUBNET**
- 4. Create INTERNATE GATEWAY**
- 5. Create ROUTE TABLE**
- 6. Launch an EC2 INSTANCE**
- 7. Connect to LINUX**

1. Create a VPC

The screenshot shows the AWS Management Console interface for the VPC dashboard in the Stockholm region. The top navigation bar includes the AWS logo, a search bar, and the region selector set to 'Europe (Stockholm)'. The left sidebar contains the 'VPC dashboard' menu with a sub-menu for 'Virtual private cloud' listing 'Your VPCs', 'Subnets', 'Route tables', 'Internet gateways', and 'Egress-only internet'. The main content area features a 'Create VPC' button (highlighted with a red rectangle) and a 'Launch EC2 Instances' button. A note states: 'Note: Your instances will launch in the Europe region.' Below this is the 'Resources by Region' section, which displays a table of resources:

Resource Type	Count
VPCs	Stockholm 1
Subnets	Stockholm 3
Endpoint Services	Stockholm 0
NAT Gateways	Stockholm 0

Each resource entry includes a link to 'See all regions'. A 'Refresh Resources' button is located in the top right corner of the resources section.

2. choose 'vpc only', give the name,& put ip address

eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#CreateVpc:createMode=vpcOnly

aws Search [Alt+S]

VPC > Your VPCs > Create VPC

Create VPC [Info](#)

A VPC is an isolated portion of the AWS Cloud populated by AWS objects, such as Amazon EC2 instances.

VPC settings

Resources to create [Info](#)

Create only the VPC resource or the VPC and other networking resources.

☒ VPC only ☐ VPC and more

Name tag - optional

Creates a tag with a key of 'Name' and a value that you specify.

my-vpc-vishwajit

IPv4 CIDR block [Info](#)

☒ IPv4 CIDR manual input ☐ IPAM-allocated IPv4 CIDR block

IPv4 CIDR

10.0.0.0/24

CIDR block size must be between /7 and /29.

IPv6 CIDR block [Info](#)

☒ No IPv6 CIDR block ☐ IPAM-allocated IPv6 CIDR block ☐ Amazon-provided IPv6 CIDR block ☐ IPv6 CIDR owned by me

CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

22°C ENG 2:52 AM

3. Create vpc

Cancel



Preview code

Create VPC

4. Click on SUBNETS

eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#VpcDetails:VpcId=vpc-089e60a821ac11d36

aws

VPC > Your VPCs > vpc-089e60a821ac11d36

VPC dashboard

Filter by VPC

AWS Global View

Virtual private cloud

Your VPCs

Subnets

Route tables

Internet gateways

Egress-only internet gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

Security

Network ACLs

Security groups

You successfully created vpc-089e60a821ac11d36 / my-vpc-vishwajit

vpc-089e60a821ac11d36 / my-vpc-vishwajit

Actions

Details

VPC ID vpc-089e60a821ac11d36	State Available	Block Public Access Off	DNS hostnames Disabled
DNS resolution Enabled	Tenancy default	DHCP option set dopt-09fba414fcacb8fd1	Main route table rtb-08ae45825a57786b8
Main network ACL acl-048a405dbb75f944e	Default VPC No	IPv4 CIDR 10.0.0.0/24	IPv6 pool -
IPv6 CIDR (Network border group) -	Network Address Usage metrics Disabled	Route 53 Resolver DNS Firewall rule groups -	Owner ID 836417432847
Encryption control ID -	Encryption control mode -		

Resource map | CIDRs | Flow logs | Tags | Related resources | Integrations

Resource map

Show all details

VPC

Subnets (0)

Route tables (1)

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

5. Click on CREATE SUBNET



[Alt+S]



Europe (Stockholm)

Vishwajit Hulawale (836417432847)

Vishwajit Hulawale

VPC > Subnets

VPC dashboard

Filter by VPC

AWS Global View

Virtual private cloud

Your VPCs

Subnets

Route tables

Internet gateways

Egress-only internet gateways

Subnets (3) Info

Last updated 2 minutes ago

Actions

Create subnet

☐	Name	Subnet ID	State	VPC	Block Public...	IPv4 CIDR
☐	-	subnet-019436152b20ad937	Available	vpc-0ccff8107b81e2338	Off	172.31.16.0/20
☐	-	subnet-0611ee95dd383b164	Available	vpc-0ccff8107b81e2338	Off	172.31.32.0/20
☐	-	subnet-085d5fa1c73672a37	Available	vpc-0ccff8107b81e2338	Off	172.31.0.0/20

Select a subnet

6. Select your created vpc and create subnet

The screenshot shows the AWS Management Console interface for creating a subnet. The browser address bar indicates the URL is `eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#CreateSubnet:`. The page title is "Create subnet" with an "Info" link. The "VPC ID" section prompts the user to "Create subnets in this VPC." and provides a search bar. Below the search bar, a list of VPCs is displayed:

VPC ID	CIDR Block	Subnet Name
vpc-0ccff8107b81e2338	172.31.0.0/16	(default)
vpc-089e60a821ac11d36	10.0.0.0/24	my-vpc-vishwajit

The VPC `vpc-089e60a821ac11d36 (my-vpc-vishwajit)` is highlighted with a red rectangle. Below the list, a message states "Select a VPC first to create new subnets." and there is an "Add new subnet" button. At the bottom right, there are "Cancel" and "Create subnet" buttons. A red arrow points to the "Create subnet" button.

The footer of the console shows the date and time as 2:53 AM on 10/4/2026, and the region as Europe (Stockholm).

7. create public subnet

The screenshot shows the AWS Management Console 'Create subnet' page for a VPC in the eu-north-1 region. The page is titled 'Subnet settings' and instructs the user to specify the CIDR blocks and Availability Zone for the subnet. The 'Subnet 1 of 1' section contains the following fields:

- Subnet name:** A text input field containing 'public-subnet', which is highlighted with a red rectangle.
- Availability Zone:** A dropdown menu showing 'Europe (Stockholm) / eun1-az1 (eu-north-1a)', with a red arrow pointing to it.
- IPv4 VPC CIDR block:** A dropdown menu showing '10.0.0.0/24', with a red arrow pointing to it.
- IPv4 subnet CIDR block:** A text input field containing '10.0.0.0/25', with a red arrow pointing to it. The field also indicates '128 IPs'.

Below these fields is a section for 'Tags - optional', which is currently empty. A large red diamond annotation on the right side of the page contains the text: 'if ip vpc is /24 then, we put /25'. The bottom of the page shows the AWS footer with copyright information and a system tray at the very bottom.

if ip vpc is /24 then, we put /25

[Cancel](#)

Create subnet

[Inc. or its affiliates.](#)

[Privacy](#)

[Terms](#)

[Cookie preferences](#)

8. create subnet 2 (private subnet)

eu-north-1.console.aws.amazon.com/vpconsole/home?region=eu-north-1#subnets:subnetId=subnet-0bb6cc70141e3d843

aws VPC Subnets

VPC dashboard

Filter by VPC

AWS Global View

Virtual private cloud

Your VPCs

Subnets

Route tables

Internet gateways

Egress-only internet gateways

DHCP option sets

Elastic IPs

Managed prefix lists

You have successfully created 1 subnet: subnet-0bb6cc70141e3d843

Subnets (1) Info

Find subnets by attribute or tag

Subnet ID : subnet-0bb6cc70141e3d843 Clear filters

Last updated less than a minute ago Actions

Create subnet

☐	Name	Subnet ID	State	VPC	Block Public...	IPv4 CIDR
☐	public-subnet	subnet-0bb6cc70141e3d843	Available	vpc-089e60a821ac11d36 my-...	Off	10.0.0.0/25

Select a subnet



VPC

VPC ID

Create subnets in this VPC.

vpc-089e60a821ac11d36 (my-vpc-vishwajit)

9. Name the private subnet

eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#CreateSubnet:VpcId=vpc-089e60a821ac11d36

aws [Search] [Alt+S] Europe (Stockholm) Vishwajit Hulawale (836417432847) Vishwajit Hulawale

VPC > Subnets > Create subnet

Subnet settings

Specify the CIDR blocks and Availability Zone for the subnet.

Subnet 1 of 1

Subnet name What you specify.

private-subnet

Availability Zone Info Choose the zone in which your subnet will reside, or let Amazon choose one for you.

Europe (Stockholm) / eun1-az1 (eu-north-1a)

IPv4 VPC CIDR block Info Choose the VPC's IPv4 CIDR block for the subnet. The subnet's IPv4 CIDR must lie within this block.

10.0.0.0/24

IPv4 subnet CIDR block

10.0.0.128/25 128 IPs

▼ Tags - optional

Key	Value - optional
Name	private-subnet

Remove

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

**for private ip:
put 10.0.0.128/25**

(Basis of CIDR Calculation)

10. put ip according to your main address

eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#CreateSubnet:Vpdd=vpc-089e60a821ac11d36

aws

VPC > Subnets > Create subnet

Availability Zone [Info](#)
Choose the zone in which your subnet will reside, or let Amazon choose one for you.

Europe (Stockholm) / eun1-az1 (eu-north-1a)

IPv4 VPC CIDR block [Info](#)
Choose the VPC's IPv4 CIDR block for the subnet. The subnet's IPv4 CIDR must lie within this block.

10.0.0.0/24

IPv4 subnet CIDR block

10.0.0.128/25 128 IPs

Tags - optional

Key	Value - optional	
Name	private-subnet	Remove

[Add new tag](#)

You can add 49 more tags.

[Remove](#)

[Add new subnet](#)

[Cancel](#) [Create subnet](#)

for private:
10.0.0.128/25

CloudShell Agent Toolkit for AWS Feedback Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

11. After that , create an 'INTERNET GATEWAY'

eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#subnets:subnetId=subnet-03ed5646dc57cc2a3

aws Search [Alt+S]

VPC Subnets

VPC dashboard

Filter by VPC

AWS Global View

Virtual private cloud

Your VPCs

Subnets

Route tables

Internet gateways

Egress-only internet gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

Security

Network ACLs

Security groups

You have successfully created 1 subnet: subnet-03ed5646dc57cc2a3

Subnets (1) Info

Find subnets by attribute or tag

Subnet ID : subnet-03ed5646dc57cc2a3 Clear filters

Subnet ID State VPC Block Public... IPv4 CIDR

private-subnet	subnet-03ed5646dc57cc2a3	Available	vpc-089e60a821ac11d36 my-...	Off	10.0.0.128/25
----------------	--------------------------	-----------	--------------------------------	-----	---------------

Select a subnet

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

22°C Mostly clear

Search

25

ENG IN

2:56 AM 10/4/2026

12. Click on CREATE INTERNET GATEWAY

Internet gateways | VPC | eu-north-1 | ChatGPT | Vishwajit Hulawale | LinkedIn | vishwajit491 (Vishwajit Hulawale) | Ask Gemini

eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#igws:

aws | Search [Alt+S] | Europe (Stockholm) | Vishwajit Hulawale (836417432847) | Vishwajit Hulawale

VPC > Internet gateways

VPC dashboard <

Filter by VPC

AWS Global View

Virtual private cloud

- Your VPCs
- Subnets
- Route tables
- Internet gateways
- Egress-only internet gateways
- DHCP option sets
- Elastic IPs

Internet gateways (1) Info

Find internet gateways by attribute or tag

☐	Name	Internet gateway ID	State	VPC ID	Owner
☐	-	igw-025d0e122a5fba00a	Attached	vpc-0ccff8107b81e2338	836417432847

Create internet gateway

Select an internet gateway above

13. Name the internet gateway

eu-north-1.console.aws.amazon.com/vpccconsole/home?region=eu-north-1#CreateInternetGateway:

aws [Search] [Alt+S] Europe (Stockholm) Vishwajit Hulawale (836417432847) Vishwajit Hulawale

VPC > Internet gateways > Create internet gateway

Create internet gateway [Info](#)

An internet gateway is a virtual router that connects a VPC to the internet. To create a new internet gateway specify the name for the gateway below.

Internet gateway settings

Name tag

Specify a name for the internet gateway. The name must be unique in the VPC and cannot contain spaces or special characters.

my-igw

Tags - optional

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key	Value - optional	
Name	my-igw	Remove

[Add new tag](#)

You can add 49 more tags.

[Cancel](#) [Create internet gateway](#)

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences 22°C Mostly clear Search 2:57 AM 10/4/2026

14. click on ATTACH TO A VPC

Internet gateway details | VPC | ChatGPT | Vishwajit Hulawale | LinkedIn | vishwajit491 (Vishwajit Hulawale) | Ask Gemini | Europe (Stockholm) | Vishwajit Hulawale (836417432847) | Vishwajit Hulawale

eu-north-1.console.aws.amazon.com/vpccconsole/home?region=eu-north-1#InternetGateway:internetGatewayId=igw-072f619eb396dace4

aws

VPC > Internet gateways > igw-072f619eb396dace4

VPC dashboard <

Filter by VPC

AWS Global View

Virtual private cloud

- Your VPCs
- Subnets
- Route tables
- Internet gateways
- Egress-only internet gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers

Security

The following internet gateway was created: igw-072f619eb396dace4 - my-igw. You can now attach to a VPC to enable the VPC to communicate with the internet. **Attach to a VPC**

igw-072f619eb396dace4 / my-igw Actions

Details Info

Internet gateway ID	State	VPC ID	Owner
igw-072f619eb396dace4	Detached	-	836417432847

Tags (1)


Search tags

Key	Value
Name	my-igw

Manage tags

< 1 >

15. Select a vpc which you created



VPC > Internet gateways > Attach to VPC (igw-072f619eb396dace4)

✓ The following internet gateway was created: igw-072f619eb396dace4 - my-igw. You can now attach to a VPC to enable the VPC to communicate with the internet.

Attach to a VPC

Attach to VPC (igw-072f619eb396dace4) [Info](#)

VPC

Attach an internet gateway to a VPC to enable the VPC to communicate with the internet. Specify the VPC to attach below.

Available VPCs

Attach the internet gateway to this VPC.

Select a VPC

vpc-089e60a821ac11d36 - my-vpc-vishwajit

AWS Command Line Interface command

Cancel

Attach internet gateway

17. After that, click on ROUTE TABLE

Internet gateway details | VPC | ChatGPT | Vishwajit Hulawale | LinkedIn | vishwajit491 (Vishwajit Hulawale) | Ask Gemini

eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#InternetGateway:internetGatewayId=igw-072f619eb396dace4

Search [Alt+S]

Europe (Stockholm) Vishwajit Hulawale (836417432847) Vishwajit Hulawale

VPC > Internet gateways > igw-072f619eb396dace4

VPC dashboard <

Filter by VPC

AWS Global View

Virtual private cloud

Your VPCs

Subnets

Route tables

Egress-only internet gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

Security

Network ACLs

Internet gateway igw-072f619eb396dace4 successfully attached to vpc-089e60a821ac11d36

Notifications 0 0 2 0 0

igw-072f619eb396dace4 / my-igw Actions

Details Info

Internet gateway ID
igw-072f619eb396dace4

State
Attached

VPC ID
vpc-089e60a821ac11d36 | my-vpc-vishwajit

Owner
836417432847

Tags (1)

Search tags

Manage tags

< 1 >

Key	Value
Name	my-igw

18. Click on CREATE ROUTE TABLE

aws   Search [Alt+S]     Europe (Stockholm)  Vishwajit Hulawale (836417432847)  Vishwajit Hulawale

VPC > Route tables   

VPC dashboard < 

Filter by VPC 

AWS Global View 

Virtual private cloud

Your VPCs

Subnets

Route tables (1) [Info](#) Last updated 7 minutes ago  [Actions](#)  Create route table

Find route tables by attribute or tag

☐	Name	Route table ID	Explicit subnet associ...	Edge associations	Main	VPC
☐	-	rtb-013afc4cc30190848	-	-	Yes	vpc-0ccff8107b81e2338

19. Give the name and choose VPC

Create route table [Info](#)

A route table specifies how packets are forwarded between the subnets within your VPC, the internet, and your VPN connection.

Route table settings

Name - optional
Enter a name for your route table. The name must be unique within the VPC that you specify.

VPC
The VPC to use for this route table.

Tags
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key **Value - optional** [Remove](#)

[Add new tag](#)

You can add 49 more tags.

[Cancel](#) [Create route table](#)

20. Click on EDIT ROUTES

eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#RouteTableDetails:RouteTableId=rtb-058c62f0fd5107712

aws

VPC > Route tables > rtb-058c62f0fd5107712

VPC dashboard <

Filter by VPC

AWS Global View

Virtual private cloud

Your VPCs

Subnets

Route tables

Internet gateways

Egress-only internet gateways

DHCP option sets

Elastic IPs

Managed prefix lists

NAT gateways

Peering connections

Route servers

Security

Network ACLs

Security groups

rtb-058c62f0fd5107712 / my-route-table

Actions

Details

Route table ID
rtb-058c62f0fd5107712

VPC
vpc-089e60a821ac11d36 | my-vpc-vishwajit

Main
No

Owner ID
836417432847

Explicit subnet associations
-

Edge associations
-

Routes

Subnet associations | Edge associations | Route propagation | Tags | Related resources

Both

Filter routes

Destination	Target	Status	Propagated	Route Origin
10.0.0.0/24	local	Active	No	Create Route Table

1

Edit routes

21. Click on ADD ROUTE

Browser tabs: Edit routes | VPC | eu-north-1, ChatGPT, Vishwajit Hulawale | LinkedIn, vishwajit491 (Vishwajit Hulawale) | +

Browser address bar: eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#EditRoutes:RouteTableId=rtb-058c62f0fd5107712

AWS Console Header: Search, [Alt+S], Europe (Stockholm), Vishwajit Hulawale (836417432847), Vishwajit Hulawale

VPC > Route tables > rtb-058c62f0fd5107712 > Edit routes

Edit routes: rtb-058c62f0fd5107712 / my-route-table

Destination

10.0.0.0/24

Target

local

Status

✓ Active

Propagated

No

Route Origin

CreateRouteTable

Add route

Cancel

Preview

Save changes

22. Select 1st destination

Browser tabs: Edit routes | VPC | eu-north-1, ChatGPT, Vishwajit Hulawale | LinkedIn, vishwajit491 (Vishwajit Hulawale).

Address bar: eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#EditRoutes:RouteTableId=rtb-058c62f0fd5107712

Navigation bar: aws logo, Search, [Alt+S], Europe (Stockholm), Vishwajit Hulawale (836417432847), Vishwajit Hulawale

VPC > Route tables > rtb-058c62f0fd5107712 > Edit routes

Edit routes: rtb-058c62f0fd5107712 / my-route-table

Destination	Target	Status	Propagated	Route Origin
10.0.0.0/24	local	Active	No	CreateRouteTable
	local	-	No	CreateRoute

- 0.0.0.0/0
- 0.0.0.0/8
- 0.0.0.0/16
- 0.0.0.0/24
- 0.0.0.0/32
- ::/0
- ::/16
- ::/32
- ::/48
- ::/64
- pl-01f02b0f60a6715be (com.amazonaws.eu-north-1.secretsmanager-managed-external-secrets)

Cancel Preview Save changes

23. select option internet gateway

Browser tabs: Edit routes | VPC | eu-north-1, ChatGPT, Vishwajit Hulawale | LinkedIn, vishwajit491 (Vishwajit Hulawale).

Address bar: eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#EditRoutes.RouteTableId=rtb-058c62f0fd5107712

AWS console header: Search, [Alt+S], Europe (Stockholm), Vishwajit Hulawale (836417432847).

VPC > Route tables > rtb-058c62f0fd5107712 > Edit routes

Edit routes: rtb-058c62f0fd5107712 / my-route-table

Destination	Target	Status	Propagated	Route Origin
10.0.0.0/24	local	Active	No	CreateRouteTable
0.0.0.0/0		-	No	CreateRoute

[Add route](#)

[Cancel](#) [Preview](#) [Save changes](#)

Target dropdown options:

- Core Network
- Egress Only Internet Gateway
- Gateway Load Balancer Endpoint
- Instance
- Internet Gateway**
- local
- NAT Gateway
- Network Interface
- Outpost Local Gateway
- Peering Connection
- ODB Network
- Transit Gateway

24. Select your created internet gateway and save changes

Browser tabs: Edit routes | VPC | eu-north-1, ChatGPT, Vishwajit Hulawale | LinkedIn, vishwajit491 (Vishwajit Hulawale), Ask Gemini.

Address bar: eu-north-1.console.aws.amazon.com/vpccconsole/home?region=eu-north-1#EditRoutes:RouteTableId=rtb-058c62f0fd5107712

AWS Console Header: Search, [Alt+S], Europe (Stockholm), Vishwajit Hulawale (836417432847), Vishwajit Hulawale.

VPC > Route tables > rtb-058c62f0fd5107712 > Edit routes

Edit routes: rtb-058c62f0fd5107712 / my-route-table

Destination	Target	Status	Propagated	Route Origin
10.0.0.0/24	local	Active	No	CreateRouteTable
0.0.0.0/0	Internet Gateway	-	No	CreateRoute
	igw-072f619eb396dace4			

Add route

Cancel

Preview

Save changes

25. GO to the SUBNET ASSOCIATIONS and click on EDIT SUBNET ASSOCIATION

The screenshot shows the AWS Management Console interface for a VPC. The left sidebar contains the navigation menu with categories like VPC dashboard, Virtual private cloud, and Security. The main content area displays the details for the route table 'rtb-058c62f0fd5107712 / my-route-table'. A green notification bar at the top indicates that routes were updated successfully. Below the details, there are tabs for Routes, Subnet associations, Edge associations, Route propagation, Tags, and Related resources. The 'Subnet associations' tab is selected, showing 'Explicit subnet associations (0)'. A red arrow points to this tab. On the right side of the 'Subnet associations' section, there is a button labeled 'Edit subnet associations' which is highlighted with a red rectangular box. The bottom of the screen shows the Windows taskbar with various application icons and the system clock.

eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#RouteTableDetails:RouteTableId=rtb-058c62f0fd5107712

VPC > Route tables > rtb-058c62f0fd5107712

Updated routes for rtb-058c62f0fd5107712 / my-route-table successfully

Details

rtb-058c62f0fd5107712 / my-route-table

Actions

Details Info

Route table ID rtb-058c62f0fd5107712	Main No	Explicit subnet associations -	Edge associations -
VPC vpc-089e60a821ac11d36 my-vpc-vishwajit	Owner ID 836417432847		

Routes Subnet associations Edge associations Route propagation Tags Related resources


Explicit subnet associations (0)

Find subnet association

Name	Subnet ID	IPv4 CIDR	IPv6 CIDR
No subnet associations You do not have any subnet associations.			

Edit subnet associations

26. SELECT BOTH SUBNETS and click on SAVE ASSOCIATIONS



Edit subnet associations

Change which subnets are associated with this route table.

Available subnets (2/2)

Filter subnet associations

☒	Name	Subnet ID	IPv4 CIDR	IPv6 CIDR	Route table ID
☒	public-subnet	subnet-0bb6cc70141e3d843	10.0.0.0/25	-	Main (rtb-08ae45825a57786b8)
☒	private-subnet	subnet-03ed5646dc57cc2a3	10.0.0.128/25	-	Main (rtb-08ae45825a57786b8)

Selected subnets

subnet-0bb6cc70141e3d843 / public-subnet X

subnet-03ed5646dc57cc2a3 / private-subnet X

Cancel

Save associations

After that you will see this INTERFACE

Route table details | VPC | eu-north-1 | ChatGPT | Vishwajit Hulawale | LinkedIn | vishwajit491 (Vishwajit Hulawale) | Ask Gemini | Europe (Stockholm) | Vishwajit Hulawale (836417432847) | Vishwajit Hulawale

eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#RouteTableDetails:RouteTableId=rtb-058c62f0fd5107712

VPC > Route tables > rtb-058c62f0fd5107712

VPC dashboard

Filter by VPC

AWS Global View

Virtual private cloud

- Your VPCs
- Subnets
- Route tables**
- Internet gateways
- Egress-only internet gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers

Security

- Network ACLs
- Security groups

rtb-058c62f0fd5107712 / my-route-table **Actions**

Details Info

Route table ID rtb-058c62f0fd5107712	Main No	Explicit subnet associations 2 subnets	Edge associations -
VPC vpc-089e60a821ac11d36 my-vpc-vishwajit	Owner ID 836417432847		

Routes Subnet associations Edge associations Route propagation Tags Related resources

Routes (2) Both Edit routes

Filter routes

Destination	Target	Status	Propagated	Route Origin
0.0.0.0/0	igw-072f619eb396dace4	Active	No	Create Route
10.0.0.0/24	local	Active	No	Create Route Table

CloudShell Agent Toolkit for AWS Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

22°C Mostly clear Search 3:02 AM 10/4/2026

27. Launch an EC2 INSTANCE

eu-north-1.console.aws.amazon.com/vpcconsole/home?region=eu-north-1#RouteTableDetails:RouteTableId=rtb-058c62f0fd5107712

aws ec2 Ask Amazon Q Europe (Stockholm) Vishwajit Hulawale (836417432847) Vishwajit Hulawale

VPC dashboard

Filter by VPC

AWS Global View

Virtual private cloud

- Your VPCs
- Subnets
- Route tables
- Internet gateways
- Egress-only internet gateways
- DHCP option sets
- Elastic IPs
- Managed prefix lists
- NAT gateways
- Peering connections
- Route servers

Security

- Network ACLs
- Security groups

Services

- EC2 Virtual Servers in the Cloud
- EC2 Image Builder A managed service to automate build, customize and deploy OS images
- Recycle Bin Protect resources from accidental deletion

Top features

- Dashboard
- Launch templates
- Instances
- Spot Instance requests
- Savings plans

Features

- EC2 Instances
 - CloudWatch feature
- EC2 Resource Health
 - CloudWatch feature

Were these results helpful?

Yes No

Edge associations

Both Edit routes

1

Route Origin

Create Route

Create Route Table

28. Give the name

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:

aws Search [Alt+S]

EC2 > Instances > Launch an instance

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags [Info](#)

[Add additional tags](#)

▼ Application and OS Images (Amazon Machine Image) [Info](#)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Recents | **Quick Start**

Amazon Linux 	macOS 	Ubuntu 	Windows 	Red Hat 	SUSE Linux 	Debian 
---	--	---	--	--	---	--

[Browse more AMIs](#)
Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Amazon Linux 2023 kernel-6.18 AMI ami-01e082ac2f79f3918 (64-bit (x86), uefi-preferred) / ami-053123f6a20d46061 (64-bit (Arm), uefi) Virtualization: hvm ENA enabled: true Root device type: ebs	Free tier eligible
--	---------------------------

▼ Summary

Number of instances [Info](#)

Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....[read more](#)
ami-01e082ac2f79f3918

Virtual server type (instance type)
t3.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

[Cancel](#) [Launch instance](#) [Preview code](#)

29. proceed without a key pair and Edit NETWORK SETTINGS

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:

EC2 > Instances > Launch an instance

Additional costs apply for AMIs with pre-installed software

▼ Key pair (login) Info

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

Proceed without a key pair (Not recommended) Default value ▼ Create new key pair

▼ Network settings Info

VPC - required Info

vpc-089e60a821ac11d36 (my-vpc-vishwajit) ▼

Subnet Info

subnet-03ed5646dc57cc2a3 private-subnet Create new subnet

Enable Disable Enable

Firewall (security groups) Info

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

Create security group Select existing security group

▼ Summary

Number of instances Info

1

Software Image (AMI)

Amazon Linux 2023 AMI 2023.12.....read more
ami-01e082ac2f79f3918

Virtual server type (instance type)

t3.micro

Firewall (security group)

New security group

Storage (volumes)

1 volume(s) - 8 GiB

Cancel Launch instance Preview code

30. Click on LAUNCH INSTANCE

The screenshot shows the AWS Management Console interface for launching an EC2 instance. The browser address bar indicates the URL: `eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances`. The console header shows the user is logged in as Vishwajit Hulawale.

The main content area displays the 'Launch an instance' wizard. The 'Summary' panel on the right is highlighted with a red box. It contains the following information:

- Number of instances:** 1
- Software Image (AMI):** Amazon Linux 2023 AMI 2023.12....[read more](#) (ami-01e082ac2f79f3918)
- Virtual server type (instance type):** t3.micro
- Firewall (security group):** New security group
- Storage (volumes):** 1 volume(s) - 8 GiB

At the bottom of the 'Summary' panel, there are two buttons: 'Cancel' and 'Launch instance'. The 'Launch instance' button is circled in red. Below the 'Launch instance' button, there is a link to 'Preview code'.

The left panel shows the 'Inbound Security Group Rules' section. It includes a table with the following columns: Type, Protocol, Port range, Source type, Source, and Description. The table contains one rule:

Type	Protocol	Port range	Source type	Source	Description - optional
ssh	TCP	22	Anywhere	0.0.0.0/0	e.g. SSH for admin desktop

A warning message at the bottom of the left panel states: "Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only."

31. Select the instance and Connect to LINUX

The screenshot displays the AWS Management Console interface for the EC2 service. The top navigation bar includes the AWS logo, a search bar, and the user's profile (Vishwajit Hulawale). The left sidebar shows the navigation menu with 'Instances' selected. The main content area shows a list of EC2 instances. The instance 'vpc-on-ec2' is selected, and the 'Connect' button is highlighted with a red box. A red arrow points to the 'Instances' link in the left sidebar.

EC2 > Instances

Instances (1/2) Info

Last updated less than a minute ago

Connect

Instance state

Actions

Launch instances

Saved filter sets

Choose filter set

Filter Instance by attribute or tag (case-sensitive)

	Name	Instance ID	Instance state	Instance type	Status check	Availability Zone	Public IPv4 DNS	Put
☒	vpc-on-ec2	i-0e41b7c152fa9e8e0	Running	t3.micro	Initializing	eu-north-1a	-	51..
☐	vish-212121	i-0a0d0be6c6f22cd8e	Terminated	t3.micro	-	eu-north-1a	-	-

32. Click on CONNECT

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#ConnectToInstance:instanceId=i-0e41b7c152fa9e8e0

EC2 > Instances > i-0e41b7c152fa9e8e0 > Connect to instance

☒ Public subnet access Managed SSH keys
EC2 Instance Connect
Use for instances with public IPs or accessible via standard routing. Requires network connectivity to your instance. Connect using temporary SSH keys managed by AWS.

☐ Private subnet access Managed SSH keys
EC2 Instance Connect Endpoint
Use for instances in private subnets. Traffic is routed through a VPC endpoint. Connect using temporary SSH keys managed by AWS.

☐ Maximum security IAM authentication
SSM Session Manager
Uses IAM-based authentication. Connect without SSH keys, bastion hosts, or opening any inbound ports.

☐ Direct Troubleshoot
EC2 Serial Console
Access your instance's serial port for troubleshooting boot, network, and OS issues. Works without network connectivity. Requires account-level enablement.

Settings

Choose public IP address

☒ IPv4 address (51.20.69.170)
☐ IPv6 address

Username
Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ec2-user. Read your AMI usage instructions to check if the AMI owner has changed the default AMI username.

ec2-user

Port 22 (SSH) is open to all IPv4 addresses
Port 22 (SSH) is currently open to all IPv4 addresses, indicated by 0.0.0.0/0 in the inbound rule in [your security group](#). For increased security, consider restricting access to only the EC2 Instance Connect service IP addresses for your Region: 13.48.4.200/30. [Learn more](#)

Cancel Connect assist **Connect**

33. Put the PING

Instances | EC2 | eu-north-1 x EC2 Instance Connect | eu-nor x ChatGPT x Vishwajit Hulawale | LinkedIn x vishwajit491 (Vishwajit)

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0e41b7c152fa9e8e0&osUs

aws Search [Alt+S]

```
#_
~\#####_ Amazon Linux 2023
~~\#####\
~~\###|
~~\#/ https://aws.amazon.com/linux/amazon-linux-2023
~~v~' '->
~~~
~~~.
~~~/_/
[m/ '
[ec2-user@ip-10-0-0-192 ~]$ ping 8.8.8.8
```

34. And it's DONE

The screenshot shows a web browser window displaying the AWS Management Console's EC2 Instance Connect interface. The address bar indicates the URL: eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0e41b7c152fa9e8e0&osUser=ec2-user&sshPort=22&addressFamily=ipv4. Below the console header, there's a terminal session from an Amazon Linux 2023 instance. The prompt is [ec2-user@ip-10-0-0-192 ~]\$. The user has executed the command \$ ping 8.8.8.8. The output shows successful pings to 8.8.8.8 with varying times between approximately 2.94 ms and 3.06 ms over 19 sequences.

AWS

Amazon Linux 2023
<https://aws.amazon.com/linux/amazon-linux-2023>

```
[ec2-user@ip-10-0-0-192 ~]$ ping 8.8.8.8
PING 8.8.8.8 (8.8.8.8) 56(84) bytes of data:
64 bytes from 8.8.8.8: icmp_seq=1 ttl=118 time=2.96 ms
64 bytes from 8.8.8.8: icmp_seq=2 ttl=118 time=2.96 ms
64 bytes from 8.8.8.8: icmp_seq=3 ttl=118 time=2.96 ms
64 bytes from 8.8.8.8: icmp_seq=4 ttl=118 time=2.95 ms
64 bytes from 8.8.8.8: icmp_seq=5 ttl=118 time=2.96 ms
64 bytes from 8.8.8.8: icmp_seq=6 ttl=118 time=2.94 ms
64 bytes from 8.8.8.8: icmp_seq=7 ttl=118 time=2.95 ms
64 bytes from 8.8.8.8: icmp_seq=8 ttl=118 time=2.98 ms
64 bytes from 8.8.8.8: icmp_seq=9 ttl=118 time=2.96 ms
64 bytes from 8.8.8.8: icmp_seq=10 ttl=118 time=2.94 ms
64 bytes from 8.8.8.8: icmp_seq=11 ttl=118 time=2.94 ms
64 bytes from 8.8.8.8: icmp_seq=12 ttl=118 time=2.95 ms
64 bytes from 8.8.8.8: icmp_seq=13 ttl=118 time=2.95 ms
64 bytes from 8.8.8.8: icmp_seq=14 ttl=118 time=2.97 ms
64 bytes from 8.8.8.8: icmp_seq=15 ttl=118 time=2.96 ms
64 bytes from 8.8.8.8: icmp_seq=16 ttl=118 time=2.94 ms
64 bytes from 8.8.8.8: icmp_seq=17 ttl=118 time=2.97 ms
64 bytes from 8.8.8.8: icmp_seq=18 ttl=118 time=3.06 ms
64 bytes from 8.8.8.8: icmp_seq=19 ttl=118 time=2.94 ms
```

i-0e41b7c152fa9e8e0 (vpc-on-ec2)

PublicIPs: 51.20.69.170 PrivateIPs: 10.0.0.192

THANK YOU.!!

Prepraed by VISHWAJIT