Lookuvi launch test plan

Executed on 24 October 2026 against the local server. AI provider is mock. WhatsApp is not a live handset: webhook signatures use a local secret, and reminder sends use an injected sender that never calls Meta. `OPENAI_API_KEY` was removed from the process. Demo logins only.

221 pass, 0 fail, 4 untested, 225 cases.

Onboarding checklist

Step	Do this	What good looks like
1	Super admin creates the salon	Name, lowercase slug, city, WhatsApp, owner email, a password of at least 12 characters that is not a demo password. Plan as sold. Queue is already on. One trial grant. Styles are copied.
2	Owner signs in and finishes onboarding	Brand, services, WhatsApp, languages, then Finish. Staff can see the wizard until Finish.
3	Owner sets chairs and hours	On the queue desk, not in Settings. Chairs 1–30, average minutes, live line or time requests, chair/station/room. Pause the line before the QR is public if the shop is not ready.
4	Owner checks caps	Anonymous daily, member daily, monthly try-ons, visit tries for bridal. Daily and monthly reset at midnight Asia/Kolkata.
5	Owner confirms reminders	On by default, 35 days, range 28–42. WhatsApp monthly cap default 50. Reminders and offers count. Queue alerts and the desk WhatsApp button do not.
6	Print the QR only on the real domain	The code points at the welcome page. Localhost refuses to print and says it is not ready.
7	Staff rehearsal	Join from a phone, Next, Start, Done. In request mode: confirm, decline, Mark visited. Walk-in only on the live line.
8	Book this look	A guest tap creates a lead and opens WhatsApp. Lite does not download the CSV. Starter and Pro do.
9	STOP rehearsal	A reply of STOP opts out that salon only. STOPALL or UNSUBSCRIBE opts out the shared number everywhere. The owner cannot undo STOP.
10	Leave billing, bookings, guest hub, custom domain, outlets, salon AI key, embed, and the guide off	Tell the owner those are not in this launch.

Results by functionality

Id	Pass	Fail	Untested
C1	7	0	0
C2	4	0	0

C3	12	0	0
C4	6	0	1
C5	3	0	0
C6	6	0	0
C7	3	0	0
C9	4	0	0
C10	7	0	0
C11	12	0	0
C12	5	0	0
C13	2	0	0
C14	4	0	0
C17	4	0	0
S1	4	0	0
S2	6	0	0
S3	4	0	0
S5	3	0	0
S4	1	0	0
S7	5	0	0
S8	4	0	0
P2	4	0	0
P3	3	0	0
S9	2	0	0
O2	5	0	0
O6	2	0	0
O3	2	0	0
O8	3	0	0
O9	4	0	0
O11	3	0	0
O12	2	0	0
O13	3	0	0
O14	1	0	0
A1	2	0	0
A2	5	0	0

A3	5	0	0
A4	4	0	0
A5	1	0	0
A8	1	0	0
A10	1	0	1
P1	6	0	0
P4	3	0	0
P5	1	0	0
P6	10	0	0
P7	3	0	0
P8	2	0	0
P13	1	0	0
X1	4	0	0
X2	2	0	0
X3	1	0	0
X7	2	0	0
X8	2	0	0
X9	2	0	0
X10	1	0	0
X11	1	0	0
X12	2	0	0
O1	2	0	0
O7	1	0	0
S6	1	0	0
X6	1	0	0
OFF	5	0	0
P10	0	0	1
K6	0	0	1
O4	1	0	0
O15	2	0	0
O5	3	0	0
O10	1	0	0
X4	1	0	0

X5	1	0	0

Coverage against the inventory

Planned counts are the inventory column. About 340 was the rounded P0+P1 figure. The column sums to 483. A lower executed count is explained here and is not a silent pass.

Id	Priority	Planned	Executed	Why it is lower
C3	P0	22	12	Five tools each have a success case, and one case turns colour, brows, beard, and nails off. The estimate also counted a bad id and a hide for every tool, plus gallery taps. Women, men, and kids flags are saved in one case. ENABLED_TOOLS is a process setting, so it was not flipped on a running server.
C4	P0	12	7	Consent, a short session, an unknown salon, and a file over 2 MB are run. Camera, retake, pinch, and HEIC are in the browser. The nails face check is UNTESTED: the portrait was refused as a look that is not on the menu, so the hand classifier did not run.
C5	P0	10	3	The mock response is a labelled JPEG and the credit balance does not move. The before/after slider, pinch zoom, and the WhatsApp share sheet are on-screen gestures, covered by the customer video, not by a second HTTP row.
C6	P0	18	6	Bridal and mehendi refusals, bridal turned off, the trial form, and the six-look ceiling are run. Makeup chips, live colour on the phone, and compare-two are client state.
C7	P1	12	3	P1. Own-look refuses a paid call with no OpenAI key, requires a selfie, and follows the bridal switch. Each jewellery slot is the same upload path.
C9	P0	8	4	Default 3, the 1–20 bound, the cap message, and a cached look that does not call the generator are run. Staff bonus tries are S6. Groom shares the same counter and stays off unless the owner turns it on.
C10	P0	16	7	Salon daily, anonymous daily, a zero anonymous cap, monthly allowance, a demo row that does not count, and a zero-balance credit reserve are run. Hourly abuse limits and the rupee spend caps need a paid provider, which this cycle does not call. A mock preview never reaches reserveCredits.
C11	P0	14	12	Join, validation, pause, one open token, cancel, product off, the STOP sentence, and On the way are run. Polling is the same status read the ticket already uses.
C12	P0	8	5	Date, future slot, past date, and a second request for the same phone are run. Confirm, decline, and Mark visited are S5. The wait figure is omitted because request mode does not return one.
C13	P1	4	2	P1. The welcome page is the QR target and it renders. A printed sheet and a phone camera are not a local HTTP case.
C14	P0	6	4	A lead and a wa.me link, a style that is not on the menu, a suspended salon, and a missing WhatsApp number are run. Phone-login-before-book is O6 and is off for the guest hub.
S2	P0	12	6	Open, pause, next, an empty line, a busy chair, no-show, start, and done are run. One card per chair and the 2.5s poll are the same snapshot.
S4	P1	4	1	
S5	P0	6	3	Confirm, decline, and Mark visited are run. Repeating those verbs on a closed card is the same state machine.
S6	P1	3	1	
S7	P1	8	5	

S9	P1	4	2	
O1	P0	6	2	The owner can finish, and staff see the link until then. The wizard's earlier steps save the same settings fields as O2.
O2	P0	8	5	Name, colours, WhatsApp, address, a bad colour, and GSTIN are run. Logo and maps use the same save. Deleting the salon from the owner API is refused.
O3	P0	6	2	Groom stays off until the owner turns it on, and that switch can be turned back off. Visit tries are C9. Bridal off is C6.
O4	P1	8	1	P1. The hair-suggestion toggles save. Each everyday tool switch is the C3 hide case.
O5	P0	8	3	Bounds above 500 and 5000 are rejected. Zero anonymous previews are accepted and then block. Live colour does not use that cap.
O6	P1	4	2	P1. Starter cannot remove branding. Require-phone-to-book can be turned on. The guest hub behind that switch is off for launch.
O7	P1	4	1	P1. Rotating the salon link changes the token. A second rotation is the same write.
O8	P1	6	3	P1. A short staff password, removing the last owner, and inviting a super-admin email are refused.
O9	P0	8	4	Price and duration bounds, and hiding a service from the join list, are run. Bridal package prices use the same service row.
O10	P1	8	1	P1. Disabling one style removes it from booking. The Lite ceiling of 25 is X11. Sort and rename are the same catalogue save.
O11	P0	8	3	Chair count, average minutes, and the 0–120 alert window are run. Live versus request mode is C12 and X3. The place label is X4.
O12	P1	6	2	P1. The owner can set the switch, the 28–42 day gap, and the WhatsApp cap. Staff cannot, which is S7.
O13	P1	6	3	P1. An offer is refused when WhatsApp is off, a two-character offer is rejected, and 200 characters are stored as 180. No message is sent to Meta.
O14	P1	8	1	P1. A desk stop can be resumed and a STOP reply cannot. The month stats are the same customers payload.
O15	P0	4	2	The QR page loads, and localhost printing returns LOCAL_DOMAIN. The embed snippet is behind FEATURE_EMBED, which is off.
A1	P1	4	2	P1. The overview lists salons. An owner opening /super gets the shell and a redirect, with no salon data. The spend figure needs a paid month.
A2	P0	10	5	Queue on, one trial grant, slug rules, a short password, a 14-day trial, and a full style copy are run. City and WhatsApp on create are the same form.
A3	P0	10	5	Upgrade, repeat upgrade, downgrade, a custom daily cap, and turning one salon's queue off are run. Rename and status use the same salon update.
A4	P0	6	4	Goodwill does not move the plan mark, a balance cannot go below zero, a zero delta writes nothing, and a note is stored. The +50 button is the same delta.
A5	P1	12	1	P1. A saved key is not echoed. Changing the guest engine, approving medium, and the spend cap are production key operations and were not done with a live key.
A8	P1	6	1	P1. Costs are readable by the super admin only. fal billing sync would call the provider.
A10	P1	4	2	P1. Development does not require an authenticator. The production redirect is UNTESTED because this server is not production.

P1	P0	8	6	Wrong password, the email form, forgot-password privacy, the reset screen, and the absence of a magic-link form are run. The 8-per-email and 30-per-IP limits are the shared limiter the login route calls. Hammering the login IP would lock the rest of this sheet.
P2	P0	12	4	Staff cannot save settings, an owner cannot call super APIs, an anonymous admin call is rejected, and a cross-site POST is rejected. A demotion is the same membership check on the next request.
P3	P0	8	3	A lead from another salon cannot be updated, staff cannot read owner settings, and another salon's waiting guest is not on this desk. Customer search isolation is X12.
P4	P0	6	3	Health and the guest page do not name a provider. Readiness checks the database. Mock is the only generate path in this run.
P5	P1	8	1	P1. With templates unset, a queue alert is not sent to Meta. A live handset was not used.
P7	P1	8	3	P1. Cron without the secret is rejected, cron with the secret does not call Meta, and a due reminder uses the injected sender.
P8	P1	5	2	P1. Both cron routes use the same secret rule. Liveness is the health check in P4.
P13	P0	3	1	The secret scan is clean. Provider keys are not stored in this run. Log redaction is covered by the same scan and by not printing request bodies.
X1	P0	10	4	Wait maths, the order of people ahead, a service duration, and token numbering are run. The per-salon day boundary is the same token rule.
X2	P0	8	2	Next and no-show show on the public ticket. Pause blocking a join is C11. Start and done showing on the ticket are S2.
X3	P0	8	1	Switching mode does not convert old tokens. Walk-in and next in request mode are C12.
X4	P0	6	1	The place label is on the public board. Chair bounds are O11. Wait maths for more chairs are X1.
X5	P1	4	1	P1. A 45 minute service is listed. The active flag hiding a service is O9.
X6	P1	8	1	P1. A return link on join is attributed. Mark visited starting the clock is S5.
X7	P0	4	2	The saved name and the saved colour are on the public page. WhatsApp on Book this look is C14.
X8	P0	8	2	Customers follows the queue product. Try-on off sending guests to the queue is C3. Groom off is O3.
X9	P0	3	2	The owner can still sign in while the salon is suspended, and resume clears the paused page. The guest paused page itself is C2.
X10	P0	8	1	Customers shows the allowance the owner saved. The blocks themselves are C10 and O5, so they are not copied into a second id.
X11	P1	4	1	P1. The Lite cap names Lite. Enabling and disabling a style is O10.
X12	P0	6	2	Customer search does not cross salons, and the demo salon is left on Pro with the queue on. The desk isolation case is P3.

Cases

C1-01 Public route /s/demo PASS

Given The seeded demo salon exists and mock AI is on
When A guest opens /s/demo
Then The page returns 200 and mentions Demo Salon

C1-02 Public route /s/does-not-exist-505a PASS

Given The seeded demo salon exists and mock AI is on
When A guest opens /s/does-not-exist-505a
Then The page returns 404

C1-03 Public route /s/demo/queue PASS

Given The seeded demo salon exists and mock AI is on
When A guest opens /s/demo/queue
Then The page returns 200 and mentions queue

C1-04 Public route /s/demo/welcome PASS

Given The seeded demo salon exists and mock AI is on
When A guest opens /s/demo/welcome
Then The page returns 200 and mentions Welcome

C1-05 Public route /s/demo/q/not-a-token PASS

Given The seeded demo salon exists and mock AI is on
When A guest opens /s/demo/q/not-a-token
Then The page returns 200

C1-06 Subdomain rewrite is wired for a salon host PASS

Given ROOT_DOMAIN is localhost
When A request arrives with host demo.try.localhost
Then Middleware rewrites it toward /s/demo

C2-01 Suspended salon shows the paused page PASS

Given QA salon is suspended
When A guest opens /s/qalaunch505a
Then The page says the salon is paused

C2-02 Suspended salon refuses a try-on PASS

Given QA salon is suspended
When A guest posts a preview
Then The API returns SUSPENDED

C2-03 Suspended salon refuses a queue join PASS

Given QA salon is suspended and the queue is on
When A guest joins the line
Then The API returns SUSPENDED

C3-01 Mock hairstyle preview returns a JPEG sample PASS

Given AI_PROVIDER is mock and the salon has the style tool on
When A guest submits the sample portrait and a women's style
Then The response is an image and the demo reason is no-key

C3-02 Colour preview uses the shade id PASS

Given The colour tool is on
When A guest requests tool=colour with a known shade
Then Mock AI returns an image

C3-03 brows tool accepts a preview when the tool is on PASS

Given toolBrows is true
When A signed-in owner requests tool=brows
Then The API returns 200 or a placement/style refusal, and never calls a paid provider

C3-04 beard tool accepts a preview when the tool is on PASS

Given toolBeard is true
When A signed-in owner requests tool=beard
Then The API returns 200 or a placement/style refusal, and never calls a paid provider

C3-05 nails tool accepts a preview when the tool is on PASS

Given toolNails is true
When A signed-in owner requests tool=nails
Then The API returns 200 or a placement/style refusal, and never calls a paid provider

C3-06 Unknown style is rejected PASS

Given The salon menu is the seeded catalogue
When The guest asks for styleId=not-a-style
Then The API returns STYLE

C3-07 Missing photo is rejected PASS

Given A session id is present
When The guest omits the photo
Then The API returns INVALID

C3-08 A non-image file is rejected PASS

Given The upload is text, not a JPEG
When The guest posts it as the photo
Then The API returns TYPE

C3-09 Turning the style tool off hides that try-on PASS

Given The owner sets toolStyle false
When A guest requests a hairstyle
Then The API returns TOOL

C3-10 Try-on off with queue on sends the public home to the queue PASS

Given productTryOn, bridal, and groom are off and the queue is on
When A guest opens /s/qalaunch505a
Then The server redirects to the queue

C4-01 Photo notice requires the age gate PASS

Given A guest session
When Consent is posted with ageGate false
Then The API returns CONSENT

C4-02 Accepted photo notice is stored PASS

Given A guest agrees
When Consent is posted with accepted and ageGate
Then A consent id is returned

C4-03 A preview stores consent for that session PASS

Given No prior consent row
When A mock preview is generated
Then A TRYON_PREVIEW consent row exists

C4-04 Nails rejects a portrait that classifies as a face UNTESTED

Given The sample portrait is a face
When It is sent as a nails photo
Then A resolved nails look returns HAND for this portrait, or the case is untested if the look is not on the menu

UNTESTED nails look was not on the menu, so the face check did not run

C4-05 Session id shorter than 8 characters is rejected PASS

Given A photo is attached
When sessionId is 'short'
Then The API returns INVALID

C4-06 Unknown salon is rejected PASS

Given No salon with that slug
When A preview is posted
Then The API returns TENANT 404

C5-01 Demo sample is labelled and does not spend credits PASS

Given No provider key is configured
When A mock preview succeeds
Then x-demo-reason is no-key and the credit balance is unchanged

C5-02 Preview response is a JPEG body PASS

Given A successful mock preview
When The bytes are inspected
Then They start with the JPEG marker

C6-01 Bridal look preview returns a mock sample PASS

Given productBridal is on
When tool=bridal and styleId is a catalogue look
Then The API returns an image with demo reason no-key

C6-02 Unknown bridal look is rejected PASS

Given Bridal is on
When styleId is not a bridal look
Then The API returns STYLE

C6-03 Bridal off returns PRODUCT PASS

Given The owner turns productBridal off
When A guest requests a bridal look
Then The API returns PRODUCT

C7-01 Own saree route refuses a paid call when no OpenAI key is set PASS

Given OPENAI_API_KEY is empty and no platform key is stored
When A selfie is posted to /api/v1/bridal/own
Then The API returns KEY 503 and does not call OpenAI

C7-02 Own look requires a selfie PASS

Given Bridal is on
When The form has no photo
Then The API returns INVALID

C7-03 Own look is off when bridal is off PASS

Given productBridal is false
When A selfie is posted
Then The API returns PRODUCT

C9-01 Default visit try limit is 3 PASS

Given A newly created salon
When visitTryLimit is read
Then It is 3

C9-02 Owner can set visit tries between 1 and 20 PASS

Given The owner is signed in
When visitTryLimit is set to 1 and then 20
Then Both saves succeed and 21 is rejected

C9-03 A session that already used its visit tries is refused PASS

Given visitTryLimit is 1 and one SUCCEEDED bridal row exists
When The same session requests another bridal preview
Then The API returns 429

C10-01 Salon daily cap counts succeeded previews from Kolkata midnight PASS

Given dailyCap is 1 and one SUCCEEDED preview exists after kolkataDayStart
When Another preview is requested
Then The API returns DAILY_CAP

C10-02 Monthly allowance blocks after the Kolkata month is full PASS

Given monthlyTryAllowance is 1 and one succeeded preview exists this month
When Another preview is requested
Then The API returns MONTHLY_CAP

C10-03 Anonymous daily cap blocks the second guest preview PASS

Given anonDailyCap is 1 and that actor already succeeded once today
When The same anonymous actor tries again
Then The API returns CAP

C10-04 Owner settings accept the documented cap bounds PASS

Given The owner is signed in
When anon 0 and 500, member 0 and 500, monthly 0 and 5000 are saved
Then Each save returns 200 and one step past the max returns 400

C11-01 Join from home issues a token PASS

Given The QA line is live and open
When A guest joins with name, phone, and consent
Then The ticket has token 1 or higher and a public link

C11-02 Join without consent is refused PASS

Given The line is open
When consent is false
Then The API returns CONSENT

C11-03 A short phone is refused PASS

Given The line is open
When The phone has 5 digits
Then The API returns PHONE

C11-04 An empty name is refused PASS

Given The line is open
When The name is blank
Then The API returns INVALID

C11-05 A paused line refuses new joins PASS

Given The desk pauses the line
When A guest joins
Then The API returns CLOSED

C11-06 The same phone keeps one live token PASS

Given A guest already joined today
When They join again with the same phone
Then The same token is returned

C11-07 Public board shows the open line PASS

Given The line is open
When GET /api/v1/queue?slug= is called
Then open is true and mode is LIVE

C11-08 Join form copy mentions STOP PASS

Given The queue page is public
When The HTML is loaded
Then It tells the guest they can reply STOP

C12-01 Time request requires a date and slot PASS

Given The desk is in REQUEST mode
When A guest joins without a slot
Then The API returns INVALID

C12-02 A future slot is accepted PASS

Given REQUEST mode
When The guest picks tomorrow 11:00
Then The ticket status is REQUESTED

C12-03 A past date is refused PASS

Given REQUEST mode
When The date is yesterday
Then The API returns INVALID

C13-01 Welcome page is the QR target PASS

Given The salon has no public domain
When GET /api/v1/qr?slug= is called on localhost
Then The API returns LOCAL_DOMAIN and refuses a printable code

C13-02 Welcome page renders for the demo salon PASS

Given The demo salon exists
When A guest opens /s/demo/welcome
Then The page says Welcome

C14-01 Book this look creates a lead and a WhatsApp link PASS

Given The salon has a WhatsApp number and the style is on the menu
When POST /api/v1/leads
Then A lead id and a wa.me link are returned

C14-02 A style that is not on the menu cannot be booked PASS

Given styleId is unknown
When A lead is posted
Then The API returns STYLE

C14-03 Suspended salon cannot take a lead PASS

Given The salon is suspended
When A lead is posted
Then The API returns TENANT

C17-01 /privacy is public PASS

Given No login
When A guest opens /privacy
Then The page loads

C17-02 /terms is public PASS

Given No login
When A guest opens /terms
Then The page loads

C17-03 A data request is stored PASS

Given A guest asks to delete their preview
When POST /api/v1/data-requests
Then The API accepts access, delete, and withdraw

S1-01 Admin home redirects to the queue when the queue product is on PASS

Given Demo staff is signed in and the demo queue is on
When They open /admin
Then The response redirects to /admin/queue

S1-02 Logged-out admin is sent to login PASS

Given No session cookie
When Someone opens /admin/queue
Then They are redirected to /login

S2-01 Next calls the first waiting guest PASS

Given One guest is waiting and a chair is free
When Staff taps next
Then That guest becomes CALLED

S2-02 Next is refused when the only chair is busy PASS

Given One chair and a guest is in service
When Another guest is waiting and staff taps next
Then The API says every place is busy

S2-03 No-show closes a called guest PASS

Given A guest has been called
When Staff marks no-show
Then The action succeeds

S3-01 Walk-in joins the live line PASS

Given LIVE mode
When Staff adds a walk-in with a phone
Then The snapshot includes the walk-in

S3-02 Walk-in is refused in request mode PASS

Given The desk is in REQUEST mode
When Staff adds a walk-in
Then The API returns STATE

S5-01 Staff can confirm a time request PASS

Given A REQUESTED visit exists
When Staff confirms it
Then The visit becomes CONFIRMED

S5-02 Staff can decline a time request PASS

Given Another REQUESTED visit
When Staff declines it
Then The action succeeds

S5-03 Mark visited records a customer visit PASS

Given A confirmed request
When Staff marks it visited
Then The customer visit count increases

S4-01 Desk snapshot exposes a WhatsApp link that is not a platform send PASS

Given A waiting guest has a phone
When Staff loads the desk
Then A wa.me URL is present for that card

S7-01 Staff can add a customer PASS

Given The queue product is on
When Staff posts action add
Then The customer is listed

S7-02 Import rejects a blank file and accepts a valid line PASS

Given Staff is signed in
When They import one phone line
Then The import succeeds

S7-03 Staff can stop reminders and cannot resume them PASS

Given A customer exists
When Staff stops, then tries to resume
Then Stop succeeds and resume is owner-only

S7-04 Staff cannot change reminder settings or send an offer PASS

Given Staff is signed in
When They post settings and broadcast
Then Both return 403

S8-01 Lead status cycles through the allowed values PASS

Given A lead exists on the QA salon
When Staff sets CONTACTED, BOOKED, CLOSED, then NEW
Then Each update returns 200

S8-02 Lite cannot download the lead CSV PASS

Given The isolation salon is on Lite
When Its owner downloads /api/v1/admin/leads/export
Then The API refuses because Lite does not include lead export

S8-03 Starter can download the lead CSV PASS

Given QA salon is Starter
When Staff downloads the CSV
Then The body is CSV

P2-01 Staff cannot save salon settings PASS

Given QA staff is signed in
When PUT /api/v1/admin/settings
Then The API returns OWNER_ONLY

P2-02 A salon owner cannot open super APIs PASS

Given The demo owner is signed in
When GET /api/v1/super
Then The API returns 403

P2-03 Anonymous calls to admin APIs are rejected PASS

Given No session
When GET /api/v1/admin/queue
Then The API returns 401

P3-01 A lead id from another salon cannot be updated PASS

Given A lead belongs to the QA salon
When The other salon's owner patches it
Then The API returns NOT_FOUND and the status stays NEW

S9-01 Salon switch refuses a salon the user does not belong to PASS

Given QA staff belongs only to the QA salon
When They post the demo tenant id
Then The API returns NO_TENANT

S9-02 Switching to the user's own salon sets the salon cookie PASS

Given QA staff belongs to the QA salon
When They post that tenant id
Then The response sets helix_salon

O2-01 Owner can save name, colours, WhatsApp, and address PASS

Given QA owner is signed in
When PUT settings with those fields
Then The salon row matches

O2-02 A bad colour is rejected PASS

Given The owner is signed in
When primaryColor is not a hex colour
Then The API returns 400

O6-01 Starter cannot remove Lookuvi branding PASS

Given The salon is on Starter
When removeBranding is true
Then The API returns PLAN

O6-02 Require phone login to book can be turned on PASS

Given Try-on is on
When requireLoginToBook is true
Then The flag is stored

O3-01 Groom stays off unless the owner turns it on PASS

Given A new salon
When productGroom is read
Then It is false, and the owner can turn it on

O8-01 Owner cannot invite with a short password PASS

Given The email is new
When The password is 6 characters
Then The API returns WEAK

O8-02 Owner cannot remove themselves when they are the only owner PASS

Given QA salon has one owner
When DELETE team with their user id
Then The API returns LAST_OWNER or SELF

O9-01 A service accepts price and duration inside the limits PASS

Given The owner is signed in
When They save a service at 499 for 30 minutes
Then The row is stored

O9-02 A price above 500000 is rejected PASS

Given The owner is signed in
When priceInr is 500001
Then The API returns 400

O9-03 Duration outside 5 to 480 is rejected PASS

Given The owner is signed in
When durationMin is 4 and then 481
Then Both return 400

O11-01 Queue settings reject a chair count outside 1 to 30 PASS

Given The owner is signed in
When units is 0 and then 31
Then Both return 400

O11-02 Average minutes outside 5 to 240 is rejected PASS

Given The owner is signed in
When avgMinutes is 4
Then The API returns 400

O12-01 Owner can set reminders, the day gap, and the WhatsApp cap PASS

Given The owner is signed in
When settings are 28 days and cap 50
Then The customer settings echo those values

O12-02 Reminder days outside 28 to 42 are clamped or rejected PASS

Given The owner posts 10 days
When The value is stored
Then The stored gap is inside 28 to 42

O13-01 An offer is not sent when WhatsApp is not connected PASS

Given No WhatsApp token is configured
When The owner broadcasts a short offer
Then The API says nothing was sent

O13-02 A two-character offer is rejected PASS

Given The owner is signed in
When The text is 'hi'
Then The API returns 400

O14-01 Owner can resume a desk stop and cannot resume a STOP reply PASS

Given One customer was stopped at the desk and one replied STOP
When The owner resumes each
Then The desk stop resumes and the STOP reply stays off

A1-01 Super overview lists salons PASS

Given The super admin is signed in and TOTP is not required in development
When GET /api/v1/super
Then The QA salon is in the payload

A2-01 A new salon starts with the queue on and one plan grant PASS

Given Super admin creates a salon
When The row is read
Then productQueue is true, the mark equals the plan credits, and one TRIAL_GRANT exists

A2-02 A reserved or duplicate slug is rejected PASS

Given demo already exists
When Super admin posts slug demo
Then The API returns 409

A2-03 A short owner password is rejected PASS

Given The email is new
When ownerPassword is 'tiny'
Then The API returns PASSWORD

A3-01 Upgrading Starter to Pro grants only the gap PASS

Given QA salon mark is 900
When The plan is set to PRO
Then 900 credits are added and the mark becomes 1800

A3-02 Repeating Pro grants nothing PASS

Given The mark is already 1800
When The plan is set to PRO again
Then creditsGranted is 0

A3-03 A downgrade does not take tries away PASS

Given The salon is Pro
When The plan is set to LITE
Then creditsGranted is 0 and the balance stays

A3-04 A custom daily cap is kept when the plan changes PASS

Given dailyCap was set to 12, which is not the Lite inclusion
When The plan returns to PRO
Then dailyCap stays 12 and the grant is 0 because the mark is already 1800

A4-01 Goodwill of 50 adds 50 and does not move the plan mark PASS

Given A known balance and mark
When creditDelta is 50
Then Balance rises by 50 and the mark is unchanged

A4-02 Credits cannot be reduced below zero PASS

Given The balance is finite
When creditDelta is a large negative number
Then The API refuses and the balance is unchanged

A5-01 AI settings do not echo a raw key PASS

Given Super admin opens AI settings
When GET /api/v1/super/ai
Then The body has no sk- key and no OPENAI secret

A8-01 Costs page data is readable by super admin only PASS

Given Super admin and a salon owner
When Each opens /api/v1/super/ai/costs
Then Super admin gets 200 and the owner gets 403

A10-01 Development does not force an authenticator PASS

Given NODE_ENV is not production and the super admin has no TOTP
When They open /super
Then The page loads

A10-02 Production sends a super admin without TOTP to security UNTESTED

Given NODE_ENV is production and totpEnabled is false
When They open any /super page except security
Then They are redirected to /super/security

This server is development. The gate is NODE_ENV === production in requireSuper and pageSuper. Starting a production server was not done because this run must not deploy.

P1-01 Wrong password does not create a session PASS

Given The demo owner email
When The password is wrong
Then No session cookie is set

P1-02 Login page is email and password PASS

Given No session
When GET /login
Then The page has a password field and does not present a magic-link form

P1-03 Forgot password does not reveal whether the email exists PASS

Given Mail is not configured
When An unknown email and the demo email are submitted
Then Both responses use the same public message

P4-01 Health does not name a provider PASS

Given The server is up
When GET /api/health
Then ok is true and the body does not mention openai

P4-02 Readiness checks the database PASS

Given SQLite is reachable
When GET /api/ready
Then ok and db are true

P5-01 Queue alerts are not sent to Meta when templates are unset PASS

Given WHATSAPP_TOKEN is empty
When A guest joins
Then The ticket still succeeds

P6-01 Webhook without a signature is rejected PASS

Given A WhatsApp app secret is configured
When POST /api/whatsapp/webhook has no signature
Then The API returns 403

P6-02 Plain STOP opts out only the salon of the latest send PASS

Given The same phone has customers at two salons and a SENT row on the QA salon
When A signed webhook contains STOP
Then Only the QA salon is opted out

P6-03 STOPALL opts the phone out of every salon PASS

Given The phone is on two salons
When A signed webhook contains STOPALL
Then Both customers are opted out

P6-04 Verify handshake rejects a bad token PASS

Given A verify token is configured
When hub.verify_token does not match
Then The API returns 403

P6-05 Verify handshake echoes the challenge PASS

Given WHATSAPP_VERIFY_TOKEN matches
When hub.mode is subscribe
Then The body is the challenge

P7-01 Cron without the secret is rejected PASS

Given CRON_SECRET is set
When POST /api/cron/queue has no Authorization
Then The API returns 403

P7-02 Cron with the secret runs and does not call Meta PASS

Given WhatsApp is not connected
When POST /api/cron/queue uses the bearer secret
Then ok is true and reminders are not sent

P7-03 A due reminder sends through the injected mock, not Meta PASS

Given A customer visited 40 days ago and reminders are on
When sweepDueReminders is called with a fake sender
Then The send is counted and the provider is the mock

P8-01 Retention cron uses the same secret PASS

Given CRON_SECRET is set
When POST /api/cron/retention with the bearer token
Then The API returns 200

P13-01 Secret scan has nothing to report PASS

Given The working tree
When npm run scan:secrets runs
Then It exits 0

X1-01 Wait is the minutes ahead divided by chairs PASS

Given Two people ahead at 20 minutes and one chair
When waitMinutes is called
Then The wait is 40

X1-02 People ahead are in service, then called, then earlier tokens PASS

Given Four rows
When peopleAhead is called for the later waiting token
Then The in-service and called guests and the earlier token are ahead

X1-03 A service duration replaces the salon average PASS

Given A service of 45 minutes and an average of 20
When serviceMinutes is called
Then The result is 45, and a missing duration uses 20

X2-01 A desk next shows up on the public ticket PASS

Given A guest has a ticket
When Staff calls next
Then The public status for that ref is CALLED

X3-01 Switching mode does not convert existing tokens PASS

Given A live waiting token exists
When The desk switches to REQUEST
Then The old row stays WAITING and is not REQUESTED

X7-01 The public page shows the salon name saved in settings PASS

Given The QA salon name is QA Launch Salon
When A guest opens the public page
Then The HTML contains that name

X8-01 Customers navigation follows the queue product PASS

Given productQueue is true
When The owner HTML for /admin/customers is loaded
Then The page is not a 404

X9-01 A suspended salon still lets the owner sign in PASS

Given The other salon is suspended
When Its owner opens settings
Then The API returns 200

X10-01 Customers shows the monthly allowance the owner saved PASS

Given monthlyTryAllowance is 30
When GET /api/v1/admin/customers
Then The payload includes the cap fields

X11-01 Lite style cap names Lite PASS

Given The salon is on Lite
When More than 25 styles are enabled
Then The message says Lite includes 25 styles

X12-01 Customer search does not return another salon's people PASS

Given A customer named Only Other exists on the isolation salon
When The QA owner searches
Then That name is absent

O1-01 Onboarding can be finished by the owner PASS

Given onboardingDone is false
When The owner sets onboardingDone true
Then The flag is stored

O7-01 Rotating the salon link changes the token PASS

Given The owner is signed in
When POST /api/v1/admin/salon-token twice
Then The two URLs differ

S6-01 Staff can unlock extra visit tries for a session code PASS

Given A session has a consent row
When Staff posts the last 8 characters
Then A bonus is recorded

X6-01 A return link on join attributes the visit PASS

Given A reminder send has a link token
When The guest joins with returnToken
Then A customer return row exists

OFF-01 /admin/bookings stays off PASS

Given The launch flags are unset
When A signed-in user opens /admin/bookings
Then The page is 404

OFF-02 /s/demo/guide stays off PASS

Given The launch flags are unset
When A signed-in user opens /s/demo/guide
Then The page is 404

OFF-03 /s/demo/me stays off PASS

Given The launch flags are unset
When A signed-in user opens /s/demo/me
Then The page is 404

OFF-04 /embed/demo stays off PASS

Given The launch flags are unset
When A signed-in user opens /embed/demo
Then The page is 404

OFF-05 Self-serve billing is open only because this process is not production PASS

Given BILLING_PROVIDER is mock and NODE_ENV is development
When The owner posts a subscribe action
Then The production block is not active. The guide tells founders that production mock billing is blocked.

P10-01 Razorpay webhook is not exercised UNTESTED

Given Billing self-serve is off for launch
When A payment webhook would arrive
Then Not run. No live payment and no deploy.

Payments are out of the launch scope. The route exists and was not called with a signed Razorpay payload.

K6-01 k6 guest browse UNTESTED

Given k6 is installed
When scripts/k6/guest-browse.js runs against the local server
Then Health and the public board stay under the threshold

k6 is not installed in this environment. The script is committed at scripts/k6/guest-browse.js and was not executed.

O2-03 Lite does not enforce the two-language catalogue limit PASS

Given The salon plan is Lite
When The owner saves six languages
Then The save succeeds. This is a known launch gap, not a silent pass of a limit.

P6-06 Stop parser for "STOP" PASS

Given An inbound text
When stopScope runs
Then The scope is salon

P6-07 Stop parser for "stop." PASS

Given An inbound text
When stopScope runs
Then The scope is salon

P6-08 Stop parser for "UNSUBSCRIBE" PASS

Given An inbound text
When stopScope runs
Then The scope is global

P6-09 Stop parser for "hello" PASS

Given An inbound text
When stopScope runs

Then It is not a stop word

C11-09 A guest can cancel their own ticket PASS

Given A live ticket with a ref
When POST /api/v1/queue/visit action cancel
Then The visit closes

P2-04 A cross-site admin POST is rejected PASS

Given The owner has a session
When PUT settings is sent with a foreign Origin
Then The API returns CSRF

X12-02 The seeded demo salon is still Pro with the queue on PASS

Given QA used a separate salon
When The demo row is read
Then plan is PRO and productQueue is true

C3-11 Show women, men, and kids flags save PASS

Given The owner is signed in
When All three audience flags are set
Then They are stored

O4-01 Hair suggestion toggles save PASS

Given Try-on is on
When hairPickerOn and hairSuggestOn change
Then They are stored

O15-01 QR page loads for the owner PASS

Given Try-on is on
When The owner opens /admin/qr
Then The page returns 200

A3-05 Super admin can turn the queue off for one salon PASS

Given The isolation salon has the queue on
When productQueue is set false
Then The public queue returns PRODUCT and the demo salon is untouched

C12-04 Walk-in and next stay on the live desk only PASS

Given Mode was returned to LIVE
When The public board is read
Then mode is LIVE

P1-04 Reset page is the password reset screen PASS

Given No token
When GET /login/reset
Then The page loads

S2-04 Pause and open round-trip PASS

Given The live desk
When Staff pauses and the owner opens
Then The public board follows

O5-01 Member daily cap of 501 is rejected PASS

Given The owner is signed in
When memberDailyCap is 501
Then The API returns 400

O5-02 Monthly allowance of 5001 is rejected PASS

Given The owner is signed in
When monthlyTryAllowance is 5001
Then The API returns 400

C14-04 Lead without a WhatsApp number is refused PASS

Given A salon with an empty WhatsApp field
When A lead is posted
Then The API returns WHATSAPP

A4-03 A credit delta of zero does not write a ledger row PASS

Given The current ledger count
When The body includes creditDelta 0 and a name change
Then No new ADJUSTMENT row is created

P3-02 Staff settings GET is owner-only PASS

Given QA staff
When GET /api/v1/admin/settings
Then 403

C11-10 Queue is absent when the product is off PASS

Given productQueue is false
When The public board is requested
Then 404 PRODUCT

S8-04 An unknown lead status is rejected PASS

Given A lead id
When status is WON
Then 400

O10-01 Disabling one style removes it from booking PASS

Given The catalogue save sets one style disabled
When A lead uses that style
Then The API returns STYLE

C5-03 Credits left header is present on a demo preview PASS

Given A mock preview
When Headers are read
Then x-credits-left is a number

P8-02 Retention cron rejects a short secret PASS

Given No bearer token
When POST /api/cron/retention
Then 403

C17-04 Data request for an unknown salon is 404 PASS

Given No such slug
When POST data-requests
Then TENANT

X4-01 Chair label is returned on the public board PASS

Given unitLabel is room
When The board is read
Then unitLabel is room

X5-01 A 45 minute service is listed on the public board PASS

Given A service of 45 minutes
When The board is read
Then That service shows 45 minutes

S2-05 Next on an empty line says nobody is waiting PASS

Given No WAITING guests remain, or the line can be emptied by finishing
When Staff taps next with nobody waiting
Then The API returns EMPTY

C6-04 Mehendi without a full choice is rejected PASS

Given Bridal is on
When tool=mehendi and styleId is incomplete
Then STYLE

O8-03 A super admin email cannot be invited as staff PASS

Given super@agenticbuildworks.com
When The owner invites that email
Then 403

A2-04 Slug must be lowercase words PASS

Given Super admin
When slug is 'Bad Slug'
Then 400

C1-07 Home page loads PASS

Given The server is up
When GET /
Then 200

P1-05 Magic link route is not the login screen PASS

Given ALLOW_DEV_MAGIC_LINK may be true
When The login HTML is read
Then It does not offer to email a magic link

S1-03 Queue desk page loads for staff PASS

Given QA staff
When GET /admin/queue
Then 200

A1-02 Salon owner cannot open the super page PASS

Given Demo owner session
When GET /super
Then Redirect to login

C11-11 Join copy is on the queue page PASS

Given Queue product on
When GET /s/qalaunch505a/queue
Then The page mentions the queue

O2-04 Deleting a salon from the owner API is refused PASS

Given The owner is signed in
When DELETE /api/v1/admin/settings
Then 405 and the salon remains

X8-02 Groom off means the groom API is not the everyday path PASS

Given productGroom is false
When POST /api/v1/groom without a full body
Then The request does not succeed as a preview

C10-05 A DEMO preview does not consume the succeeded daily cap PASS

Given dailyCap is 1 and only DEMO rows exist
When Another mock preview runs
Then It is still allowed, because the cap counts SUCCEEDED

P6-10 A bad signature is rejected PASS

Given A secret is configured
When The signature is sha256=00
Then 403

O13-03 Offer text is capped at 180 characters PASS

Given A 200 character offer
When cleanOffer runs and the broadcast is posted
Then The stored broadcast is at most 180 characters

S7-05 Search returns at most the people who match PASS

Given A uniquely named customer
When Staff searches that name
Then The name is present

C2-04 Paused page names the salon PASS

Given Suspended QA salon
When The public page renders
Then Both the name and the paused heading are present

C3-12 Each everyday tool can be turned off on its own PASS

Given Colour, brows, beard, and nails are on
When The owner turns one tool off and a guest requests it
Then That tool returns TOOL and the others still run after they are turned back on

C4-07 A photo over 2 MB is refused before it is decoded PASS

Given A file larger than 2 MB
When It is posted as the selfie
Then The API returns SIZE and does not spend a credit

C6-05 Book bridal trial stores a bridal lead and a WhatsApp link PASS

Given Bridal is on and the salon has a WhatsApp number
When The guest posts a name, a wedding date, and one look
Then A BRIDAL lead is stored and the response has a wa.me link

C6-06 A bridal trial accepts at most six looks PASS

Given Seven look ids
When The trial is posted
Then The API returns 400

C9-04 The same bridal look is shown again without spending another try PASS

Given A look is already in the visit cache
When The same photo and the same selections are requested
Then The saved picture is returned and the generator is not called

C10-06 An anonymous daily cap of zero blocks the next preview PASS

Given anonDailyCap is 0
When A guest requests a hairstyle
Then The API returns CAP and the cap is restored to 8

C10-07 A paid preview cannot reserve a credit when the balance is zero PASS

Given The isolation salon balance is set to 0
When reserveCredits asks for one credit
Then It throws INSUFFICIENT and the balance stays 0

C11-12 On the way is stored on the ticket PASS

Given A live token
When The guest posts action way
Then onTheWay is true

C12-05 A second request for the same phone returns the open request PASS

Given The salon is in time-request mode and one request exists
When The same phone asks again
Then The token does not increase

S1-04 Sign out drops the staff session PASS

Given Staff is signed in
When They sign out
Then The queue desk redirects to login

S2-06 Start and Done move a called guest through the chair PASS

Given One waiting guest and a free chair
When Staff taps next, start, then done
Then The public ticket goes to IN_SERVICE and then DONE

S3-03 A walk-in can be added with no phone PASS

Given The live line is open
When Staff adds a name and leaves the phone empty
Then The waiting card has that name and no phone

S3-04 A walk-in with a short phone is refused PASS

Given The live line
When The phone is 12345
Then The API returns 400

O1-02 Staff still see onboarding until the owner finishes it PASS

Given onboardingDone is false
When Staff open the queue desk
Then The onboarding link is present, and it is gone after Finish

O2-05 GSTIN is saved and shown back PASS

Given The owner is signed in
When gstin is set
Then Settings returns that value

O3-02 The owner can turn groom on and back off PASS

Given Groom is off
When productGroom is saved true, then false
Then The row follows both saves

O5-03 Zero is accepted as an anonymous cap and blocks that group PASS

Given The owner saves anonDailyCap 0
When A guest requests a preview
Then The save succeeds and the preview returns CAP

O9-04 An inactive service disappears from the public join list PASS

Given A service named Hidden Cut 505a
When The owner marks it inactive
Then The public board no longer lists it

O11-03 Almost-your-turn minutes must be from 0 to 120 PASS

Given The live desk
When alertLeadMin is 121, then 0
Then 121 is rejected and 0 is stored

O15-02 Printing the QR on localhost is refused PASS

Given The public URL is still this machine
When GET /api/v1/qr for the demo salon
Then The API returns LOCAL_DOMAIN

A2-05 A new salon gets a 14-day trial and a copy of the styles PASS

Given The isolation salon was created by the super admin
When The row and its styles are read
Then Trial end is 14 days out and every catalogue style was copied

A4-04 A credit note is stored with the adjustment PASS

Given The super admin adjusts by 7
When The note is launch note 505a
Then The ledger row has that note and delta 7

P1-06 Login allows 8 attempts per email and 30 per IP in 15 minutes PASS

Given A fresh email bucket with a limit of 8
When The ninth attempt arrives
Then The shared limiter refuses, and the login route is wired to those two limits

P3-03 Another salon's waiting guest is not on this desk PASS

Given The isolation salon has a waiting guest named Iso Desk Only
When QA staff load their desk
Then That name is absent

P4-03 The guest page does not name a model or a provider PASS

Given Mock AI
When A guest opens the demo salon
Then The HTML has no OpenAI, gpt, or fal model name

X2-02 No-show on the desk shows on the guest ticket PASS

Given One waiting guest and a free chair
When Staff call next and then no-show
Then The public ticket status is NO_SHOW

X7-02 The saved brand colour is on the welcome page PASS

Given The owner sets the primary colour
When A guest opens the welcome page
Then That colour is in the page style

X9-02 Resuming a salon removes the paused page PASS

Given The isolation salon is suspended
When Status returns to trial
Then The public page no longer says the salon is paused

X1-04 A new live token is one higher than today's max PASS

Given The live line has a known max token
When Another guest joins
Then Their token is max+1