

whatsapp - Search

(6) WhatsApp

Home

username combination pattern

localhost:8888/notebooks/GEN%20AI%2Fusername%20combination%20pattern.ipynb

File Edit View Run Kernel Settings Help

+ 🔍 📄 ▶ ⏏ ↺ ⏩ Code ▾

```
[57]: print("username possible pattern using function")
      print("-----")

      def user(name):
          for i in range(len(name)):
              for j in range(0, i+1):
                  print(name[i], end='')
                  print()

      user("vishwanath")

      username possible pattern using function
      -----
      v
      ii
      sss
      hhhh
      wwwwww
      aaaaaa
      nnnnnnn
      aaaaaaaa
      tttttttt
      hhhhhhhhhh
```

hhhhhhhhhh

```
[32]: def user(name):  
      for i in range(len(name)):  
        for k in range(len(name), i, -1):  
          print(' ', end=' ')  
        for j in range(i + 1):  
          print(name[i], end='')  
        print()  
      user("vishnu")
```

v
 ii
 sss
 hhhh
 nnnnn
uuuuuu

```
[59]: def user(name):  
      for i in range(len(name)):  
        for k in range(len(name), i, -1):  
          print(' ', end=' ')  
        for j in range(i + 1):  
          print(name[i], end='')  
        print()  
      user("vishnu")
```

v

Browser tabs: whatsapp - Search, (6) WhatsApp, Home, username combination pattern

Address bar: localhost:8888/notebooks/GEN%20AI%2Fusername%20combination%20pattern.ipynb

JupyterLab interface: File Edit View Run Kernel Settings Help

Code editor content:

```
[59]: def user(name):
        for i in range(len(name)):
            for k in range(len(name), i, -1):
                print(' ', end=' ')
            for j in range(i + 1):
                print(name[i], end='')
            print()
        user("vishnu")

        v
        ii
        sss
        hhhh
        nnnnn
        uuuuuu
```

```
[11]: def upper(name):
        for i in range(len(name)-1, 0, -1):
            for j in range(0, i+1):
                print(name[i].upper(), end='')
            print()
        upper('vishwanath')

        HHHHHHHHHH
        TTTTTTTTT
        AAAAAAAA
        NNNNNNNN
        AAAAAA
        WWWW
```

Browser tabs: whatsapp - Search, (6) WhatsApp, Home, username combination pattern

Address bar: localhost:8888/notebooks/GEN%20AI%2Fusername%20combination%20pattern.ipynb

JupyterLab interface: username combination pattern Last Checkpoint: 55 minutes ago

Menu: File Edit View Run Kernel Settings Help

Toolbar: +, -, Copy, Paste, Run, Stop, Refresh, Code

```
[12]: def upper(name):
      for i in range(len(name)-1,0,-1):
          for j in range(len(name), i,-1):
              print(' ', end='')
          for j in range(0, i+1):
              print(name[i].upper(), end='')
          print()

      upper('vishwanath')

      HHHHHHHHH
      TTTTTTTTT
      AAAAAAAA
      NNNNNNN
      AAAAAA
      WWWWW
      HHHH
      SSS
      II

[13]: def pyramidupper(name):
      for i in range(len(name)):
          for k in range(len(name), i,-1):
              print(' ', end=' ')
          for j in range(i+1):
              print(name[i].upper(), end=' ')
          print()

      pyramidupper('vishwanath')
```

```
[15]: def pyramid(name):
      for i in range(len(name)):
          for k in range(len(name), i,-1):
              print(' ', end=' ')
          for j in range(i+1):
              print(name[i], end=' ')
          print()
      pyramid('vishwanath')
```

```

      v
    i i
  s s s
h h h h
w w w w
a a a a a
n n n n n n
a a a a a a a
t t t t t t t t
h h h h h h h h h
```

```
[17]: def upper(name):
      for i in range(len(name)):
          for k in range(len(name), i,-1):
              print(' ', end='')
          for j in range(i + 1):
              print(name[i].lower(), end='')
          print()
      upper("vishwanath")
```

```
[18]: def upper(name):
      for i in range(len(name)):
          for k in range(len(name), i, -1):
              print(' ', end='')
          for j in range(i + 1):
              print(name[i].upper(), end='')
          print()
      upper("vishwanath")
```

```
V
II
SSS
HHHH
WWWW
AAAAA
NNNNNN
AAAAAAA
TTTTTTTT
HHHHHHHHH
```

```
[19]: def personal(name):
      for i in range(len(name) - 1, -1, -1):
          for j in range(0, i + 1):
              print(name[i], end='')
          print()
      personal("vishwanath")
```

```
hhhhhhhhh
++++++
```

whatsapp - Search

(6) WhatsApp

Home

username combination pattern

localhost8888/notebooks/GEN%20AI%2Fusername%20combination%20pattern.ipynb

file edit view run kernel settings help

Code

```
[58]: print("username of using pyramid")
      print("-----")

      def pyramidlower(name):
          for i in range(len(name)):
              for k in range(len(name), i,-1):
                  print(' ', end=' ')
              for j in range(i+1):
                  print(name[i], end=' ')
              print()

      pyramidlower('vishwanath')

      username of using pyramid
      -----

              v
            i i
          s s s
        h h h h
      w w w w w
    a a a a a a
  n n n n n n n
a a a a a a a a
t t t t t t t t
h h h h h h h h h
```

Browser tabs: whatsapp - Search, (6) WhatsApp, Home, username combination pattern

Address bar: localhost:8888/notebooks/GEN%20AI%2Fusername%20combination%20pattern.ipynb

Page title: JupyterLab username combination pattern Last Checkpoint: 59 minutes ago

Menu: File Edit View Run Kernel Settings Help

Toolbar: +, ✂, 📄, 📌, ▶, ■, ↺, ⏮, ▶▶, Code, ▼

```
[40]: def pyramidupper(name):
      for i in range(len(name)):
          for k in range(len(name), i, -1):
              print(' ', end=' ')
          for j in range(i+1):
              print(name[i].upper(), end=' ')
          print()

      pyramidupper('vishwanath')
```

Output:

```

      V
    I I
  S S S
H H H H
W W W W
A A A A A
N N N N N N
A A A A A A A
T T T T T T T T
H H H H H H H H H
```


whatsapp - Search

(6) WhatsApp

Home

username combination pattern

localhost:8888/notebooks/GEN%20AI%20Fusername%20combination%20pattern.ipynb

File Edit View Run Kernel Settings Help

+

✂

📄

📄

▶

■

🔄

▶▶

Code

▼

[46]:

```
print("smaller number of using lambda function")
print("-----")

lower = lambda a, b, c, d: a if a<b and a<c and a<d else b if b<c and b<d else c if c<d else d
lower(2000, 3000, 40000, 5000)

smaller number of using lambda function
-----
```

[46]: 2000

[47]:

```
print("bigger number of using lambda function")
print("-----")

big = lambda a, b, c, d: a if a>b and a>c and a>d else b if b>c and b>d else c if c>d else d
big(2025, 2026, 2027, 2028)

bigger number of using lambda function
-----
```

[47]: 2028

Browser tabs: whatsapp - Search, (6) WhatsApp, Home, username combination pattern

Address bar: localhost8888/notebooks/GEN%20AI%2Fusername%20combination%20pattern.ipynb

Menu: File Edit View Run Kernel Settings Help

Toolbar: Save, Add, Copy, Paste, Run, Stop, Refresh, Code

Jupyter Notebook Interface:

```
[51]: print("cube value using lambda map function")
      print("-----")

      num = [100, 200, 300, 400, 500]
      cube = list(map(lambda a: a**2, num))
      print(cube)
```

cube value using lambda map function

[10000, 40000, 90000, 160000, 250000]

```
[55]: print("cuberoot of using lambda and map function")
      print("-----")

      num = [1, 8, 27, 64, 125]
      root = list(map(lambda a: a**(1/2), num))
      print(root)
```

cuberoot of using lambda and map function

[1.0, 2.8284271247461903, 5.196152422706632, 8.0, 11.180339887498949]

[]: