Status	Finished
Started	Saturday, 24 October 2026, 6:21 PM
Completed	Saturday, 24 October 2026, 6:33 PM
Duration	12 mins 35 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

In binary search, what happens if the middle element does not match the target element?

a. The search continues from the beginning
b. The list is sorted
c. The search continues in the left or right sublist ✓
d. The search stops

Question **2**

Correct

Mark 1.00 out of 1.00

In a linear search, how many comparisons are made in the worst-case scenario to find an element in a list of size n?

a. 1
b. n ✓
c. log n
d. n/2

Question **3**

Correct

Mark 1.00 out of 1.00

What is the key characteristic of binary search?

a. It works on unsorted lists
b. It compares elements sequentially
c. It can be applied only if the list is sorted ✓
d. It always starts from the beginning of the list

Question **4**

Incorrect

Mark 0.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

a. 90 and 99

b. 89 and 94

c. 94 and 99 ✗

d. 90 and 100

Question **5**

Correct

Mark 1.00 out of 1.00

What is the first step in binary search?

a. Divide the list into two equal parts

b. Sort the list

c. Compare the target element with the middle element in the list ✓

d. Compare the target element with the first element in the list

Question **6**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

a. Hash

b. Linear

c. Binary ✓

d. Both (1) & (3)

Question **7**

Incorrect

Mark 0.00 out of 1.00

What is the advantage of binary search over linear search?

a. Binary search works on unsorted lists

b. Binary search can find multiple instances of the target element ✗

c. Binary search does not require dividing the list

d. Binary search has a lower time complexity on large, sorted lists

Question **8**

Correct

Mark 1.00 out of 1.00

During a binary search, what happens if the target element matches the middle element?

- a. The search ends successfully ✓
- b. The list is sorted
- c. The search continues in the right sublist
- d. The search continues in the left sublist

Question **9**

Correct

Mark 1.00 out of 1.00

What type of search would be most appropriate for finding an element in a list that is frequently updated?

- a. Binary search
- b. Hash search
- c. Linear search ✓
- d. Interpolation search

Question **10**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

- a. In the middle of the list
- b. At the beginning of the list
- c. In the right sublist ✓
- d. In the left sublist

Question **11**

Correct

Mark 1.00 out of 1.00

During a linear search, what is the maximum number of comparisons needed to find an element in a list of size n?

- a. n ✓
- b. log n
- c. n/2
- d. n-1

Question **12**

Correct

Mark 1.00 out of 1.00

In linear search, if the target element is not found in the list, what is the result?

a. An error is raised
b. The search is considered unsuccessful ✓
c. The first element is returned
d. The last element is returned

Question **13**

Correct

Mark 1.00 out of 1.00

In which type of search is the list divided into smaller sublists during the search process?

a. Sequential search
b. Linear search
c. Binary search ✓
d. Hash search

Question **14**

Correct

Mark 1.00 out of 1.00

In binary search, how is the middle element determined?

a. By comparing each element sequentially
b. By starting from the first element
c. By using a hash function
d. By dividing the list length by two ✓

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following best describes the process of a linear search?

a. Skipping every second element
b. Sorting the list before searching
c. Checking each element sequentially ✓
d. Dividing the list in half repeatedly