

· Implicit Intent

such a case intent provided by the component In such a case intent provided by the on available components provided by the system that is to be invoked

to For example, you may write the following mode to view the webpage

Intent intent = new Intent (Intent. ACTION_VIDW)
intent. set Data (Uri. parse ("http://www.vishwas.com"))
start Activity (intent);

· Explicit Intent

oge, intent provides the external class
to be invoked.


Totent := new Intent (get Application Context),
Activity Two. closes;
Start Activity (i);

2) what is Fragments? Explain the life cycle of fragments in Android.

Android Frayments is the past of activity
it is also known as sub-activity.

These can be more than one frayment


in an activity.
- Fragment represent multiple screen




usernavigates backward The frace

removed/replaced

The foughted is added to the back stack them removed freplaced



31	Explain the types of Fragments.
Aug	B of all B
LVS	Basically fragments are divided as three
	stages as shown belows
0	Single frame Programents
り	These are using for board hold devices
	like mobiles, here we can show only
	one fragment ou a view.
WHEN YELD	The state of the s
	List Progracus
15	It is having special list view is
	called as List Programment.
	always by hours and the short and
	Fragments transaction
7)	using the with fragment transaction
	we can move one fragment to
	another fragment.
- 4	what is Activity class? Explain the
	Activity Life cycle with diagram
Ans -	In Android, on activity is referred
1	to as one screen in an application.
1600-	It is very similar to as angle
41	window of any desktop application
(100	An analyoid app consists of one or
	more screens or activities
	Each activity area thanks
-	Each activity goes through various
	stages or a lifetyple and 95 managed
	by activity stacks
-	So when activity starts, the previous
	one always remains below it.



	Date:
	There are four stages of an activity
4.	If an Activity is in the foreground of
	the sizeen then it is said to be
	artire or suming.
	- Literatura and the same a second
	activity has lost torus and a
	The state of transcourage actions.
	attitude of the open or constitution
	Such activity is completely alive.
36	If an activity is completely hidden by another activity, it is stopped as hidden.
	another activity, it is stopped or hidden
10	The system can destroy the activity
	remost by either advisor of the
	finish or simply killing its process.
	Activity Life Cycle
	TOTAL CACIE
1	Activity Launched
	Lounched
	on creater
10	to the activity
	(on Staster) (on Restant (1)
	DAY DROCE SS
	(on Resumet)
2 ta 1	to the activity
	with higher Activity
halos	memory sunning user returns to the activity
	(on Pauser)
	on stop()

The activity is finishing or being destroyed by the system 1, (on Destroy()) Activity shut Down · Oncreate &- called when activity is first created · On Start &- called when activity is becoming visible to the user · OnResume: - ralled when activity will start enteracting with the usex · OnPause s- ralled when activity is not visible to the user Onstops- called when ortivity is not longer visible to the uses On Restart 3- called after your activity is · On Destory s= ralled before the artivity is destroyed. => Hence, this is Activity chase and it's life cycle