

22/03/2021	DWDM Uishwas Ache Mid-Sem Exam  Page No.: 1  Date: 1 1	asya
.20		
6.7		
D-7	MCQ's	
AMTEMBER 1	Report of the Standard of the Commission	
7>	A	TAKE I
	3/3001 30x7 100x21) 10 1111 1112	
2}	B	-
3>	Barre Maria Maria del Maria Maria	
at-109	-ar-as un standard alson	
44	0	
	and the point with the second and a second the state	
5>	B 19428 941 105	
64	B-103-1016 6 3-9400 2190 = 9400 000 406 106 1000	
	The state of the s	
7>	A	
	TOULD STAK LOSSIFY ROSE VEG LOGO VERLESIAN TO	The said
8>	A	95
Al marginal	The second secon	
94	0	
	Appla de la constant	-56
10>	B	,
	alosen quitatal quitavantitas lassinistas	*
	= 20 son Totalization in its	
	100 9 + 17 work to Anti-Anti-Anti-Anti-Anti-Anti-Anti-Anti-	


	A HOUSE ASSIV		vishwas Acharya
			Page No.: 2 Date:
0.2	Descripts	ve Questions	Suprice and Suprices
ما بد ب	P.P.	A AMERICA	
A.28 -	Hese,	between OLAP &	OLTP
- Unio	Tanan -	00137	
	OLAP - OC	-Line Analytical 1	
	OLTP: On-	- Line Transaction	Processing
0			+ octessing.
	tunctional	ity difference	material street
	Functionality	OLTP	
		OLIP	OLA P
•	Characteristic	Operational Processing	Transational
		informational Processing	Analysis
2	Orient 1"	The state of the s	
		Transaction	Analysis
b	Users	Clerk, DBA, deutobas	knowledge wasker (eg.
1000	9. 0.21 54760	professional	read ages executive analyst)
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	Function	day-to-day operations	long-term information.
			requirements, olecision.
			support.
•	DB design	FR based, application-	Stor/snowflakt, subject.
		-osiented	- Oraiented
	Data		
		Current: gunranteed	7
		up-to-date	mointained over



			Page No.: 3 Date:			
	Functionality	OLTP.	OLAP			
•	Summization	Primitive, highly detailed	Summeral, consolidated			
*	View	Detailed, Plat relational	Summorized, multidimensional			
		shoot, simple transaction	Countex			
•	Access	Read Norsite	Mosty secol			
		at many that	San San San San Color Co			
12	Data Mining? while it is called dotter mining rether knowledge mining  The overall good of the data mining  process is to extract information from					
Ans						
m I man 9	a+ 10-	a large douta sets and transform				
m-12; 10;	The same	Purther use.	0 1011			
traidus B	and	potentially useful	patterns in huge			
pron-	Doda I	ted/previously unt	now discovering			

amongs the destar.





Vishwas Achorya

Page No.: 6

	Page No.: 6 Date:
14)	Describre various methods of hondlings
ans -	to handle missing values there are few
0	12 Tyrose the tuple 22 Fill missing value manually 32 Fill in
	32 Fill in the missing value automatically 42 use a global constant to fell in the missing
=>	Now, lets dive deep a little bit
	Force the tuple (second/sour):
	Example:

1) The task is to distinguish between two

Lo span & Mon-span are called as closes

Li If an email comes to you, in which chas

label is missing then it is disnorded

types of emoils,

4 spara

label

4 MON-Span

