

Test

1. What is CSS? Explain the full form of CSS.

1. Full form: Cascading style sheets.

2. CSS is a markup language design used to style and format HTML elements on webpage.

Example: colours, layout, fonts.

2. What is cascading in CSS? Give a Real time example.

⇒ Cascading is the method browsers use to combine different stylesheet sources and resolve conflicts when multiple rules apply to the same HTML elements.

Real time example:

⇒ If two ~~para~~ rules target the same paragraph.

```
P { colour: blue; }
```

```
P { colour: Red; }
```

⇒ The Red is applied, because it appears later.

3. Different between Cascading and Specificity?

Cascading

⇒ The total process of picking the winning CSS rule.

⇒ checks source order.

⇒ the main system.

specificity

A score given to a selector (Inline > ID > class > element).

The selector with the highest score wins.

A part of the cascading system.

4. What are the three types of CSS? Which one is recommended in real-time projects and why?

⇒ The three types of CSS

1. Inline CSS
2. Internal CSS
3. External CSS

⇒ External CSS is strongly recommended for real-time and real-world web development.

⇒ Why?

- ⇒ Code Reusability
- ⇒ Easy Maintenance
- ⇒ Separation of concerns
- ⇒ Better performance

5. Explain the following CSS selectors with examples

1. Universal Selector

⇒ Select everything on the page.

Example:

```
CSS  
{  
  colour: red;  
}
```

⇒ It makes all text on the page red

2. Element Selector

⇒ Selects elements by their HTML tag name

Example: (p, h1, div etc)

```
p {  
  colour: blue;  
}
```

3. class selector (.)

⇒ Selects elements with a specific class name. can be reused on many elements
(Ex)

```
.btn {  
  background colour: green;  
}
```

Group 4. ~~Class~~ Selector (.)

⇒ Styles multiple tags at the same time to save code.

(ex)

```
h1, h2, p {
```

```
font-family: Arial;
```

5. ID Selector (#)

⇒ select an element with a specific id

Used on only 1 unique element per page.

(ex)

```
#log o {
```

```
width: 100px;
```

6. Descendant Selector (space)

⇒ selects elements anywhere inside a parent tag

(ex)

```
div p {
```

```
colour: yellow;
```

```
}
```

7. Child Selector (>)

⇒ selects only direct children

(ex)

```
div > p {
```

```
colour: orange;
```

```
}
```


appthude

$$16 \times 19$$

$$6 + 9 = 250$$

$$6 \times 9 = 54$$

$$304$$

$$16 \times 19$$

96 num & ~~last~~ select panni next digit old
last num kooda add panni @ Ans old
last digit - la 0 add pannanum. Then
2 numbers - la uela last few digits
multiply panni; athen previous num
kooda add pannanum.

6. What is the difference between class selector and ID selector?

class selector

ID selector

=> . (Dot)

(Hash)

=> <div class="card">

<div id="navbar">

=> .card { colour: red; }

#navbar { colour: red; }

=> Multiple elements per page

only 1 element per page

=> Low power and low Priority

It is Higher

7. What is the difference between Descendant selector and child selector?

Descending selector

child selector

=> space ()

=> Greater than symbol (>)

=> div p


=> div > p

=> unlimited levels deeps

=> strictly 1 level deep.

8, The box model is the core layout foundation of web. Every HTML element rendered on a webpage is treated as a rectangular box. The box model defines how the dimensions and spacing of that box are calculated.

- ⇒ content
- ⇒ padding
- ⇒ border
- ⇒ margin



9, Padding

⇒ Inside the element border

⇒ Create breathing room for the content inside its container

⇒ Shows the element's background color

margin

⇒ Outside the element's border

⇒ pushes neighboring elements away to create layout space

⇒ Always transparent

10, What is box-sizing: border-box? why is it recommended?

⇒ box-sizing: border-box includes padding and border inside an element's total width and height.

why it's recommended.

⇒ prevents elements from growing bigger than their set width.

⇒ keeps responsive layouts

⇒ Eliminates complex sizing math.

11, Explain ~~between~~ the difference between the following display properties.

⇒ block: Starts on a new line and takes full width, Respects width, height, and all margins / padding. (e.g., <div>, <p>).

⇒ Inline: stays on the same line. width, height and top / bottom margins are ignored. Takes only content space. (e.g., , <a>).

⇒ Inline-block: stays on the same line, but respects custom width, height, and all margins / padding (e.g., <button>,).

12, Can we apply width and height to:

⇒ div, inline, inline-block

⇒ <div>: YES - It is a block element, so width and height work fully.

⇒ : No → It is an inline element, so width and height are ignored

⇒ <button>: YES - It is an inline-block element, so width and height work fully.

13, display: none;

visibility: hidden;

⇒ Removed completely.

⇒ preserved, leaves an empty other elements collapse blank space on the page to fill the gap.

⇒ still exists in HTML, but invisible and unrendered

⇒ still exists in HTML but rendered and invisible space.

⇒ cannot be clicked or focused

⇒ cannot be clicked or focused.

14. ~~Flexbox~~

⇒ Flexbox: A CSS 1D layout model for easily aligning and spacing elements in a single row or column.

⇒ Flex container: The parent element with `display: flex; flex`. It controls the overall layout.

⇒ Flex item: Any direct child element inside the flex container.

⇒ Main Axis: The primary direction flex items flow.

⇒ Cross Axis: The axis perpendicular (90°) to the main axis.

15, To perfectly center a div vertically and horizontally using flexbox, you need 3 core properties on the parent container.

code:

```
.parent {  
  display: flex;  
  justify-content: center;  
  align-items: center;  
  min-height: 100vh;  
}
```

1. `display: flex;`

⇒ What it does: Turns the parent container into a flex container, enabling flexbox layout rules for all direct children.

2. `justify-content: center;`

⇒ What it does: Centers the child div horizontally along the main axis.

3 align-items: center;

=> center the child div horizontally along the ~~main~~ axis

h, min-length: 100vh;

=> Gives the parent element enough height (100% of the viewport height) so there is vertical space available to center inside.