

```
use vitcampus
switched to db vitcampus
db.products.updateOne({ _id: 5 }, { $mul: { price: 1.1 } })
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
db.products.updateOne({
  _id: 1
}, {
  $mul: {
    "storage.0": 2,
    "storage.1": 2,
    "storage.2": 2
  }
})
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
db.products.updateMany({}, {
  $mul: {
```

```
        "spec.ram": 2
    }
})
{
    acknowledged: true,
    insertedId: null,
    matchedCount: 5,
    modifiedCount: 5,
    upsertedCount: 0
}
db.products.find({}, { name: 1, "spec.ram": 1 })
{
    _id: 1,
    name: 'xPhone',
    spec: {
        ram: 16
    }
}
{
    _id: 2,
    name: 'xTablet',
    spec: {
        ram: 32
    }
}
{
    _id: 3,
    name: 'SmartTablet',
```

```
spec: {
  ram: 24
}
}
{
  _id: 4,
  name: 'SmartPad',
  spec: {
    ram: 16
  }
}
{
  _id: 5,
  name: 'SmartPhone',
  spec: {
    ram: 8
  }
}
db.products.updateOne({
  _id: 1
}, {
  $unset: {
    price: ""
  }
})
{
  acknowledged: true,
  insertedId: null,
```

```
    matchedCount: 1,
    modifiedCount: 1,
    upsertedCount: 0
  }
  db.products.find({}, { name: 1, price: 1 })
  {
    _id: 1,
    name: 'xPhone'
  }
  {
    _id: 2,
    name: 'xTablet',
    price: 899
  }
  {
    _id: 3,
    name: 'SmartTablet',
    price: 899
  }
  {
    _id: 4,
    name: 'SmartPad',
    price: 699
  }
  {
    _id: 5,
    name: 'SmartPhone',
    price: 548.9000000000001
  }
```

```
}  
db.products.updateMany({}, {  
  $unset: {  
    "spec.ram": ""  
  }  
})  
  
{  
  acknowledged: true,  
  insertedId: null,  
  matchedCount: 5,  
  modifiedCount: 5,  
  upsertedCount: 0  
}  
  
db.products.find({}, {  
  spec: 1  
})  
  
{  
  _id: 1,  
  spec: {  
    screen: 6.5,  
    cpu: 2.66  
  }  
}  
  
{  
  _id: 2,  
  spec: {  
    screen: 9.5,  
    cpu: 3.66  
  }  
}
```

```
}  
}  
{  
  _id: 3,  
  spec: {  
    screen: 9.7,  
    cpu: 3.66  
  }  
}  
{  
  _id: 4,  
  spec: {  
    screen: 9.7,  
    cpu: 1.66  
  }  
}  
{  
  _id: 5,  
  spec: {  
    screen: 5.7,  
    cpu: 1.66  
  }  
}  
db.products.updateMany({}, { $unset: { "storage.0": "" } })  
{  
  acknowledged: true,  
  insertedId: null,  
  matchedCount: 5,
```

```
    modifiedCount: 5,  
    upsertedCount: 0  
  }  
  db.products.find({}, { "storage":1})  
  {  
    _id: 1,  
    storage: [  
      null,  
      256,  
      512  
    ]  
  }  
  {  
    _id: 2,  
    storage: [  
      null,  
      256,  
      512  
    ]  
  }  
  {  
    _id: 3,  
    storage: [  
      null,  
      64,  
      128  
    ]  
  }  
}
```

```
{
  _id: 4,
  storage: [
    null,
    256,
    1024
  ]
}
{
  _id: 5,
  storage: [
    null,
    256
  ]
}
db.products.updateMany({}, {
  $unset: {
    releaseDate: "",
    spec: ""
  }
})
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 5,
  modifiedCount: 5,
  upsertedCount: 0
}
```



```
db.products.find({}, {
  name: 1,
  storage: 1,
  releaseDate: 1,
  spec: 1
})
{
  _id: 1,
  name: 'xPhone',
  storage: [
    null,
    256,
    512
  ]
}
{
  _id: 2,
  name: 'xTablet',
  storage: [
    null,
    256,
    512
  ]
}
{
  _id: 3,
  name: 'SmartTablet',
  storage: [
```

```

    null,
    64,
    128
  ]
}
{
  _id: 4,
  name: 'SmartPad',
  storage: [
    null,
    256,
    1024
  ]
}
{
  _id: 5,
  name: 'SmartPhone',
  storage: [
    null,
    256
  ]
}
db.products.updateMany({}, {
  $rename: {
    nmea: "name"
  }
})
{

```

```
    acknowledged: true,
    insertedId: null,
    matchedCount: 5,
    modifiedCount: 0,
    upsertedCount: 0
  }
  db.products.find({}, { name: 1 })
  {
    _id: 1,
    name: 'xPhone'
  }
  {
    _id: 2,
    name: 'xTablet'
  }
  {
    _id: 3,
    name: 'SmartTablet'
  }
  {
    _id: 4,
    name: 'SmartPad'
  }
  {
    _id: 5,
    name: 'SmartPhone'
  }
  db.products.updateMany({}, {
```

```
$rename: {
  "spec.screen": "spec.screenSize"
}
}))
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 5,
  modifiedCount: 0,
  upsertedCount: 0
}
db.products.find({}, {
  spec: 1
}))
{
  _id: 1
}
{
  _id: 2
}
{
  _id: 3
}
{
  _id: 4
}
{
  _id: 5
```

```

}

db.products.drop({"_id":true});

true

db.products.insertMany([

    { "_id" : 1, "nmea" : "xPhone", "price" : 799, "releaseDate": ISODate("2011-05-14"), "spec"
: { "ram" : 4, "screen" : 6.5, "cpu" : 2.66 }, "color":["white","black"],"storage":[64,128,256]},

    { "_id" : 2, "nmea" : "xTablet", "price" : 899, "releaseDate": ISODate("2011-09-01") , "spec"
: { "ram" : 16, "screen" : 9.5, "cpu" : 3.66
}, "color":["white","black","purple"],"storage":[128,256,512]},

    { "_id" : 3, "nmea" : "SmartTablet", "price" : 899, "releaseDate": ISODate("2015-01-14"),
"spec" : { "ram" : 12, "screen" : 9.7, "cpu" : 3.66 }, "color":["blue"],"storage":[16,64,128]},

    { "_id" : 4, "nmea" : "SmartPad", "price" : 699, "releaseDate": ISODate("2020-05-
14"), "spec" : { "ram" : 8, "screen" : 9.7, "cpu" : 1.66
}, "color":["white","orange","gold","gray"],"storage":[128,256,1024]},

    { "_id" : 5, "nmea" : "SmartPhone", "price" : 599, "releaseDate": ISODate("2022-09-14"),
"spec" : { "ram" : 4, "screen" : 5.7, "cpu" : 1.66
}, "color":["white","orange","gold","gray"],"storage":[128,256]}

])

{

    acknowledged: true,

    insertedIds: {

        '0': 1,

        '1': 2,

        '2': 3,

        '3': 4,

        '4': 5

    }

}

nmea to name:

db.products.updateMany({}, {

```

```
$rename: {  
  nmea: "name"  
}  
})  
SyntaxError: Missing semicolon. (1:4)
```

```
> 1 | nmea to name:  
    | ^  
2 | db.products.updateMany({}, {  
3 |   $rename: {  
4 |     nmea: "name"  
db.products.updateMany({}, {  
  $rename: {  
    nmea: "name"  
  }  
})  
{  
  acknowledged: true,  
  insertedId: null,  
  matchedCount: 5,  
  modifiedCount: 5,  
  upsertedCount: 0  
}  
db.products.find({}, { name: 1 })  
{  
  _id: 1,  
  name: 'xPhone'  
}
```

```
{
  _id: 2,
  name: 'xTablet'
}

{
  _id: 3,
  name: 'SmartTablet'
}

{
  _id: 4,
  name: 'SmartPad'
}

{
  _id: 5,
  name: 'SmartPhone'
}

db.products.updateMany({}, {
  $rename: {
    "spec.screen": "spec.screenSize"
  }
})

{
  acknowledged: true,
  insertedId: null,
  matchedCount: 5,
  modifiedCount: 5,
  upsertedCount: 0
}
```

```
db.products.find({}, {
  spec: 1
})
{
  _id: 1,
  spec: {
    ram: 4,
    cpu: 2.66,
    screenSize: 6.5
  }
}
{
  _id: 2,
  spec: {
    ram: 16,
    cpu: 3.66,
    screenSize: 9.5
  }
}
{
  _id: 3,
  spec: {
    ram: 12,
    cpu: 3.66,
    screenSize: 9.7
  }
}
{
```



```
_id: 4,
spec: {
  ram: 8,
  cpu: 1.66,
  screenSize: 9.7
}
}
{
  _id: 5,
  spec: {
    ram: 4,
    cpu: 1.66,
    screenSize: 5.7
  }
}
db.products.updateOne({
  _id: 1
},
{
  $rename: {
    "spec.cpu": "cpu"
  }
})
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
```

```
    upsertedCount: 0
  }
  db.products.find({ _id: 1})
  {
    _id: 1,
    price: 799,
    releaseDate: 2011-05-14T00:00:00.000Z,
    spec: {
      ram: 4,
      screenSize: 6.5
    },
    color: [
      'white',
      'black'
    ],
    storage: [
      64,
      128,
      256
    ],
    name: 'xPhone',
    cpu: 2.66
  }
  db.products.updateOne({
    _id: 2
  }, {
    $rename: {
      "color": "storage"
    }
  })
}
```

```
    }
  })
  {
    acknowledged: true,
    insertedId: null,
    matchedCount: 1,
    modifiedCount: 1,
    upsertedCount: 0
  }
  db.products.find({ _id: 2 })
  {
    _id: 2,
    price: 899,
    releaseDate: 2011-09-01T00:00:00.000Z,
    spec: {
      ram: 16,
      cpu: 3.66,
      screenSize: 9.5
    },
    storage: [
      'white',
      'black',
      'purple'
    ],
    name: 'xTablet'
  }
  db.products.updateMany(
    { _id: 6 },
```

```
    { $set: {price: 999} }
  )
{
  acknowledged: true,
  insertedId: null,
  matchedCount: 0,
  modifiedCount: 0,
  upsertedCount: 0
}
db.products.updateMany(
  { _id: 6 },
  { $set: {price: 999} },
  { upsert: true }
)
{
  acknowledged: true,
  insertedId: 6,
  matchedCount: 0,
  modifiedCount: 0,
  upsertedCount: 1
}
db.products.find({_id:6})
{
  _id: 6,
  price: 999
}
db.products.deleteOne({ _id: 1 })
{
```

```

    acknowledged: true,
    deletedCount: 1
}
db.products.deleteOne({})
{
    acknowledged: true,
    deletedCount: 1
}
db.products.deleteMany({ price: 899 })
{
    acknowledged: true,
    deletedCount: 1
}
db.products.deleteMany({})
{
    acknowledged: true,
    deletedCount: 3
}

```

WITH JAVA :

The screenshot shows the Eclipse IDE with a Java project named 'Mongo'. The main editor displays a Java file with the following code:

```

71     System.out.println(doc.toJson());
72 }
73
74 // =====
75 // RENAME
76 // =====

```

The console output shows the following messages:

```

INFO: Opened connection [connectionId{localValue:2, serverValue:38}] to localhost:27017
Document Inserted Successfully

Student Records:
{"_id": 101, "name": "vishwesh", "cgpa": 8.9}
{"_id": 102, "name": "utkarsh", "cgpa": 8.5}

Document Updated Successfully

Updated Record:
{"_id": 101, "name": "vishwesh", "cgpa": 9.1}
{"_id": 102, "name": "utkarsh", "cgpa": 8.7}
Successfully renamed
Successfully unset

Document Deleted Successfully

```