

The image displays two screenshots of the Visual Studio Code (VS Code) interface, showing REST client requests in a project named "Smart-Logistics-Command-Center".

Top Screenshot: The "EXPLORER" sidebar on the left shows the project structure, including "frontend" and "src" folders. The "MAIN" editor displays a REST client request to `http://localhost:8080/api/auth/login`. The request is a `POST` method with a `raw` body containing a JSON object: `{ "username": "admin", "password": "admin" }`. The "TERMINAL" panel at the bottom shows the command `spring-boot:run` and the output of the application, indicating that the `dispatcherServlet` is initializing and completed initialization in 1 ms.

Bottom Screenshot: The "EXPLORER" sidebar on the left shows the project structure, including "frontend" and "src" folders. The "MAIN" editor displays a REST client request to `http://localhost:8080/api/warehouses`. The request is a `POST` method with a `raw` body containing a JSON object: `{ "warehouseId": "W100", "name": "Lucknow Warehouse", "location": "Lucknow", "capacity": 80000 }`. The "TERMINAL" panel at the bottom shows the command `spring-boot:run` and the output of the application, indicating that the `dispatcherServlet` is initializing and completed initialization in 1 ms.

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://localhost:8080/api/warehouses

GET

Send

Params Authorization Headers (7) Body Scripts Settings

Code Cookies

Query Params

Key	Value
Key	Value

Body Cookies Headers (14) Test Results

Status: 200 OK Time: 10 ms Size: 778 B

Pretty Raw Preview JSON

```
1 [{"id": "6a2d2b98c7c90c2e282c9dec", "warehouseId": "W001", "name": "Delhi Warehouse", "location": "Delhi", "capacity": 50000}, {"id": "6a2d2b98c7c90c2e282c9ded", "warehouseId": "W002", "name": "Mumbai Warehouse", "location": "Mumbai", "capacity": 60000}, {"id": "6a2ff9123a8e4efceb3a3df2", "warehouseId": "W100", "name": "Lucknow Warehouse", "location": "Lucknow", "capacity": 80000}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

java - backend

```
...
2026-06-15T18:33:41.341+05:30 INFO 20500 --- [smart-logistics] [nio-8080-exec-2] o.s.web.servlet.DispatcherServlet
: Completed initialization in 1 ms
```

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://localhost:8080/api/products

POST

Send

Params Authorization Headers (9) Body Scripts Settings

Code Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Beautify

```
1 {
2   "productId": "P100",
3   "name": "Gaming Laptop",
4   "stock": 150,
5   "warehouseId": "W100"
6 }
```

Body Cookies Headers (14) Test Results

Status: 200 OK Time: 33 ms Size: 531 B

Pretty Raw Preview JSON

```
1 [{"id": "6a2ff9993a8e4efceb3a3df4", "productId": "P100", "name": "Gaming Laptop", "stock": 150, "warehouseId": "W100"}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

java - backend

```
...
2026-06-15T18:33:41.341+05:30 INFO 20500 --- [smart-logistics] [nio-8080-exec-2] o.s.web.servlet.DispatcherServlet
: Completed initialization in 1 ms
```

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://localhost:8080/api/products

GET

Send

Params Authorization Headers (7) Body Scripts Settings

Code Cookies

Query Params

Key	Value
Key	Value

Body Cookies Headers (14) Test Results

Status: 200 OK Time: 10 ms Size: 737 B

Pretty Raw Preview JSON

```
1 [{"id": "6a2d2b98c7c90c2e282c9dee", "productId": "P001", "name": "Laptop", "stock": 120, "warehouseId": "W001"}, {"id": "6a2d2b98c7c90c2e282c9def", "productId": "P002", "name": "Mobile", "stock": 200, "warehouseId": "W002"}, {"id": "6a2ff9993a8e4efceb3a3df4", "productId": "P100", "name": "Gaming Laptop", "stock": 150, "warehouseId": "W100"}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

java - backend

```
2026-06-15T18:33:41.341+05:30 INFO 20500 --- [smart-logistics] [nio-8080-exec-2] o.s.web.servlet.DispatcherServlet : Completed initialization in 1 ms
```

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://localhost:8080/api/vehicles

POST

Send

Params Authorization Headers (9) Body Scripts Settings

Code Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Beautify

```
1 {"vehicleId": "V100",
2  "registrationNo": "UP32ZZ1000",
3  "fuelLevel": 75,
4  "status": "ACTIVE"
5 }
6 }
```

Body Cookies Headers (14) Test Results

Status: 200 OK Time: 40 ms Size: 538 B

Pretty Raw Preview JSON

```
1 [{"id": "6a2ff9dd3a8e4efceb3a3df6", "vehicleId": "V100", "registrationNo": "UP32ZZ1000", "fuelLevel": 75, "status": "ACTIVE"}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

java - backend

```
PS C:\Users\HPVICTUS\Desktop\PROJECT\MongoDB project\Smart-Logistics-Command-Center\backend> mvn spring-boot:run
2026-06-15T18:33:41.341+05:30 INFO 20500 --- [smart-logistics] [nio-8080-exec-2] o.s.web.servlet.DispatcherServlet : Completed initialization in 1 ms
```

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

Create Collection

http://localhost:8080/api/vehicles

GET

Send

Params Authorization Headers (7) Body Scripts Settings

Code Cookies

Query Params

Key	Value
Key	Value

Body Cookies Headers (14) Test Results

Status: 200 OK Time: 13 ms Size: 772 B

Pretty Raw Preview JSON

```
1 [{"id": "6a2d2b98c7c90c2e282c9df0", "vehicleId": "V001", "registrationNo": "UP32AA1001", "fuelLevel": 70, "status": "ACTIVE"}, {"id": "6a2d2b98c7c90c2e282c9df1", "vehicleId": "V002", "registrationNo": "MH01BB2002", "fuelLevel": 40, "status": "ACTIVE"}, {"id": "6a2ff9dd3a8e4efceb3a3df6", "vehicleId": "V100", "registrationNo": "UP32ZZ1000", "fuelLevel": 75, "status": "ACTIVE"}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

java - backend

```
PS C:\Users\HPVICTUS\Desktop\PROJECT\MongoDB project\Smart-Logistics-Command-Center\backend> mvn spring-boot:run
2026-06-15T18:33:41.341+05:30 INFO 28500 --- [smart-logistics] [nio-8080-exec-2] o.s.web.servlet.DispatcherServlet : Complet
ed initialization in 1 ms
```

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

Create Collection

http://localhost:8080/api/drivers

GET

Send

Params Authorization Headers (9) Body Scripts Settings

Code Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Beautify

```
1 {
2   "driverId": "D100",
3   "name": "Rohit Sharma",
4   "phone": "9876543219",
5   "experience": 6
6 }
```

Body Cookies Headers (14) Test Results

Status: 200 OK Time: 12 ms Size: 629 B

Pretty Raw Preview JSON

```
1 [{"id": "6a2d2b98c7c90c2e282c9df2", "driverId": "D001", "name": "Rahul", "phone": "9876543210", "experience": 5}, {"id": "6a2d2b98c7c90c2e282c9df3", "driverId": "D002", "name": "Amit", "phone": "9876543211", "experience": 8}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

java - backend

```
PS C:\Users\HPVICTUS\Desktop\PROJECT\MongoDB project\Smart-Logistics-Command-Center\backend> mvn spring-boot:run
2026-06-15T18:33:41.341+05:30 INFO 28500 --- [smart-logistics] [nio-8080-exec-2] o.s.web.servlet.DispatcherServlet : Complet
ed initialization in 1 ms
```

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://localhost:8080/api/drivers

GET http://localhost:8080/api/drivers

Send

Params Authorization Headers (7) Body Scripts Settings

Code Cookies

Query Params

Key	Value
Key	Value

Body Cookies Headers (14) Test Results

Status: 200 OK Time: 9 ms Size: 629 B

Pretty Raw Preview JSON

```
1 [{"id": "6a2d2b98c7c90c2e282c9df2", "driverId": "D001", "name": "Rahul", "phone": "9876543210", "experience": 5}, {"id": "6a2d2b98c7c90c2e282c9df3", "driverId": "D002", "name": "Amit", "phone": "9876543211", "experience": 8}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

java - backend

```
PS C:\Users\HPVICTUS\Desktop\PROJECT\MongoDB project\Smart-Logistics-Command-Center\backend> mvn spring-boot:run
2026-06-15T18:33:41.341+05:30 INFO 28500 --- [smart-logistics] [nio-8080-exec-2] o.s.web.servlet.DispatcherServlet : Complet
ed initialization in 1 ms
```

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://localhost:8080/api/shipments

POST http://localhost:8080/api/shipments

Send

Params Authorization Headers (9) Body Scripts Settings

Code Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Beautify

```
3 {"productId": "P100",
4  "vehicleId": "V100",
5  "driverId": "D100",
6  "source": "Lucknow",
7  "destination": "Delhi",
8  "status": "IN_TRANSIT",
9  "delayHours": 1,
10 "distanceRemaining": 220}
```

Body Cookies Headers (14) Test Results

Status: 200 OK Time: 51 ms Size: 634 B

Pretty Raw Preview JSON

```
1 [{"id": "6a2ffa493a8e4efceb3a3df8", "shipmentId": "S100", "productId": "P100", "vehicleId": "V100", "driverId": "D100",
  "source": "Lucknow", "destination": "Delhi", "status": "IN_TRANSIT", "delayHours": 1, "distanceRemaining": 220}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

java - backend

```
PS C:\Users\HPVICTUS\Desktop\PROJECT\MongoDB project\Smart-Logistics-Command-Center\backend> mvn spring-boot:run
ed initialization in 1 ms
```

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://localhost:8080/api/shippments

GET

Send

Params Authorization Headers (7) Body Scripts Settings

Code Cookies

Query Params

Key	Value
Key	Value

Body Cookies Headers (14) Test Results

Pretty Raw Preview JSON

Status: 200 OK Time: 14 ms Size: 1.03 KB

```
1 [{"id": "6a2d2b98c7c90c2e282c9df6", "shipmentId": "S001", "productId": "P001", "vehicleId": "V001", "driverId": "D001", "source": "Delhi", "destination": "Lucknow", "status": "IN_TRANSIT", "delayHours": 2, "distanceRemaining": 250}, {"id": "6a2d2b98c7c90c2e282c9df7", "shipmentId": "S002", "productId": "P002", "vehicleId": "V002", "driverId": "D002", "source": "Mumbai", "destination": "Pune", "status": "DELIVERED", "delayHours": 0, "distanceRemaining": 0}, {"id": "6a2ffa493a8e4efceb3a3df8", "shipmentId": "S100", "productId": "P100", "vehicleId": "V100", "driverId": "D100", "source": "Lucknow", "destination": "Delhi", "status": "IN_TRANSIT", "delayHours": 1, "distanceRemaining": 220}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

PS C:\Users\HPVICTUS\Desktop\PROJECT\MongoDB project\Smart-Logistics-Command-Center\backend> mvn spring-boot:run

ed initialization in 1 ms

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://localhost:8080/api/tracking

POST

Send

Params Authorization Headers (9) Body Scripts Settings

Code Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON

Beautiful

```
1 {
2   "shipmentId": "S100",
3   "location": "Kanpur",
4   "status": "IN_TRANSIT"
5 }
```

Body Cookies Headers (14) Test Results

Pretty Raw Preview JSON

Status: 200 OK Time: 48 ms Size: 526 B

```
1 [{"id": "6a2ffa493a8e4efceb3a3df8", "shipmentId": "S100", "location": "Kanpur", "speed": null, "timestamp": null}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

PS C:\Users\HPVICTUS\Desktop\PROJECT\MongoDB project\Smart-Logistics-Command-Center\backend> mvn spring-boot:run

ed initialization in 1 ms

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://localhost:8080/api/tracking

GET http://localhost:8080/api/tracking

Send

Params Authorization Headers (7) Body Scripts Settings

Code Cookies

Query Params

Key	Value
Key	Value

Body Cookies Headers (14) Test Results

Status: 200 OK Time: 9 ms Size: 528 B

Pretty Raw Preview JSON

```
1 [{"id": "6a2ffae93a8e4efceb3a3dfa", "shipmentId": "S100", "location": "Kanpur", "speed": null, "timestamp": null}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

java - backend

PS C:\Users\HPVICTUS\Desktop\PROJECT\MongoDB project\Smart-Logistics-Command-Center\backend> mvn spring-boot:run

ed initialization in 1 ms

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://localhost:8080/api/alerts

GET http://localhost:8080/api/alerts

Send

Params Authorization Headers (7) Body Scripts Settings

Code Cookies

Query Params

Key	Value
Key	Value

Body Cookies Headers (14) Test Results

Status: 200 OK Time: 14 ms Size: 639 B

Pretty Raw Preview JSON

```
1 [{"id": "6a2d2b98c7c90c2e282c9df8", "shipmentId": "S001", "risk": "MEDIUM", "message": "Minor Delay", "score": 1}, {"id": "6a2d2b98c7c90c2e282c9df9", "shipmentId": "S002", "risk": "HIGH", "message": "Low Fuel; High Delay", "score": 3}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

java - backend

PS C:\Users\HPVICTUS\Desktop\PROJECT\MongoDB project\Smart-Logistics-Command-Center\backend> mvn spring-boot:run

.Alert com.logistics.controller.AlertController.create(com.logistics.entity.Alert)]

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://localhost:8080/alerts/risk/HIGH

GET http://localhost:8080/alerts/risk/HIGH

Send

Params Authorization Headers (7) Body Scripts Settings

Code Cookies

Query Params

Key	Value
Key	Value

Body Cookies Headers (14) Test Results

Status: 200 OK Time: 37 ms Size: 535 B

Pretty Raw Preview JSON

```
1 [{"id": "6a2d2b98c7c90c2e282c9df9", "shipmentId": "S002", "risk": "HIGH", "message": "Low Fuel; High Delay", "score": 3}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

```
PS C:\Users\HPVICTUS\Desktop\PROJECT\MongoDB project\Smart-Logistics-Command-Center\backend> mvn spring-boot:run
Alert com.logistics.controller.AlertController.create(com.logistics.entity.Alert)
```

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://localhost:8080/analytics/shipment-status

GET http://localhost:8080/analytics/shipment-status

Send

Params Authorization Headers (7) Body Scripts Settings

Code Cookies

none form-data x-www-form-urlencoded raw binary GraphQL

This request does not have a body

Body Cookies Headers (14) Test Results

Status: 200 OK Time: 53 ms Size: 528 B

Pretty Raw Preview JSON

```
1 [{"_id": "IN_TRANSIT", "count": 2, "status": "IN_TRANSIT"}, {"_id": "DELIVERED", "count": 1, "status": "DELIVERED"}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

```
PS C:\Users\HPVICTUS\Desktop\PROJECT\MongoDB project\Smart-Logistics-Command-Center\backend> mvn spring-boot:run
Alert com.logistics.controller.AlertController.create(com.logistics.entity.Alert)
```


POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://localhost:8080/api/

GET http://localhost:8080/api/analytics/risk-distribution

Send

Params Authorization Headers (7) Body Scripts Settings

Code Cookies

Query Params

Key	Value
Key	Value

Body Cookies Headers (14) Test Results

Status: 200 OK Time: 9 ms Size: 506 B

Pretty Raw Preview JSON

```
1 [{"_id":"HIGH","count":1,"risk":"HIGH"}, {"_id":"MEDIUM","count":1,"risk":"MEDIUM"}]
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

```
PS C:\Users\HPVICTUS\Desktop\PROJECT\MongoDB project\Smart-Logistics-Command-Center\backend> mvn spring-boot:run
[org.springframework.web.HttpRequestMethodNotSupportedException: Request method 'GET' is not supported]
```

POSTMAN

INSANE's Workspace

New HTTP Request

Filter

Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

http://localhost:8080/api/

POST http://localhost:8080/api/risk/S100

Send

Params Authorization Headers (8) Body Scripts Settings

Code Cookies

Query Params

Key	Value
Key	Value

Body Cookies Headers (14) Test Results


Status: 200 OK Time: 32 ms Size: 530 B

Pretty Raw Preview JSON





```
1 [{"_id":"6a2ffbdd3a8e4efceb3a3dfc","shipmentId":"S100","risk":"MEDIUM","message":"Long Distance;","score":1}]
```


PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS POSTMAN CONSOLE

```
PS C:\Users\HPVICTUS\Desktop\PROJECT\MongoDB project\Smart-Logistics-Command-Center\backend> mvn spring-boot:run
[org.springframework.web.HttpRequestMethodNotSupportedException: Request method 'GET' is not supported]
```



Frontend Screenshots :





Logistics

Dashboard

Warehouses

Products

Vehicles

Drivers

Shipments

Analytics

Alerts

Activity Logs

Logout

[← Dashboard](#)

Drivers

Driver ID

Name

Phone

Experience

Add Driver

Rahul ID: D001 Phone: 9876543210 Experience: 5 years Delete
Ami ID: D002 Phone: 9876543211 Experience: 8 years Delete

Logistics

Dashboard

Warehouses

Products

Vehicles

Drivers

Shipments

Analytics

Alerts

Activity Logs

[← Dashboard](#)

Shipments

Shipment ID

Product ID

Vehicle ID

Driver ID

Source

Destination


Status

Delay Hours



Distance Remaining

Add Shipment

S001 Delhi → Lucknow Status: IN_TRANSIT Delay: 2 hrs Distance Remaining: 250 km Delete
S002 Mumbai → Pune Status: DELIVERED Delay: 0 hrs Distance Remaining: 0 km Delete



localhost:5173/analytics



```
✓ frontend
  > node_modules
  > public
  > src
    > assets
    > components
      BackButton.jsx
      DashboardCard.jsx
      FormInput.jsx
      Navbar.jsx
      PrimaryButton.jsx
      ProtectedRoute.jsx
      Sidebar.jsx
    > layouts
      MainLayout.jsx
    > pages
      Alerts.jsx
      Analytics.jsx
      AuditLogs.jsx
      Dashboard.jsx
      Drivers.jsx
      Login.jsx
      Products.jsx
      Shipments.jsx
      Vehicles.jsx
      Warehouses.jsx
    > services
      alertService.js
      analyticsService.js
      api.js
      auditService.js
      authService.js
      dashboardService.js
      driverService.js
      productService.js
      shipmentService.js
      vehicleService.js
      warehouseService.js
  # App.css
  App.jsx
  # index.css
  main.jsx
  .gitignore
  eslint.config.js
  index.html
  package-lock.json
  package.json
  README.md
  vite.config.js
  > mongodb
  .nitiinnore
```