

# Release Management with Artifactory

Yoav Landman & Frederic Simon



### **About us**



### \* Yoav Landman

Creator of Artifactory, JFrog's CTO

### \* Frederic Simon

- JFrog's Chief Architect
- ★ 10+ years experience in commercial enterprise build and development environments
- ★ Serving the community since 2006 with OSS tools (Artifactory, Jade Maven Plugins and AnnoMojo, Dependency Analyzer, Stellarium for Java, IDEA plugins...)



### **Agenda**




- \* Intro
- **★** Configuration tips
- \* Searches
- \* Reproducible builds
- \* Advanced features
- **★** Smart staging and promotion
- **★ Web Start and JavaFX**
- **★** Gradle integration



## What is a repository manager?



- ★ Artifacts storage and proxy
- ★ Avoid hitting public remote repositories
- ★ Inefficient, unreliable, content quality, non-secure...
- ★ Deploy, manage and share local artifacts
- ★ Full control over artifacts resolution and delivery





# What is artifactory?



- ★ Advanced binaries repository the binaries' SCM
- ★ JavaFX and WebStart repository
- ★ Supports REST, Maven\*, Gradle\*, Ivy/Ant\*, Buildr \* native support
- ★ First "real" web-driven repository manager (2006)
- ★ Upload through UI, indexed searches...
- \* +80,000 downloads (02/2010)
- ★ OSS | Enterprise PowerPack | Cloud hosting



### **Configuration tips - demo**



- ★ Remote repositories sharing via REST
  - Reuse configuration
- ★ Automatically generate the client configuration
  - Maven settings.xml
  - Gradle plug-in
- ★ Centrally controlled encrypted password

```
<credentials host="localhost" realm="Artifactory Realm"
    username="admin"
    passwd="{DESede}OyxbjkRcS9JxKmi2Rm8RcA=="
/>
```





# DEMO





### **Searches**



- **★** Search types
  - Quick search (wildcard part of path)
  - GAVC
  - Properties
  - Class/Jar resource
    - ▶ See the actual class found!
    - View source + syntax highlighting
  - XPath also search inside POM, Ivy.xml content!
- ★ Grouping support
  - E.g. group by repository, groupId etc.
- ★ Always possible to locate the results in the repo tree browser





# DEMO






### Reproducible Builds



- ★ Sources have a reproducible context compilation
  - Reproducible via SCM tagging.
- ★ Binaries also have a context packaging and publishing
- ★ A lot of things are only resolved at <u>build time</u>:
  - Version ranges
  - Dynamic property values
  - Latest snapshot and release versions (latest.integration/latest.release)
    - For both Dependencies and Plugins





### The Role of the CI Server



- ★ Captures all the information needed to reproduce the build
- \* Published module artifacts
- \* Resolved dependencies of all scopes
- \* General Build Environment
  - JVM
  - Architecture
  - Cl server version
  - General properties
  - Build statistics
  - User who executed the build
  - Etc.





## **Artifactory and Hudson**



- ★ Deploy from Hudson to Artifactory
- ★ Navigate the builds in Artifactory
- ★ Link back to Hudson builds
- \* Relate artifacts to build
- **★** Export/promote/manipulate build artifacts
- ★ More efficient multi-module deployment








### **Build Scenario**






### The build jobs pyramid



artifactoru

- **★** SCM update
- \* Retrieve
- **★** Test
- **★** Deploy





# DEMO





## Advanced repository features



- ★ Checksum-based storage
- ★ Handling download bursts
- ★ Verifying uploaded artifacts
- **★** Locking
- ★ Cleanup bad remote repo references
- ★ Built-in metadata





### **Checksum-based storage**



- ★ Many identical artifacts are produced and stored numerous times in the repositories
  - Unique snapshots that are exactly the same between subsequent builds
  - Other artifacts that are copied
    - Mainly needed for more natural security control
- ★ Artifactory uses a checksum-based storage
- ★ Identical artifacts are stored on the server exactly once!
  - No matter how many references are there
- ★ Copy and move are very cheap
  - Pointer operations



### Concurrent downloads/ request bursts



- ★ New snapshot dependency available/ POM updated with a new dependency version
- ★ Dependency can be as big as hundreds of megs
  - Assemblies
- ★ All clients download at once
  - Network blockage (DOSing)
- ★ Artifactory will identify this
  - Queue all incoming request until the first one finishes
  - Others will get the cached version





## Checksum for uploaded artifacts



- ★ No way to verify uploaded artifacts
- **★** Maven approach:
  - The repository is passive
  - All calculations done on client
  - Repository to accept and store client checksum



- Compare client checksum with the one calculated on the repository
- If in conflict return 409 until a good checksum is found
- This behavior is configurable





### Locking



- ★ Artifactory applies RWLocks on all items
- ★ Avoid concurrent writes & dirty reads
- ★ Spans to metadata as well cannot create metadata conflicts
- ★ Built-in utility for debugging lock contention in runtime (zero overhead)





### **POM** cleanup



- ★ Many common third party POMs contain remote repository references making controlled resolution a nightmare
- ★ Global mirroring is not a solution
  - Forces a unified repository for releases/snapshots/plugins
- ★ Artifactory can facade POMs through a Virtual Repository
  - Can configure remote repo references to be removed
  - Original POM is intact





### Metadata backed into the core



- ★ Every repository element can hold metadata definitions
  - Both files and folders
- ★ Metadata is any XML document
  - Can be queried using XPath
  - All exposed via UI and REST API
- ★ Properties tagging
  - Similar to SVN props
  - Internally stored as XML
  - "Strongly typed" props can be defined via UI
    - Open/closed lists, multi-select, single-select etc.
  - Applied via UI or REST
  - Also on deploy time with zero build tool tweaking!



### Smart staging and promotion



- ★ Repository has two main roles
  - Proxy remote artifacts
  - Host deployed artifacts
    - Artifacts (should) come from CI server
- ★ Promotion of artifacts starts with a build
- ★ The Binaries Repository & the CI Server are always interconnected





## Search-based management



- ★ Makes bulk artifact management a lot easier
- **★** Shopping-cart of artifacts
- ★ Fill-up the cart by searching and saving the search results any search type!



- ★ Do other searches and add/subtract the results from the original
- ★ Can tweak the result manually
  - E.g. remove sources
- ★ Once done move/promote/copy/export the result
- ★ Does not enforce narrow concepts to support only specific limited use cases
  - E.g. promotion





# DEMO





### JavaFX



- **★** JavaFX/JNLP plugin
  - Compiles JavaFX sources
  - Uses standard Maven resources for classpath resolution
  - Creates Web Start JNLP files standalone and/or browser
- ★ WebStart Virtual Repository
  - Sign jars automatically
  - Transform JNLP file href
  - Provision JNLP files and dependencies





# DEMO





## **Gradle integration**



- ★ Artifactory and Gradle started a strong technical collaboration
- ★ Zero configuration plugin to deploy and resolve from Artifactory when using Gradle in enterprise env.
- ★ Extract BuildInfo on the fly
  - Done!
  - Integrating with the Hudson Gradle plug-in
- ★ Gradle shows great potential
  - Zero intrusiveness
  - Ivy for mature resolution and deployments
  - Flexible control
  - Terse and easy to understand configuration
  - Ideal for integrating with a repo manager







# Thank You!



