

PCAccess — UserLoginAgent User Guide

Direct Desktop Remote Drive (R:) Access System for Employees & Administrators

ENGLISH EDITION

VERSION 1.0

DESKTOP CLIENT

WINDOWS .NET 4.8

1. Introduction & Overview

UserLoginAgent is a lightweight Windows desktop client designed for employees and administrators. It enables seamless access to authorized corporate shared folders directly inside Windows Explorer **without requiring a web browser**.

Key Highlight: Upon successful login, the application automatically mounts a virtual **R: Drive ("Remote Drive")** under "This PC" in Windows Explorer, making remote files accessible just like local files.

2. Quick Start: How to Log In (Step-by-Step)

- 1 Launch Agent:** Double-click `run.bat` (or `UserLoginAgent.exe`).
- 2 Confirm Server URL:** The prompt automatically defaults to: `https://pccaccess.ourdemos.com`. Simply press **[ENTER]**.
- 3 Enter Credentials:** Type your assigned Username / Email and Password (password is safely masked with asterisks ***).
- 4 Save Credentials:** When asked *"Remember credentials on this PC? (Y/n)"*, press **Y** for 1-click automatic login next time.
- 5 Explore R: Drive:** Windows Explorer will automatically pop up, displaying **R:\ ("Remote Drive")** with all your assigned folders.

3. Interactive Console Keybindings Reference

While the agent console is active, press any of the following keys on your keyboard:

Key	Command	Description	Action Performed
S	Session Status	Inspect session health	Displays User ID, Name, Role (Admin/User), Drive R: mount state, folder counts, and server connectivity.
O	Open Drive	Browse Remote Drive	Immediately opens Windows File Explorer directly into R: \.
R	Refresh Folders	Synchronize Permissions	Re-queries the server and updates accessible folders in R: in real time without restarting the agent.
C	Switch User	Clear Saved Credentials	Unmounts drive R: , clears stored password, and returns to the login prompt to allow logging in as another user.
L / Q / X	Logout & Exit	Clean Disconnect	Cleanly unmounts virtual drive R: from Windows, notifies shell, and gracefully exits the application.
Ctrl + C	Force Exit	Emergency Termination	Invokes shutdown hooks, dismounts R: , and safely closes the console window.

4. Batch Scripts for Non-Interactive Control

For convenience or background automation, pre-packaged batch scripts are provided in the folder:

Batch Script	Equivalent CLI Command	Function & Usage
<code>run.bat</code>	UserLoginAgent.exe	Launches the desktop agent in interactive mode.
<code>status.bat</code>	UserLoginAgent.exe status	Checks whether the agent process is running and whether drive R: is mounted without interrupting the session.
<code>logout.bat</code>	UserLoginAgent.exe logout	Safely unmounts drive R: and terminates any running agent process.
<code>stop.bat</code>	UserLoginAgent.exe stop	Alternative alias for <code>logout.bat</code> .

5. Role-Based Permissions Summary

- **Administrator (user_type_id = 1):** Receives full visibility and access to all active registered company shared folders across all devices.
- **Standard User / Employee (user_type_id = 2):** Only receives folders explicitly shared by the Administrator with `can_view = 1` permissions.