



PRODUCT CATALOGUE · EDITION 2026

Machinery for *Water & Beverage* Packaging

Reverse-osmosis purification, PET bottle blowing, filling & capping, labelling, coding and shrink packaging — supplied as individual machines or a fully integrated turnkey line.

Bharat iON Systems Pvt. Ltd. · Water Treatment & Bottle Packaging Machinery

+91 83840 61695

COMPANY PROFILE

We build *world-class* machinery for the water, beverage and packaging industry — helping you produce more, reliably, with one accountable partner from plant design through installation and after-sales support.

RO»Pack

Complete turnkey line

6000

Bottles per hour, up to

09

Core machines

Pan-

India

Service & spares

THE PRODUCTION FLOW

1

RO Purification

2

PET Blowing

3

Filling & Capping

4

Labelling

5

Batch Coding

6

Shrink Packing

01

MACHINERY RANGE

Our Machinery, In Detail

Nine core machines that together form a complete packaged-water and beverage line.

PET BOTTLE MANUFACTURING

MODEL

BIS-SB2

Semi-Automatic PET Blowing Machine

Dependable auto-drop stretch blow moulding for start-ups and growing plants.



1200 BPH
MAX OUTPUT

2 L
MAX BOTTLE

2 Cav.
MOULD

8 Ton
CLAMPING

SPECIFICATIONS

Mould Cavities	1 / 2
Bottle Volume	100 ml – 2 Litre
Output	1000 – 1200 BPH
Clamping Force	8 Ton
Blowing Pressure	18 – 26 kg/cm ²
Operation	Hydro-Pneumatic

HIGHLIGHTS

- Auto-drop preform system
- Infrared conveyor heating
- Quick mould changeover
- Compact, low-power footprint



Auto-Drop System



Low Power Use



Quick Mould Change



1-Year Warranty

PET BOTTLE MANUFACTURING

MODEL

BIS-HB4

Hand-Feed Automatic PET Blowing Machine

Automatic blow cycle with simple manual preform feeding — more output at low cost.



2500 BPH
MAX OUTPUT

2 L
MAX BOTTLE

4 Cav.
CAVITIES

18 kW
POWER

SPECIFICATIONS

Mould Cavities	2 / 4
Bottle Volume	100 ml – 2 Litre
Output	1800 – 2500 BPH
Heating	Infrared Oven
Clamping	Hydraulic
Power	12 – 18 kW

HIGHLIGHTS

- Fully automatic blow cycle
- Manual feed keeps cost low
- Uniform wall thickness
- Simple, robust operation



Automatic Cycle



Cost-Efficient



Even Wall Thickness



Easy Service

PET BOTTLE MANUFACTURING

MODEL

BIS-FA6

Fully Automatic PET Blowing Machine

High-speed servo blow moulding with automatic preform loading for large plants.



6000 BPH
MAX OUTPUT

6 Cav.
CAVITIES

2 L
MAX BOTTLE

PLC +HMI
CONTROL

SPECIFICATIONS

Mould Cavities	2 / 4 / 6
Bottle Volume	200 ml – 2 Litre
Output	Up to 4000 – 6000 BPH
Drive	Servo
Control	PLC + HMI
Feeding	Automatic Preform Feeder

HIGHLIGHTS

- Servo stretch-blow system
- Rotary / linear options
- Air recovery for efficiency
- Consistent high-volume output



Servo Stretch-Blow



Air Recovery



High Speed



Robust Build

WATER TREATMENT

MODEL

BIS-R0

Industrial RO Water Treatment Plant

Multi-stage reverse osmosis for safe, IS 10500-grade packaged drinking water.



10,000 LPH

MAX CAPACITY

4+ Stage

PRE-TREATMENT

UV+O₃

POLISHING

24×7

OPERATION

SPECIFICATIONS		HIGHLIGHTS	
Capacity	250 – 10,000 LPH	—	Turnkey plant sizing
Pre-treatment	Multimedia + Carbon + Softener	—	High recovery, low rejection
Membranes	Spiral-wound TFC	—	Automatic operation & controls
Dosing	Antiscalant + Chlorine	—	Ozonation & UV polishing options
Body	SS / FRP		
Options	UV + Ozone		

IS 10500 Water

Automatic Controls

High Recovery

SS / FRP Build

FILLING & CAPPING

MODEL

BIS-SF8

Station Filler (Bottle Filling Machine)

Economical multi-head filling for small and medium bottling lines.

05



1500 BPH
MAX OUTPUT

8 Head
FILLING

5 L
MAX BOTTLE

SS 304/316
CONTACT

SPECIFICATIONS

Filling Heads	4 – 8
Bottle Volume	200 ml – 5 Litre
Output	500 – 1500 BPH
Fill Type	Gravity / Volumetric
Contact Parts	SS 304 / 316
Capping	Manual / Semi-auto

HIGHLIGHTS

- Hygienic stainless build
- Drip-free filling nozzles
- Adjustable fill volume
- Easy to clean & maintain



Drip-Free Nozzles



Adjustable Fill



Hygienic Build



Easy to Clean

FILLING & CAPPING

MODEL

BIS-RFC

Fully Automatic Rinsing, Filling & Capping Machine

A 3-in-1 monobloc that rinses, fills and caps in one hygienic, high-speed operation.

06



6000 BPH
MAX OUTPUT

3-in-1
MONOBLOC

2 L
MAX BOTTLE

CIP Ready
HYGIENE

SPECIFICATIONS

Configuration	24-18-6 / customisable
Output	2000 – 6000 BPH
Bottle Volume	200 ml – 2 Litre
Rinsing	Gripper type
Capping	Magnetic torque head
Contact Parts	SS 304 / 316

HIGHLIGHTS

- Single synchronised monobloc
- No-bottle / no-fill sensing
- CIP-ready hygienic design
- Smooth, high-speed handling



Synchronised
Monobloc



No-Bottle / No-Fill



SS 304 / 316



High-Speed

LABELLING

MODEL

BIS-LB

Automatic Sticker Labelling Machine

Servo-controlled self-adhesive labelling for crisp, consistent branding.

07



6000 BPH
MAX OUTPUT

±1 mm
ACCURACY

OPP BOPP
LABELS

Servo
CONTROL

SPECIFICATIONS

Output	Up to 6000 BPH
Label Material	OPP / BOPP / Paper
Bottle Shape	Round
Accuracy	± 1 mm
Control	Servo + PLC
Add-on	Online date/batch coder

HIGHLIGHTS

- Wrinkle-free application
- Fast, tool-less changeover
- Wrap-around & front/back
- Integrates with coding



Servo Controlled



Wrinkle-Free



Fast Changeover



Coder-Ready

SECONDARY PACKAGING

MODEL BIS-SW

Automatic Shrink Wrapping Machine

Groups bottles into transport-ready multi-packs through a heat-shrink tunnel.

08



12 /min
PACKS

24 pack
MAX SIZE

POF LDPE
FILM

PLC
CONTROL

SPECIFICATIONS

Film	LDPE / POF
Output	Up to 12 packs / min
Pack Sizes	6 / 12 / 24
Tunnel	SS heat chamber
Control	PLC
Sealing	Web sealer

HIGHLIGHTS

- Web sealer + shrink tunnel
- Adjustable pack sizes
- Uniform, tight wrap
- Energy-efficient heating



Web Sealer + Tunnel



Energy Saving



Tight Uniform Wrap



Low Upkeep

CODING & MARKING

MODEL

BIS-BC

Batch Coding Machine

High-resolution coding of batch, MFG/EXP dates and MRP at full line speed.



4 Lines
PRINT

CIJ DOD
TECHNOLOGY

HD
RESOLUTION

Fast Dry
INK

SPECIFICATIONS

Type	Inkjet (CIJ / DOD)
Print Lines	1 – 4
Speed	Line-synchronised
Ink	Food-grade, fast-dry
Interface	Touchscreen
Codes	Text / Logo / Barcode

HIGHLIGHTS

- Non-contact printing
- Fast-drying inks
- Logo & barcode support
- Low maintenance



Non-Contact



Fast-Drying



Logo + Barcode



Low Maintenance

WHERE IT IS USED

Applications & Industries

- 01 **Packaged Drinking Water Plants**
- 02 **Mineral Water Bottling Units**
- 03 **Beverage & Juice Filling Lines**
- 04 **Carbonated Soft Drink Plants**
- 05 **Dairy & Liquid Packaging**
- 06 **Distributors, Dealers & OEM Buyers**

WHY BHARAT ION

Built Around Your Success

01

Single Accountable Partner

One team supplies, installs and supports your entire line.

02

Right-Sized For You

Configurations matched to your output, budget and space.

03

Installation & Training

On-site commissioning and operator training included.

04

Genuine Spares & Service

Prompt after-sales support and authentic spare parts.

05

Manufacturer Pricing

Direct-from-maker value, with no middlemen.

06

Robust, Hygienic Builds

Food-grade stainless construction, built to last.

BHARAT *iON* SYSTEMS

Let's Talk

Let us build your *bottling plant*.

Share your target capacity and city — we will prepare a tailored machine list and budget, then supply, install and support the complete line, end to end.

GET A FREE QUOTE & PLANT PLAN

Bharat iON Systems Pvt. Ltd.

T +91 83840 61695

E info@bharationsystems.com

W www.bharationsystems.com

A 2882, 1st Floor, Karheda, Ghaziabad, Uttar Pradesh 201007



bharationsystems.com