

Time Series Analysis

PRESENTING BY:-

Sujit Kadam M.Sc.(Statistics)

5+ years experience in Data Science

TIME SERIES ANALYSIS



Observation Number

Forecast

Introduction:

Definition: "A time series is a set of observation taken at specified times, usually at equal intervals".

"Atime series may be defined as a collection of reading belonging to different time periods of some economic or composite variables".

By—Ya-Lun-Chau

- Time series establish relation between "cause" & "Effects".
- One variable is "Time" which is independent variable & and the second is "Data" which is the dependent variable.

Example:

Day	No. of Packets of milk sold
Monday	90
Tuesday	88
Wednesday	85
Thursday	75
Friday	72
Saturday	90
Sunday	102

Year	Population (in Million)
1921	251
1931	279
1941	319
1951	361
1961	439
1971	548
1981	685

- From example 1 it is clear that the sale of milk packets is decrease from Monday to Friday then again its start to increase.
- Same thing in example 2 the population is continuously increase.

Importance of Time Series Analysis:-

- 1. Profit of experience.
- 2. Safety from future
- 3. Utility Studies
- 4. Sales Forecasting
- 6. Stock Market Analysis
- 8. Process and Quality Control
- 9. Inventory Studies
- 10. Economic Forecasting
- 11. Risk Analysis & Evaluation of changes.
- 12. Census Analysis

- 5. Budgetary Analysis
- 7. Yield Projections

Components of Time Series:-

The change which are being in time series, They are effected by Economic, Social, Natural, Industrial & Political Reasons. These reasons are called components of Time Series.

- □ Secular trend:-
- □ Seasonal variation:-
- ☐ Cyclical variation :-
- ☐ Irregular variation :-

☐ **Secular trend:** The increase or decrease in the movements of a time series is called Secular trend.

A time series data may show upward trend or downward trend for a period of years and this may be due to factors like:


- ☐ increase in population,
- □ change in technological progress,
- □large scale shift in consumers demands,

Seasonal variation:

- Seasonal variation are short-term fluctuation in a time series which occur periodically in a year. This continues to repeat year after year.
 - The major factors that are weather conditions and customs of people.
 - More woolen clothes are sold in winter than in the season of summer.
 - each year more ice creams are sold in summer and very little in Winter season.
 - The sales in the departmental stores are more during festive seasons that in the normal days.

□ Cyclical Variations:

Cyclical variations are recurrent upward or downward movements in a time series but the period of cycle is greater than a year. Also these variations are not regular as seasonal variation.



A business cycle showing these oscillatory movements has to pass through four phases-prosperity, recession, depression and recovery. In a business, these four phases are completed by passing one to another in this order.

Irregular variation:

Irregular variations are fluctuations in time series that are short in duration, erratic in nature and follow no regularity in the occurrence pattern. Irregular fluctuations results due to the occurrence of unforeseen events like:

- Floods,
- Earthquakes,
- Wars,
- Famines

☐ Time Series Model

Addition Model:

$$Y = T + S + C + I$$

Where:-Y = Original Data

T = TrendValue

S = Seasonal Fluctuation

C = Cyclical Fluctuation

I = Irregular Fluctuation

Multiplication Model:

$$Y = T \times S \times C \times I$$

or

$$Y = TSCI$$

☐ Measurement of Secular trend:-

• The following methods are used for calculation of trend:

- ☐ Free Hand Curve Method:
- □ Semi Average Method:
- ☐ Moving Average Method:


Free hand Curve Method:-

 In this method the data is denoted on graph paper. We take "Time" on 'x' axis and "Data" on the 'y' axis. On graph there will be a point for every point of time. We make a smooth hand curve with the help of this plotted points.

□ Example:

Draw a free hand curve on the basis of the following data:

Years	1989	1990	1991	1992	1993	1994	1995	1996
Profit t (in 'ooo)	148	149	149.5	149	150.5	152.2	153.7	153



Semi – Average Method:-

• In this method the given data are divided in two parts, preferable with the equal number of years.

• For example, if we are given data from 1991 to 2008, i.e., over a period of 18 years, the two equal parts will be first nine years, i.e.,1991 to 1999 and from 2000 to 2008. In case of odd number of years like, 9, 13, 17, etc.., two equal parts can be made simply by ignoring the middle year. For example, if data are given for 19 years from 1990 to 2007 the two equal parts would be from 1990 to 1998 and from 2000 to 2008 - the middle year 1999 will be ignored.


Example:

Find the trend line from the following data by Semi –Average Method:-

Year	1989	1990	1991	1992	1993	1994	1995	1996
Productio n (M.Ton.)	150	152	153	151	154	153	156	158

■There are total 8 trends. Now we distributed it in equal part. Now we calculated Average mean for every part.

First Part =
$$150 + 152 + 153 + 151 = 151.50$$



☐ Moving Average Method:-

- It is one of the most popular method for calculating Long Term Trend. This method is also used for 'Seasonal fluctuation', 'cyclical fluctuation' & 'irregular fluctuation'. In this method we calculate the 'Moving Average for certain years.
- For example: If we calculating 'Three year's Moving Average' then according to this method:

Where (1),(2),(3),... are the various years of time series.

☐ Example: Find out the five year's moving Average:

Year	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996
Price	20	25	33	33	27	35	40	43	35	32	37	48	50	37	45

Year	Price of sugar (Rs.)	Five year's moving Total	Five year's moving Average (Col 3/5)
(1)	(2)	(3)	(4)
1982	20	-	_
1983	25	_	-
1984	33	135	27
1985	30	150	30
1986	27	165	33
1987	35	175	35
1988	40	180	36
1989	43	185	27
1990	35	187	37.4
1991	32	195	39
1992	37	202	40.4
1993	48	204	40.8
1994	50	217	43.4
1995	37	-	_
1996	45	_	-