Enter Air Training Center Sp. z o.o.



SAFETY BRIEFING MANUAL

EATC-SBM

Issue 2.01

Warszawa, 2026

REVISION CONTROL

Issue / Revision	Date	Notes
Issue 1.00	Sep 30th, 2025	Initial EATC Release
Issue 2.00	March 24th, 2026	Presentation Change Addition of Fire Alarm New Access Control Incorporation of Safety Card
Issue 2.01	Oct 14th, 2026	Correction of Hydrant water flow

1 Contents

REVISION CONTROL....2
2 Scope....4
3 Safety....5
4 Facility Overview....5
4.1 Access....5
4.2 Access Rules....5
4.3 Classrooms & Office Area....5
4.4 Full Flight Simulators Bay....5
5 General Safety Rules....5
6 Safety Equipment....6
7 Building Evacuation Path....8
B737NG Safety Briefing.... B737NG - 1
Safety Briefing Card....1

Safety Briefing

Safety is a key aspect on the Operation of the Enter Air Training Center; it is important for all the users of the premises and the FSTD to be familiar with the present document, as it contains information related to the facility layout and emergency equipment location as well as the evacuation paths and emergency doors identification.

The purpose of this Safety Briefing Manual is to:

- Ensure safe operation of training facilities, including all classrooms, briefing rooms and simulators.
- Protect trainees, instructors and staff from hazards.
- Maintain compliance with applicable regulations.
- Establish standardized emergency procedures.



2 Scope

This manual applies to:

- All flight crew trainees.
- All cabin crew trainees.
- Instructors, examiners, and Enter Air Training Center personnel.
- Visitors accessing training areas.

And it covers:

- Classrooms.
- Simulator bays.
- Briefing/debriefing rooms.
- Common areas.

3 Safety

Enter Air Training Center is committed to:

- Maintaining a zero-harm environment.
- Promoting Safety reporting culture (Just Culture).
- Continuous risk assessment and mitigation.
- Ensuring all personnel are aware of emergency procedures.

4 Facility Overview

The Training Center occupies a total are of 2 000 square meters between the bay areas for the Full Flight Simulators and the office space where all classrooms, briefings and common areas are located.

4.1 Access

The Training Center has a controlled access to ensure that only authorized personnel are allowed in the facility, depending on the activities being performed, there are 2 main access to the facility, one located at the front and another one on the side facade. Access to the simulator bay is closer to the front entrance, additional control has been installed to prevent unauthorized access.

All users of the facility will receive either a QR Code or a card to allow them to access the training center.

All QR codes are enabled per user, and they are only valid for the duration of the training activity performed, flight instructors will be provided with access to the simulator bay.

4.2 Access Rules

- All QR codes must be checked individually.
- The code must be scanned every time when entering and leaving the premises.
- For FSTD sessions, the codes will be valid for all sessions planned, 2 hours before and 2 hours after every session.
- The main access door is open Monday to Sunday from 06:00-20:00, outside this times the intercom must be used to have access.
- The side door access is open from Monday to Friday from 07:00-19:00.

4.3 Classrooms & Office Area

The Training Center has a total of 5 classrooms, 3 located on the ground floor and 2 on the first floor, all of them equipped with AV systems and a booking screen at the entrance, it is mandatory for users to check in at the start of the usage of the training to ensure no one else disturb the sessions.

On the first floor there are 4 briefing/debriefings for the flight crews to prepare before their session on the FFS, all rooms have a mockup of the cockpit, a screen for presentations, whiteboards and the debriefing room has a station to review the recordings of the session, provided the instructor started the function on the simulator.

4.4 Full Flight Simulators Bay

Access to this section of the facility is forbidden for individuals, unless guided by instructors or EATC personnel, the area is dedicated to hosting the Simulators and equipment needed for their operation, all hazardous areas are marked as well as the paths dedicated to have access to the simulator.

5 General Safety Rules

All personnel must:

- Follow instructions from instructors and EATC staff.

- Report hazards or incidents immediately, scan de QR code below to submit a report (code is available at several locations in the facility).

- Familiarize with the emergency exits and assembly points.
  - Emergency exit maps are posted throughout the building and in the simulator. Please study these maps carefully and locate the nearest emergency exits.
  - After leaving the building students and instructors proceed to the parking area in front of the center's main entrance
- Never enter restricted areas without authorization.

6 Safety Equipment

The Training Center is equipped with the following Fire Protection Equipment:

Defibrillator	
▪ Easy to use, features interactive CPR guidance and on-screen icons. ▪ Designed and programmed to deliver defibrillation only when the patient's heart rhythm indicates it. ▪ Long-lasting battery (4-year warranty for 200 shocks from first use).	
Powder Fire Extinguisher (A, B, C)	
▪ Filled with extinguishing powder (4kg) ▪ 8-10 sec of continuous work ▪ 4-5m range ▪ Ability to extinguish electric equipment ▪ Ready to instant use	


Carbon Dioxide Fire Extinguisher (Sim Only)	
▪ Filled with CO 2 (5kg) ▪ 12-15 sec of continuous work ▪ 4-5m range ▪ Ability to extinguish electric equipment ▪ CO 2 temperature during work -78 degree Celsius ▪ Ready to instant use	
Hydrant "W52" (Simulator Bay only)	
▪ 52mm diameter ▪ 2,5 liters per second water flow ▪ 20m hose (2 hoses available in 1 cabinet) ▪ 18-20m of water range	
Fire Sprinkler System (Simulator Bay only)	
▪ Triggered by temperature range 68-79°C ▪ Works automatically when the temperature reaches mentioned range ▪ Mounted near the roof of the warehouse (out of reach)	
Fire Alarm SA-P8 Sounder	
▪ Triggered once the main system is activated. ▪ Sound output >100 dB.	

7 Building Evacuation Path

In the event of fire or any another danger requiring the evacuation of the building, users of the facility shall follow the indications of their instructors or EATC personnel, however, it is required for everyone to familiarize themselves with the evacuation path and emergency doors available.


Emergency exit maps are posted throughout the building and in the simulator. Please study these maps carefully and locate the nearest emergency exits.

The two main entrances to the Training Center have electronic doors, if necessary during an evacuation, both doors have an emergency button that will keep them open, if power to the facility is loss, the gates will open as safety measure.



MAP 1. OFFICE EVACUATION MAP

Fire Extinguishers	
Defibrillator	
Emergency Door Release	
Emergency Exit	
Evacuation Path	



MAP 2. BAY EVACUATION MAP

Fire Extinguishers	
Emergency Door Release	
Emergency Exit	
Hydrant	
Evacuation Path	

B737NG Safety Briefing

Purpose: This safety briefing is designed to assist and provide all users of the B737- 800 FFS flight simulator all safety aspects and the emergency procedure related to its operation.

Distribution: This safety briefing is provided in the B737-800 Briefing room(s) and in the full flight simulator.

The access ramp and the simulator doors have a security lock (Fig. 1 & 2).

These doors should be closed when the simulator is moving, if not closed the motion system will disconnect.



FIGURE 1



FIGURE 2

In case of door blocked, an emergency hatch is available at the bottom of the door. (Fig 3).
On the right side of the simulator door there is an indicator arrow that shows the location of the emergency ladder. (Fig. 4).



FIGURE 4



FIGURE 3

When the simulator flight compartment comes to the rest position, the access way automatically swings into position against the exit platform at the rear of the flight compartment.

In the event of a complete power failure, the motion platform automatically retracts to the rest position and the access way lowers. The access way is drive up and down by means of a dc motor. Power for the dc motor is supplied from an emergency power source. As an alternative, it is possible to unlatch the drive mechanism and manually lower the access way. If any of the emergency cut-off switches are operated, the power to the drive mechanism of the access way is maintained and is operable from a switch located at the flight compartment exit.

A rope ladder is provided as a means of emergency escape. The rope ladder is to be unrolled and hung over the railing on the back of the flight compartment.

If you need to use the emergency ladder, you must remove the cover first (Fig. 5).



FIGURE 5

Then you must remove the cover beside the ladder (Fig 6).



FIGURE 6

Ensure the cover in Fig 7 is removed by using the clips on top.



FIGURE 7

Take the ladder and extend it as shown in Fig. 8.

When using the emergency ladder upon leaving the simulator you should climb sideways down the ladder.

Note: If there is no immediate danger, wait for the maintenance crew to provide a solid ladder before using the rope ladder.



FIGURE 8

There are two flashing lights to indicate when the drawbridge is moving (Fig 9) and below the sim to indicate when motion platform is engaged (Fig. 10). Access to the Motion envelope is forbidden whenever the simulator is On Motion.




FIGURE 10




FIGURE 9

There are 5 emergency push buttons that disconnect the motion and control loading system. 2 of these buttons are in the bay. One in the motion cabinet and other below the sim (Figures 11 and 12).



FIGURE 12



FIGURE 11

The other 3 are located inside the cockpit. One in the instructor chair and two more in the pedestal (Figuress13 & 14).



FIGURE 13




FIGURE 14

Additionally in the instructor chair there is also an Emergency Power Off button (Fig 15).




FIGURE 15

In the right side of the cockpit there is a Carbon Dioxide fire extinguisher. (Fig. 16).



FIGURE 16

There is an arrangement of fire alarm speakers just outside the simulator, such alarm will be triggered as soon as the main system is activated, all users must contact the technical team to ensure there is no immediate hazards outside the simulator, and a safe evacuation can be carried out.





FIGURE 17


Next to the instructor station a telephone is available for two-way communication with the technical department. Dial the number as posted on the placard next to this phone to contact the Technician on duty.

Seat belts must be worn for safety whenever motion is on. The number of seats equipped with seat belts determines the maximum number of allowed occupants.

Next to the simulator door, two emergency exit maps (1 & 2) are posted. Please study these maps carefully to locate the nearest emergency exits.


MAP 1







MAP 2



LEGENDA

- Wyjście ewakuacyjne
- Kierunek do wyjścia ewakuacyjnego w prawo
- Kierunek do wyjścia ewakuacyjnego w lewo
- Kierunek do wyjścia ewakuacyjnego w dół w lewo
- Drzwi ewakuacyjne
- Kierunek ewakuacji
- Gaśnica 4 kg ABC
- Drzwi EI 30
- Drzwi EI 60
- Ściana EI 15
- Ściana EI 60
- Ściana REI 120

Kategoria zagrożenia ludzi ZL III
Przewidywana liczba osób: 7 osób

INWESTOR:
MFC - 7R CITY FLEX WARSAW AIRPORT I C Sp. z o.o.
Aleja Armii Ludowej 26
00-609 Warszawa

ZAMAWIAJĄCY:
Dekpol S.A.
ul. Gajowa 31
83-251 Pinczyn

WYKONAWCA:
FPS Krzysztof Ruwiński
ul. 1000-lecia 21a
38-340 Biecz

OPRACOWANIE:

Imię i nazwisko	Branża	Nr upr.	Data	Podpis
mgr inż. Michał Kowalski			05.2020	

WERYFIKACJA:

Imię i nazwisko	Branża	Nr upr.	Data	Podpis
mgr inż. Krzysztof Ruwiński	ppoż.	615/2014	05.2020	

NAZWA I ADRES OBIEKTU:
MFC - 7R CITY FLEX WARSAW AIRPORT
HALA DC 2
ul. Działkowa
02-234 Warszawa

OPRACOWANIE:
INSTRUKCJA BEZPIECZEŃSTWA POŻAROWEGO

TYTUŁ RYSUNKU:
Plan rozmieszczenia urządzeń przeciwpożarowych i gaśnic. Rozmieszczenie wyjść ewakuacyjnych. Część magazynowa hali DC 2.

NR RYSUNKU:	SKALA:	DATA:
Rys. 3	-	05.2020

SIMULATOR EVACUATION

The emergency procedure must be directed and controlled by the instructor.

If no danger exists, the instructor will contact the technical department for assistance by telephone.

If danger exists, the instructor will coordinate the evacuation of the simulator. He/she will advise the crew when to leave the seats and when to leave the simulator.

Do not allow anyone near the ramp until it is lowered to its full down position.

If the access ramp should not lower the escape ladder must be used.

Deploy the escape ladder and climb down sideways.

The instructor will go first and act as safety supervisor holding the escape ladder straight.

BUILDING EVACUATION

In case of fire or another danger requiring the evacuation of the building the students will follow the instructions of the instructor or from the EATC personnel.

Emergency exit maps are posted throughout the building and in the simulator.

Please study these maps carefully and locate the nearest emergency.

exits.

After leaving the building students and instructors proceed to the parking area in front of the centre's main entrance where the instructor will count heads.

GENERAL RULES FOR SAFE SIMULATOR USE

- Treat the simulator with respect. Do not break it on purpose.
- When breaking something (by accident) report it to the technical department.
- Report all observed problems in detail to the technical department. The more details you give the easier the technical department can repair the problems.
- No smoking, eating or drinking in the simulator.
- Turn off mobile phones when entering the simulator hall.
- Do not put items on the glare shield. This can damage the visual system.
- Do not place arms and legs in positions where they may be trapped by unexpected control column movements.
- Lights are hot. Use care when touching them.
- Prior to turning the flight controls ON, resetting flight control malfunctions - performing “snapshot” recalls or repositioning actions - the cockpit seat occupants must be advised to keep clear of the flight controls envelope until the simulation function is completed [feet on floor clear of pedals, arms to sides of body, back straight against backrest].
- After the simulator session, do not forget to sign off the electronic log of the activity.

Report hazards or incidents immediately, scan de QR code below to submit a report.

enterair TRAINING CENTER

SAFETY BRIEFING CARD

FIRE
Raise the alarm & evacuate

MEDICAL
Call 112/ Inform Instructor

FOLLOW
Follow instructor Commands

EVACUATE
Use nearest exits


GENERAL RULES

- No running
- Keep walkways clear
- No loose items
- Report any hazards

EVACUATION

1. Stop training
2. Leave belongings
3. Follow EXIT signs
4. Go to Assembly Point
5. Report to instructor

EVACUATION PATH



LOCATION OF DEFIBRILLATOR IS MARKED ON THE MAP

MEETING POINT IS LOCATED IN THE PARKING IN FRONT OF THE MAIN ACCESS


Issue 2.01
14.10.2026

SIMULATOR SAFETY

- **Do NOT enter during motion**
- **Use handrails**
- **Know E-STOP location**
- **Follow instructor only**

Food and Drinks are not allowed inside the simulator.

SIMULATOR BAY EVACUATION



REPORT ANY SAFETY CONCERN

Use the code below to report directly to our Safety Department, or use the email address:

sms@enterair.pl