

**PRESIDENTS’S OFFICE-REGIONAL ADMINISTRATION AND LOCAL
GOVERNMENT**

FORM SIX PRE- MOCK EXAMINATION

COMPUTER SCIENCE 2

MARKING GUIDE

QUESTION ONE

Line	Description	Marks
class AcademicRecord:	Correct class declaration	2
def calculate_total_marks(self, *marks):	Correct method declaration	3
*marks	Correct use of variable-length arguments	5
return sum(marks)	Correct calculation and return of total marks	4
record = AcademicRecord()	Correct object creation	2
student1 = record.calculate_total_marks(75)	Correct first method call	1
student2 = record.calculate_total_marks(15, 60)	Correct second method call	2
student3 = record.calculate_total_marks(10, 20, 55)	Correct third method call	2
Three print() statements	Correct display of results	4
TOTAL		25 Marks

codes

=====

```

# Program Name: Academic Record System
# Purpose: Calculate total marks using *args
# =====

# Create a class called AcademicRecord          # (2 Marks)
class AcademicRecord:

    # Method to calculate total marks            # (3 Marks)
    # *marks accepts any number of scores       # (5 Marks)
    def calculate_total_marks(self, *marks):

        # Return the total of all marks         # (4 Marks)
        return sum(marks)

# Create an object of the class                  # (2 Marks)
record = AcademicRecord()

# Student with Terminal Examination only        # (1 Mark)
student1 = record.calculate_total_marks(75)

# Student with Mid-Term and Terminal Exam      # (2 Marks)
student2 = record.calculate_total_marks(15, 60)

# Student with Quiz, Project and Terminal Exam # (2 Marks)
student3 = record.calculate_total_marks(10, 20, 55)

# Display the results                           # (4 Marks)
print ("Student 1 Total Marks =", student1)
print ("Student 2 Total Marks =", student2)
print ("Student 3 Total Marks =", student3)

```

Expected Output

```
Student 1 Total Marks = 75
```

Student 2 Total Marks = 75
Student 3 Total Marks = 85

QUESTION 2

Part	Activity	Marks
HTML	Semantic structure (header, main, footer)	3
	Form creation	2
	Form controls (text, select, radio, buttons)	6
CSS	Styling the page and form	5
JavaScript	Client-side validation	5
PHP	Receive, validate and display submitted data	4
Total		25 Mark

CODES

(a) index.php (or index.html)

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>Kilimani Club Portal</title>
```

```
    <!-- Link CSS File -->
```

```
    <!-- 1 Mark -->
```

```
    <link rel="stylesheet" href="style.css">
```

```
</head>
```

```
<body>
```

```
<!-- Header -->
```

```
<!-- 1 Mark -->
```

```

<header>
  <h1>Kilimani Club Portal</h1>
</header>

<!-- Main Section -->                                <!-- 1 Mark -->
<main>

<div class="container">

<h2>Club Membership Form</h2>

<!-- Form -->                                <!-- 2 Marks -->
<form action="process.php" method="POST" onsubmit="return validateForm()">

<!-- Full Name -->                                <!-- 1 Mark -->
<label>Full Name</label>
<input type="text" id="name" name="name">
<p id="nameError"></p>

<!-- Class Combination -->                                <!-- 2 Marks -->
<label>Class Combination</label>
<select name="class">
  <option>PCM</option>
  <option>PCB</option>
  <option>PGM</option>
  <option>EGM</option>
  <option>CBG</option>
  <option>HGL</option>
</select>

<!-- Preferred Club -->                                <!-- 2 Marks -->
<label>Preferred Club</label><br>

<input type="radio" name="club" value="Science & Tech">Science & Tech

```

<input type="radio" name="club" value="Environmental">Environmental

<input type="radio" name="club" value="Debate">Debate

<!-- Phone Number -->

<!-- 1 Mark -->

<label>Phone Number</label>

<input type="text" id="phone" name="phone">

<p id="phoneError"></p>

<!-- Buttons -->

<!-- 2 Marks -->

<input type="submit" value="Register">

<input type="reset" value="Clear">

</form>

</div>

</main>

<!-- Footer -->

<!-- 1 Mark -->

<footer>

<p>Copyright 2026</p>

</footer>

<!-- Link JavaScript -->

<!-- 1 Mark -->

<script src="script.js"></script>

</body>

</html>

(b) style.css

/* Body */

/* 1 Mark */

body{

```
    background:lightgrey;
    font-family:Arial;
}
```

```
/* Header */                                /* 1 Mark */
```

```
header{
    background:darkgreen;
    color:white;
    text-align:center;
    padding:20px;
}
```

```
/* Form Container */                        /* 2 Marks */
```

```
.container{
    width:400px;
    margin:auto;
    background:white;
    padding:20px;
    border-radius:10px;
}
```

```
/* Inputs */                                /* 2 Marks */
```

```
input,select{
    width:100%;
    padding:10px;
    margin:10px 0;
    border-radius:5px;
}
```

```
/* Register Button */                      /* 2 Marks */
```

```
input[type=submit]{
    background:green;
    color:white;
    border:none;
    transition:0.5s;
```

```
}
```

```
/* Hover Effect */                                /* 1 Mark */  
input[type=submit]:hover{  
    background:darkgreen;  
}
```

```
/* Error Message */                                /* 1 Mark */  
p{  
    color:red;  
}
```

(c) script.js

```
// Function to validate the form                    // 2 Marks  
function validateForm()  
{
```

```
// Read input values                                // 2 Marks  
var name=document.getElementById("name").value;  
var phone=document.getElementById("phone").value;
```

```
// Clear old messages                                // 1 Mark  
document.getElementById("nameError").innerHTML="";  
document.getElementById("phoneError").innerHTML="";
```

```
var valid=true;
```

```
// Validate Full Name                                // 3 Marks  
if(name.split(" ").length<2)  
{  
    document.getElementById("nameError").innerHTML="Enter two names";  
    valid=false;  
}
```

```

// Validate Phone Number // 3 Marks
if(phone.length!=10 || phone.charAt(0)!="0")
{
document.getElementById("phoneError").innerHTML="Invalid phone number";
valid=false;
}

// Success Message // 1 Mark
if(valid)
{
alert("Validation successful! Submitting your details...");
}

// Return Result // 1 Mark
return valid;

}

```

(d) process.ph

```

<?php

// Receive form data // 2 Marks
$name = htmlspecialchars($_POST['name']);
$class = htmlspecialchars($_POST['class']);
$club = htmlspecialchars($_POST['club']);
$phone = htmlspecialchars($_POST['phone']);

// Check empty fields // 3 Marks
if(empty($name) || empty($class) || empty($club) || empty($phone))
{
    echo "All fields are required.";
}
else
{

```

?>

<!DOCTYPE html>

<html>

<head>

<title>Confirmation</title>

<style>

/* Card Design */

/* 2 Marks */

body{

font-family:Arial;

background:#eeeeee;

}

.card{

width:400px;

margin:auto;

margin-top:50px;

background:white;

padding:20px;

border-radius:10px;

}

</style>

</head>

<body>

<div class="card">

<h2>Registration Confirmation Summary</h2>

```

<!-- Display Submitted Data -->          <!-- 6 Marks -->
<p><b>Student Name:</b> <?php echo $name; ?></p>

<p><b>Class Combination:</b> <?php echo $class; ?></p>

<p><b>Preferred Club:</b> <?php echo $club; ?></p>

<p><b>Phone Number:</b> <?php echo $phone; ?></p>

<p><b>Status:</b> Registration Pending Approval</p>

</div>

</body>

</html>

<?php
}
?>

```

Expected Folder Structure

S0202_0502/

```

|
|— index.php
|— style.css
|— script.js
|— process.php

```

QUESTION 3

Question	Marks
(a) Create Database	2
(b) Create Tables	6

(c) Relationship	2
(d) Enter Records	3
(e) Queries	6
(f) Form	3
(g) Report	3
TOTAL	25 Marks

(a) Create a Database (2 Marks)

Steps

1. Open **Microsoft Access**. (1 Mark)
2. Create a blank database named **KACS_Database.accdb**. (1 Mark)

Total: 2 Marks

(b) Create Tables (6 Marks)

Table 1: tblFarmers

Field Name	Data Type	Property
FarmerID	Short Text	Primary Key, Field Size = 6
FullName	Short Text	Field Size = 50
District	Short Text	Field Size = 25
PhoneNumber	Short Text	Field Size = 10
RegistrationDate	Date/Time	Short Date

Marks


Task	Marks
Create table	1
Correct fields	2
Correct data types	2
Primary Key	1
Total	6

Table 2: tblSupplies

Field Name	Data Type	Property
SupplyID	AutoNumber	Primary Key
FarmerID	Short Text	Field Size = 6
CropType	Lookup Wizard	Coffee, Maize, Beans, Wheat
Quantity_KG	Number (Double)	Validation Rule: >0
UnitPrice_TZS	Currency	Standard
SupplyDate	Date/Time	Default Value = Date()

(c) Create Relationship (2 Marks)

Relationship:



Steps

1. Open Database Tools → Relationships. (1 Mark)
2. Drag FarmerID from tblFarmers to tblSupplies and enable Enforce Referential Integrity. (1 Mark)

Total: 2 Marks

(d) Enter Records (3 Marks)

tblFarmers

FarmerID	FullName	District	PhoneNumber	RegistrationDate
F-101	Juma Bakari	Moshi Urban	0754123456	15/01/2023
F-102	Neema Swai	Hai	0784987654	20/02/2023
F-103	Baraka Mushi	Rombo	0713555888	10/03/2023
F-104	Asha Rashid	Siha	0767112233	05/04/2023

tblSupplies

SupplyID	FarmerID	CropType	Quantity_KG	UnitPrice_TZS	SupplyDate
1	F-101	Coffee	450	4500	12/05/2023
2	F-102	Maize	1200	800	18/05/2023
3	F-101	Coffee	300	4500	02/06/2023
4	F-103	Beans	650	2200	15/06/2023
5	F-104	Coffee	500	4800	20/06/2023
6	F-102	Wheat	850	1500	01/07/2023

Marks: 3

(e) Create Queries (6 Marks)

Query 1: qryCoffeeSupplies

Design

Field

FullName

District

CropType

Quantity_KG

UnitPrice_TZS

Criteria under CropType:

"Coffee"

Marks

Task	Marks
Correct fields	2
Correct criteria	1
Total	3

Query 2: qryTotalPayout

Fields

FullName

CropType

Quantity_KG

UnitPrice_TZS

TotalPayout:

[Quantity_KG]*[UnitPrice_TZS]

Marks

Task	Marks
Correct fields	2
Calculated field	1
Total	3

(f) Create Form (3 Marks)

Create a form named

frmFarmerEntry

Requirements

- Main Form → Farmer details
- Subform → Supply details
- Add **Add New Record** button
- Add **Save Record** button

Marks

Task	Marks
Main Form	1
Subform	1
Command Buttons	1
Total	3

(g) Create Report (3 Marks)

Report Name

rptSupplySummary

Requirements

- Based on **qryTotalPayout**
- Group by **CropType**
- Sum of **TotalPayout**
- Report title

KACS FARMERS PRODUCE SUPPLY REPORT

Marks

Task	Marks
Report created	1
Group by CropType	1
Sum and title	1
Total	3