


VSP5600 Performance Analysis Report

Storage Performance & Capacity Analysis

Report Generated: 20251230_220311
Data Extraction Date: 20251230_220311


This report provides a comprehensive analysis of storage performance metrics collected from the Hitachi VSP5600 system. It includes detailed charts and analysis of cache performance, processor utilization, port response times, and LDEV (Logical Device) metrics.

6.1 Cache Metrics: Write Pending Rate vs Cache Usage Rate




Analysis:
Cache write pending rate is within normal limits.

6.2 MPU Usage Analysis




Analysis:
MPU usage is within normal operating range.

6.3 HIE Metrics: Internal Path Utilization




Analysis:
The chart does not show any saturation of the HIE - ISW and MPU - HIE internal paths.

6.4 Port Response Times




Analysis:
Port response times are in the normal operating range.

6.5 LDEV IOPS Analysis




Analysis:
The chart identifies the LDEVs with high IO activity.

6.6 LDEV Transfer Rate Analysis




Analysis:
The LDEVs that have high transfer rate are identified in this chart.

6.7 LDEV Response Time vs MPU Usage




Analysis:
LDEV response times during the monitoring period are shown.

6.8 LDEV Read Hit Analysis - 01_00_00_D0X




Analysis:
These set of charts shows the read hit%, read percentage and read response.

6.9 LDEV Read Hit Analysis - 02_00_00_F8X




Analysis:
These set of charts shows the read hit%, read percentage and read response.

6.10 LDEV Read Hit Analysis - 03_00_00_F5X




Analysis:
These set of charts shows the read hit%, read percentage and read response.

6.11 LDEV Read Hit Analysis - 04_00_00_F6X



Analysis:
These set of charts shows the read hit%, read percentage and read response.

6.12 LDEV Read Hit Analysis - 05_00_00_F2X



Analysis:
These set of charts shows the read hit%, read percentage and read response.