



## PharmaCure Laboratories Pvt. Ltd.

### DEVIATION RECORD

Deviation No: DEV/2026/023

Page : 13 of 15

Batch No.: AMX-2026-0147

Product : Amoxicillin Capsules IP 500mg

Pack Size : 10x10 Capsules

Particulars		Quantity Issued	Quantity Used	Quantity Returned	Quantity Damaged
1.	Alu-Alu Foil	510 reels	502 reels	6 reels	2 reels
2.	Printed Cartons	50,000 nos.	49,650 nos.	250 nos.	100 nos.
3.	Leaflets	50,000 nos.	49,700 nos.	150 nos.	150 nos.
4.	Shipper Cartons	5,000 nos.	4,950 nos.	20 nos.	320000

Reported By: VK  
16-Jan-2026

Checked By: [Signature] 20-Jan-2026

Reviewed By QA: \_\_\_\_\_

Approved By QA Head: \_\_\_\_\_



## PharmaCure Laboratories Pvt. Ltd.

### PACKING RECORD

Product : Amoxicillin Capsules IP 500mg

Page : 12 of 15


Batch No.: AMX-2026-0147

Mfg Date : 15-Jan-2026

Pack Size : 10x10 Capsules

Particulars		Quantity Issued	Quantity Used	Quantity Returned	Quantity Damaged
1.	Alu-Alu Foil	510 reels	502 reels	6 reels	24, 2 reels
2.	Printed Cartons	50,000 nos.	49,650 nos.	250 nos.	48 nos.
3.	Leaflets	50,000 nos.	49,700 nos.	150 nos.	150 nos.
4.	Shipper Cartons	5,000 nos.	4,950 nos.	320000	320000

Packed By: VK

Checked By:  20-Jan-2026

Reconciliation of Packing Material:



**ENVIRONMENTAL MONITORING DURING MANUFACTURING**

Batch No.: AMX-2026-0147

Page : 9 of 15

Area : Capsule Filling Room

Sr.	Equipment Name	Specification	Before Operation	During Operation	After Operation
1.	Octagonal Blender	OB-003	24,5 °C	25,8 °C	24,2 °C
2.	Rapid Mixer Granulator	RMG-001	52 %	55 %	48 %
3.	Differential Pressure	15-25 Pa	18 Pa	20 Pa	17 Pa
4.	Particle Count (0.5µ)	NMT 3520000	245000	1890000	320000

Monitored By: UK

Checked By: 







**EQUIPMENT CLEANING RECORD**

Product : Amoxicillin Capsules IP 500mg

Page: 2 of 15

Batch No.: AMX-2026-0147

Sr.	Equipment Name	Equipment ID	Cleaned By	Verified By	Date	Time
1.	Octagonal Blender	OB-003			14-Jan-2026	16:30
2.	Rapid Mixer Granulator	RMG-001			14-Jan-2026	17:00
3.	Fluid Bed Dryer	FBD-002			14-Jan-2026	17:30



**PharmaCure Laboratories Pvt. Ltd.**

**PharmaCure Laboratories Pvt. Ltd.**

Batch No.: AMX-2026-0147

Page : 7 of 15

**Yield Calculation:**

Sr. No.	Test Parameter:	Specification	Observation	Tested By	Date
1.	Theoretical Yield:	450.0 kg	<u>287.8 kg</u>	VK	18-Jan-2026
2.	Actual Yield:		<del>287.8 kg</del>	VK	18-Jan-2026
3.	% Yield:	<del>63.0%</del>	64.0%	R	20/4/26



**IN-PROCESS CONTROL RECORD**

Batch No.: AMX-2026-0147

Page : 8 of 15

Sr. No.	Test Parameter	Specification	Observation	Result (Pass/Fail)	Tested By	Date
1.	Average Weight	580±5% mg	578 mg	Pass	VK	18-Jan-2026
2.	Weight Variation	NMT ±5%	3,2%	Pass	VK	18-Jan-2026
3.	Disintegration Time	NMT 30 min	18 min	Pass	VK	18-Jan-2026
4.	Friability	NMT 1.0 %	0,45%	Pass	VK	18-Jan-2026
5.	Moisture Content	NMT 3.0 %	2.1%	Pass	VK	18-Jan-2026

Reviewed & Approved By:

Production Officer

*VK*

24-APR-2026

Sign : \_\_\_\_\_ Date: \_\_\_\_\_

QA Officer

*[Signature]*

Sign : \_\_\_\_\_ Date: \_\_\_\_\_



## PharmaCure Laboratories Pvt. Ltd.

### BATCH RECORD REVIEW AND APPROVAL

Batch No.: AMX-2026-0147

Page : 14 of 15

Checklist:		Yes	No	
1	All pages accounted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2	Yields within limits	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3	All entries complete	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4	No unauthorized corrections	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
5	IPC results satisfactory	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

#### Reviewed & Approved By:

Production Officer UK  
24-APR-2026

Sign : [Signature] Date: 24-APR-2026

Production Manager [Signature]

Sign : \_\_\_\_\_ Date: \_\_\_\_\_

QA Officer \_\_\_\_\_

Sign : \_\_\_\_\_ Date: \_\_\_\_\_

QA Manager \_\_\_\_\_




Page : 14 of 15



**MANUFACTURING PROCESS RECORD**

Batch No.: AMX-2026-0147

Page : 5 of 15


Step No.	Operation Description	Equipment Used	Start Time	End Time	Done	Checked By
1	Sifting of Amoxicillin Trihydrate through 40 mesh	Sifter	9:30 AM	<del>11:15 AM</del> 10:15 AM	VK	SR
2	Dry mixing in Octagonal Blender for 10 minutes	Octagonal Blender	10:20 AM	10:30 AM	VK	
3.	Addition of binder solution	-	10:45 AM	11:00 AM	VK	
4.	Wet granulation in RMG	Rapid Mixer Granulator	11:05 AM	11:45 AM	VK	

Doc. No.: PC/MPC-001/01



**PharmaCure Laboratories Pvt. Ltd.**

**BATCH NUMBER ALLOCATION LOG**

Sr. No.	Product Name	Batch No.	Batch Size	Mfg Date	Exp Date	Shelf Life	Allocated By
1	Amoxicillin Capsules IP 500mg	AMX-2026-0147	5,00,000 Caps	15-Jan-2026	14-Jan-2028	24 Months 	10-Jan-2026
1.							
2.							
3.							
4.							
5.							

Doc. No.: PC/MPC-001/01



**BILL OF MATERIALS**

Batch No.: AMX-2026-0147

Page : 3 of 15

Sr. No.	Raw Material Name	Standard Qty per Batch	Actual Qty Used	AR No.	Weighed By	Checked By
1	Amoxicillin Trihydrate IP	287,5 kg	288,1 kg	1139		
2	Maize Starch IP	35,0 kg	34,8 kg	1140		
3	Sodium Starch Glycolate	15,0 kg	15,2 kg	1141		
4	Magnesium Stearate IP	2,5 kg	2,4 kg	1142		
5	Empty Hard Gelatin Capsules	5,00,000 nos.	5,00,000 nos.	1143		



**PharmaCure Laboratories Pvt. Ltd.**

**BATCH MANUFACTURING RECORD**

Product Name :	Amoxicillin Capsules IP 500mg	Page: <u>1 of 15</u>
Batch No. :	AMX-2026-0147	
Batch Size :	5,00,000 Capsules	
Mfg. Date :	15-Jan-2026	
Exp. Date :	14-Jan-2028	
MPC No. :	MPC/AMX/500/Rev-03	

Prepared By : \_\_\_\_\_ Date : \_\_\_\_\_

Checked By : \_\_\_\_\_ Date : \_\_\_\_\_

Approved By : \_\_\_\_\_ Date : \_\_\_\_\_