


SOLANI RIVER

Rejuvenation Measures



Raman Kant

Riverman of India

President – Bhartiya Nadi Parishad

+91 9411 676951



Solani River Survey

In the application number 632/2022 regarding Solani river filed by Shri VK Tyagi in the main bench of Hon'ble NGT, I (Raman Kant, President of Bhartiya Nadi Parishad) was included in the committee constituted by the division bench of Hon'ble Judge Shri Arun Kumar Tyagi and Hon'ble Expert Member Dr. Afroz Ahmed on 30th April, 2024.

In compliance with the instructions of Hon'ble NGT, on 18th and 19th June, I along with the team of Uttarakhand Pollution Control Board inspected the river from the origin of Solani river in Saharanpur to Haridwar district. During this, I saw all the major places of the river and all its aspects. During this, officials of Forest Department, Shivalik and Uttarakhand Jal Jal Sansthan were also present. On June 26, 2024, I, along with the team of Pollution Control Board, Muzaffarnagar, inspected the Solani river from its merger with Banganga at Sukhthirth to its merger with Ganga at Haiderpur Wetland.

In these three days, after talking to all the stakeholders related to the river and conducting a field inspection, I thoroughly examined the current problems of the river and prepared a framework for solution based on my experiences of river rejuvenation in the last 22 years.

Contents


Introduction	2
Historical Background	7
Current State of the Solani River	8
Causes of Degradation	9
Rejuvenation Methods	11
Outcomes and Impact	18
Conclusion	19
ANNEXURE 1:	20

Introduction

The Solani River, a vital waterway in the northern Indian states of Uttarakhand and Uttar Pradesh, has long served as a crucial source of water for agriculture, drinking, and various domestic purposes for the communities living along its banks.

The Solani River originates from Saharanpur district in Uttar Pradesh and flows through Roorkee city in Haridwar district of Uttarakhand, then re-enters Muzaffarnagar district, Uttar Pradesh, reaching the historical and religious city of Sukhthirth, where it merges with Banganga. After originating, the Solani River covers a distance of approximately 145 kilometers passing through towns like Biharigarh, Bhagwanpur, Roorkee, and Laksar. It is a rain-fed river, almost dry during winter but prone to flooding during the monsoon, causing significant damage to low-lying areas along its banks. The Solani River has made its basin fertile for agriculture.

The Solani River originates in the Shivalik hills of Saharanpur district, formed by the confluence of two main streams, Khajnawar and Shahjahanpur, along with several smaller streams from these hills. Khajnawar and Shahjahanpur streams flow through the Shivalik forest about ten kilometers from the slopes of the Shivalik hills. After leaving the forest boundary, these streams converge approximately 10 kilometers downstream on the road from Dehradun to Sakumbhari near Saliyar Salahpur village. Before becoming the Solani River, it is joined by several other smaller streams. The Solani River flows gently, growing in size and importance. On the banks of the river in Saliyar Salahpur, there is a functioning stone crusher, while on the opposite side, a builder is constructing a colony on land adjacent to the river.



According to the British Gazetteer, the name Solani River is first given to the stream formed by the confluence of Chilawala, Kania, Sukh, and Mohand Rao, which drains the sub-mountainous region up to the edge of Mohand Rao. Near Thapal Ismailpur, it joins Rajwa and Khandur Rao, carrying the combined waters of Khaj nawar and Shahjahanpur Rao, as well as Hatni Hot and other streams. The entire river is then known as Solani, flowing southeast along the high bank marking the eastern boundary of the upland plain.



Just above the town of Roorkee on its left bank flows the Sipiya River, a long stream originating from the valleys of the Sakrauda plateau and fed solely by rainwater from numerous tributaries such as Haljaura, Jakhani, and Dhandora. The Solani Aqueduct, an important engineering marvel, was constructed in the 19th century under the supervision of Sir Proby Cautley. Built in 1846 over the Purani Ganga Canal (Old Upper Ganga Canal), it is a significant example of brick masonry construction, spanning 15 spans of 50 feet each. The aqueduct, 980 feet long, stands as a landmark in civil engineering, a testament to the advancements of its time. At Roorkee, the Solani Great Canal passes beneath the aqueduct, continuing southeast to the northern boundary of Mangalore, where it meets the Ratmau River.

For the past year, about 400 cusecs of water has been released into the Ratmau River through the old Roorkee canal at the Dhanouri dam. At this location, the old Roorkee canal directly meets the Ratmau River on the same level, with a canal built over the river. There is also a barrage here where the water falls approximately 50 feet. About 500 meters downstream, around 1000 cusecs of water is directed into the Ratmau River through a canal of the new Roorkee canal. When the Ratmau River meets the Solani River northeast of Tod Kalyanpur and Sundhari villages below Roorkee city, the Solani River's water flow increases. However, during the monsoon, the Solani River carries much more water. Before joining the Solani River at Ratmau, it has already been joined by eight drains at various points. After the Ratmau River joins, the flow of the Solani River significantly increases, mixing the

clean water with domestic effluents from 14 drains originating in Roorkee city. At this point, the Solani River appears clear and clean. This area is expansive, and after rainfall, farmers practice temporary agriculture within the river.



Moving forward, the Solani River enters Muzaffarnagar district. In Muzaffarnagar, the Solani River reaches the historic and religious city of Sukhtirth.

About one kilometer before the main bathing ghat of Sukhtirth, Ghantaghar, the Solani River merges with Banganga flowing from the east. The Banganga River begins from a Ganga river stream near Katarpur Alipur village, Bahadarabad tehsil, Haridwar district, Uttarakhand, reaching Sukhtirth in Muzaffarnagar district, Uttar Pradesh. Here, after absorbing the Solani, it merges into the Ganga River basin at Haidarpur Wetland, on the west side of the Ganga Barrage in Bijnor.

Haidarpur Wetland, a Ramsar site, is crucial for its ecological significance, providing habitat to various bird species, aquatic life, and flora. The wetland plays a critical role in groundwater recharge, flood control, and maintaining ecological balance in the region. Banganga travels about 70 kilometers before joining the Ganga River.

Banganga is highly polluted due to receiving substantial drainage from Laksar near Idrishpur village, as well as untreated sewage from nearby villages like Mahatauli, Tanda, Mubarakpur, Chamrawal, Nehandpur Suthari, and Muzaffarpur Gujra Jadid. The main tributary of Banganga is Pathri, originating from Shivalik and passing through Hetampur Bahadarabad before joining Banganga.



Banganga's flow is low initially but increases during the monsoon. At its source, Banganga relies solely on rainwater to maintain its flow. Currently, Banganga is fed by rainwater runoff, untreated sewage from towns/villages in its catchment area, domestic and industrial effluents via the Laksar drain, domestic sewage via the Sultanpur drain, and tributaries like the Pathri and Solani rivers.



Bhainsarhedi
भैन्सर्हदी

Sundhari
सुन्धरी

Google



30°12'06.6"N 77°49'31.4"E


Historical Background

Historically, the river has been revered not just for its ecological significance but also for its cultural and spiritual importance. However, over the past few decades, the Solani River has faced severe ecological degradation due to rapid urbanization, industrialization, and unsustainable agricultural practices. This report delves into the comprehensive rejuvenation efforts undertaken to restore the river, detailing the methods employed and the outcomes achieved.



Current State of the Solani River

The Solani River, stretching 133.58 kilometers, plays a vital role in the region's hydrological dynamics. Originating and flowing through a diverse landscape, it interacts with various land cover types within its catchment area of 1237.33 square kilometers. The catchment encompasses 10.21 square kilometers of water bodies, 194.43 square kilometers of built-up areas, and 8.8 square kilometers of bare ground. Additionally, the region includes 1145.21 square kilometers dedicated to crops, 0.01 square kilometers of flooded vegetation, 61.03 square kilometers of rangeland, and 540.44 square kilometers of tree-covered areas. This mosaic of land uses not only underscores the ecological diversity but also highlights the multifaceted interactions between natural and anthropogenic elements influencing the Solani River.



S.No.	Layer Name	Area SqKm and Length in km
1	Catchment Area	1237.33 Sqkm
2	Waterbodies	10.21 Sqkm
3	Built Area	194.43 Sqkm
4	Bare ground	8.8 Sqkm
5	Crops	1145.21 Sqkm
6	Flooded vegetation	0.01 Sqkm
7	Rangeland	61.03 Sqkm
8	Trees/Vegetation	540.44 Sqkm
11	Lineament	135.58 km
12	Solani River	133.58 km

Work to be Done for Solani River

From my three-day river survey, extensive river research, and my river rejuvenation experience, I have identified the Solani River as a living river. It has sustained millions in Uttar Pradesh and Uttarakhand and is a major tributary of the Ganga.

Presently, the Solani River faces three main challenges:

- Water scarcity post-rainfall
- Encroachment
- Pollution

While there is no direct industrial pollution in the Solani River, it receives significant domestic wastewater discharge. Fourteen drains from Roorkee city discharge directly into the Solani River, resulting in polluted water at various points. A sewage treatment plant (STP) with a capacity of 33 MLD has been established in Salier, Roorkee, supported financially by the Asian Development Bank and operated by KEC Company since April 30, 2019. Currently, only 5 to 6 MLD of sewage reaches the plant due to inadequate drain connections. The sewage reaching the plant is not adequately treated due to the absence of a dedicated electricity supply, although it was planned to have one. Presently, the plant operates intermittently using generators. Several drains in Roorkee are situated on the eastern side of the canal, making connection to the STP nearly impossible. Consequently, these drains remain untreated. Moreover, sewage from approximately a dozen villages/towns flows directly into the river. Farmers cultivate the riverbed and its catchment, and the river has been encroached upon for various purposes in numerous locations.

Causes of Degradation

1. **Urbanization:** The rapid expansion of urban areas along the Solani River has led to increased pollution from domestic sewage, industrial effluents, and solid waste. Unplanned urban sprawl has also resulted in the encroachment of riverbanks, disrupting the natural flow and reducing the river's capacity to self-cleanse.
2. **Agricultural Runoff:** The extensive use of chemical fertilizers and pesticides in agriculture has contributed to the pollution of the Solani River. Runoff from agricultural fields carries these harmful chemicals into the river, leading to eutrophication and the depletion of aquatic life.
3. **Industrialization:** The establishment of numerous industries in the region, particularly in Roorkee and its surrounding areas, has been a significant source of industrial pollutants entering the river. Effluents from these industries, often discharged without proper treatment, have severely contaminated the water quality.
4. **Deforestation:** The removal of vegetation along the riverbanks for agriculture and urban development has exacerbated soil erosion, leading to increased sedimentation in the river. This has reduced the river's depth and disrupted its ecological balance.
5. **Climate Change:** Changing weather patterns and reduced rainfall in the catchment area have further strained the already stressed Solani River, reducing its flow and exacerbating pollution levels.







Rejuvenation Methods

To address the multifaceted issues plaguing the Solani River, a holistic and multi-pronged approach need to be adopted, involving governmental agencies, local communities, non-governmental organizations (NGOs), and environmental experts.

Initially a Solani River Council need to be formed which can carry out the supervision of rejuvenation process and monitoring of Sonali River after it is revived.

Solani River Council

Solani River Council is a group that will take all the social decisions regarding the arrangement of clean and uninterrupted flow of Solani and its tributary rivers. It will not be a constitutional organization but a social organization formed at the level of society. This organization will worry about its river and will also take decisions for its betterment. All decisions will be under Indian rules and regulations and will be taken without any discrimination. The decisions taken by Solani River Council regarding Solani River will be informed in writing to the District Magistrate / Chief Development Officer of the concerned district out of all the seven districts of the river flow at the administrative level and it will be necessary to get their consent in the works under the authority of the administration. Solani River Council will be provided technical support by the Bhartiya Nadi Parishad and GIZ India.

Structure of Solani River Council

The Solani River Council will be formed by the Pradhans and Secretaries of the villages situated on the banks of the river in both the districts of the river flow area. Out of all these Pradhans, one will be elected as the President, Vice-President and Secretary of the Council on the basis of majority. The President and Vice-President will be elected from among the Pradhans, while the Secretary will be elected from among the village secretaries. The Solani River flows through three districts of two states, Saharanpur, Roorkee and Muzaffarnagar, in such a situation, separate councils can also be formed in the three districts. By doing this, there will be no problem in working from administrative point of view. Along with this, the tributary rivers of Solani will also be a part of Solani River Council. ?

Village Committee

Solani River Council will include the Pradhans of the villages along the river flow. It will be the responsibility of the Pradhan of each village to form a committee of ten or more members of such aware people under his chairmanship in his village, which will do the work of river improvement in that part of the village. The village secretary will be the secretary of this committee. The village Pradhan will appoint an aware person as the vice-president on the basis of majority. The meeting of the village committee will be held on the 2nd of every month at the place and time decided by the consent of the Pradhan and the secretary. In the meeting, the old works will be reviewed and the outline of new works will be made. The work of writing down the agenda of the meeting and the decisions taken during the meeting will be the collective work of the vice-president and the secretary. A register will be made for

this. Although this village committee will also be a part of Solani River Council, but only the village Pradhan and the village secretary will participate in the meetings of the council.

Functioning of Solani River Council

The Solani River Council will meet on the first of every month at a fixed place (the place will be a village on the river bank) and time with the consent of the Chairman and Secretary. In the meeting, the previous works will be reviewed and plans for future works will be made. The work of writing down the agenda of the meeting and the decisions taken during the meeting will be the collective work of the Vice Chairman and the Secretary. If the cooperation of the administration is also taken in making plans for the decisions taken in the meeting and in implementing those works, then the work will be completed in a better way.

Rights of Solani River Council to take decisions:

Solani River Council will have the following rights to take decisions-

- Related to cleaning the river.
- Related to plantation of trees on the river bank.
- Related to revival of ponds on the river bank or in the villages on the river bank.
- Related to stop liquid and solid waste in the river.
- Related to public awareness in the villages on the river bank.
- Related to making dams in the river.

Apart from this, Solani River Council will be able to take any decision regarding the betterment of the river under the administrative rules and regulations. The Secretary of Solani River Council will be responsible for bringing all the decisions and works related to Solani River Council to the notice of the Chief Development Officer of the district, correspondence and approval of those works etc.

Publicity

A WhatsApp group of the members of Solani River Council will be formed. All the members of Solani River Council will be included in it. Apart from this, people participating in the river improvement works in the village can also be included with the consent of the Chairman of the Council. From time to time, news related to the river works and decisions of the meeting can also be given to the local newspapers with the consent of the Council Chairman. Apart from this, for publicity of the works being done for the river, mediums like creating a website, creating a Facebook page and creating a Twitter handle etc. can also be used.

Solani River Council & Saharanpur, Roorkee and Muzaffarnagar District

SN	Pradhan Name	Father/Husband	Position	Age	Education	Occupation	Village	Block	Contact
1			President						
2			Secretary						
3			Vice-President						

4			Member						
5			Member						
6			Member						
7			Member						
8			Member						
9			Member						
10			Member						
11			Member						
12			Member						
13			Member						
14			Member						
15			Member						
16			Member						
17			Member						
18			Member						
19			Member						
20			Member						

The rejuvenation methods can be broadly categorized into the following areas:

1. Pollution Control and Waste Management

- **Sewage Treatment Plants (STPs):** Establishing STPs along the major urban centers to ensure that domestic sewage is treated before being discharged into the river. These plants utilize advanced treatment technologies to remove contaminants and ensure the treated water meets environmental standards.
- **Industrial Effluent Treatment:** Enforcing stringent regulations for industries to treat their effluents before discharge. Industries are mandated to install Effluent Treatment Plants (ETPs) and comply with environmental norms.
- **Solid Waste Management:** Implementing comprehensive solid waste management systems in urban areas to prevent the dumping of waste into the river. This includes setting up waste segregation, collection, and disposal systems.

2. Ecosystem Restoration

- **Afforestation and Riparian Buffer Zones:** Planting native vegetation along the riverbanks to prevent soil erosion, enhance biodiversity, and create natural filtration systems. These riparian buffers help in stabilizing the banks and filtering pollutants before they enter the river.
- **Wetland Creation and Restoration:** Developing and restoring wetlands in the catchment area to act as natural water purifiers and provide habitat for wildlife. Wetlands help in sediment trapping, nutrient absorption, and maintaining the hydrological cycle.

- **Bioremediation:** Employing bioremediation techniques using specific plants, microbes, and fungi to degrade pollutants in the river water. This natural method helps in reducing chemical contaminants and restoring the ecological balance.
3. **Water Resource Management**
- **Rainwater Harvesting:** Encouraging the adoption of rainwater harvesting techniques in urban and rural areas to recharge groundwater levels and reduce surface runoff. This helps in maintaining the base flow of the river during dry periods.
 - **Check Dams and Reservoirs:** Constructing check dams and small reservoirs in the catchment area to store rainwater, reduce surface runoff, and promote groundwater recharge. These structures help in regulating the flow of the river and ensuring water availability during lean periods.
 - **Efficient Irrigation Practices:** Promoting water-efficient irrigation techniques such as drip and sprinkler irrigation among farmers to reduce water consumption and minimize agricultural runoff.
4. **Community Engagement and Awareness**
- **Public Awareness Campaigns:** Conducting awareness campaigns to educate the local population about the importance of river conservation and the steps they can take to reduce pollution. Schools, colleges, and community centers are actively involved in these campaigns.
 - **Community Participation:** Encouraging local communities to participate in river monitoring, cleanup drives, and afforestation activities. Community-based organizations are empowered to take ownership of the river's health and actively contribute to its restoration.
 - **Sustainable Practices Promotion:** Promoting sustainable agricultural practices, such as organic farming and integrated pest management, among farmers to reduce the impact of chemical runoff on the river.
5. **Policy and Governance**
- **Regulatory Framework:** Strengthening the regulatory framework to enforce environmental laws and regulations related to water pollution. This includes regular monitoring and penalizing violators to ensure compliance.
 - **Inter-agency Coordination:** Enhancing coordination between various governmental agencies, NGOs, and local bodies to ensure a unified and effective approach to river rejuvenation.
 - **Funding and Incentives:** Securing funding from government bodies, international organizations, and private sector initiatives to support rejuvenation projects. Providing incentives for industries and communities adopting sustainable practices.

Recommendations for the Permanent Revival of the Solani River

1. The name of the Solani River should be officially corrected from "Sonali" to "Solani" in NGT proceedings, aligning with historical and governmental documents.
2. Check dams and reservoirs should be constructed at the river's origin to retain rainwater, ensuring a consistent flow throughout the year, and providing water to wildlife.

3. Check dams should be built every five kilometres along the river's course below the Shivalik.
4. All the streams coming from Shivalik including the streams of Solani, Hindon etc., have been bringing a large amount of stones and debris for a long time, which has accumulated up to ten to fifteen feet in the flow of the stream below. In such a situation, the depth of all the streams including Solani in this area should also be increased.
5. Embankments should be constructed to prevent excessive spreading of the river in the Shivalik region.
6. The streams from Shivalik, including Solani and Hindon, have deposited considerable stones and debris over time, raising their bed levels by ten to fifteen feet. It is necessary to deepen these streams, utilizing the excavated debris for embankments and check dams. Increased depth will facilitate better water retention in these streams.
7. Immediate arrangements should be made to divert city sewage to the Roorkee STP.
8. Electricity supply to the STP should be ensured for regular operation.
9. For drains on the eastern side of the Roorkee canal, either a separate treatment plant should be constructed or natural treatment methods should be implemented. Various effective models exist across the country.
10. Natural methods should be adopted for treating sewage from villages and towns flowing directly into the river.
11. Riverbank demarcation should be implemented, and encroachments on river land should be removed. Permanent markers should be installed to prevent future encroachments.
12. Afforestation should be promoted in the vacant areas of the river basin.
13. Villages within one kilometre of both riverbanks should be considered part of the river basin. Ponds and lakes in these villages should be revitalized.
14. Solani River Councils should be established under village leadership in communities located within one kilometre of the riverbanks, involving them in river conservation efforts and public awareness campaigns.
15. Farmers should be encouraged to adopt chemical-free farming practices in these villages, with incentives for cultivating diverse fruit orchards on their land.
16. Agricultural activities within the river stream and its basin should be prohibited to prevent contamination from chemical fertilizers and pesticides.

17. Comprehensive river mapping should be conducted, including identification of fractured zones, to facilitate effective river management.

Implementation and Phases

The rejuvenation project was divided into several phases to ensure systematic implementation and continuous monitoring:

- 1. Phase I: Baseline Assessment and Planning**
 - Conducting a comprehensive assessment of the river's current state, including water quality analysis, biodiversity surveys, and identification of pollution sources.
 - Developing a detailed action plan outlining the specific interventions required and setting measurable targets.
- 2. Phase II: Infrastructure Development**
 - Constructing sewage treatment plants, effluent treatment plants, check dams, and rainwater harvesting structures.
 - Initiating afforestation and wetland restoration projects.
- 3. Phase III: Community Engagement and Implementation**
 - Rolling out public awareness campaigns and involving local communities in river monitoring and cleanup activities.
 - Implementing sustainable agricultural practices and promoting water-efficient irrigation techniques.
- 4. Phase IV: Monitoring and Evaluation**
 - Regularly monitoring water quality, biodiversity, and the effectiveness of implemented interventions.
 - Making necessary adjustments based on feedback and ongoing assessments.

Outcomes and Impact

The rejuvenation efforts will yield significant positive outcomes, contributing to the restoration of the Solani River's ecological health and improving the quality of life for the communities dependent on it:

- 1. Improved Water Quality:** The establishment of sewage and effluent treatment plants can lead to a substantial reduction in the levels of pollutants in the river. Regular water quality monitoring will indicate a marked improvement in key parameters such as Biological Oxygen Demand (BOD), Chemical Oxygen Demand (COD), and levels of heavy metals and toxic substances.
- 2. Enhanced Biodiversity:** Afforestation and wetland restoration projects will contribute to the revival of biodiversity along the river. Native plant species will be reintroduced, providing habitat for various wildlife species. Aquatic life, including fish and amphibians, has shown signs of recovery, indicating the restoration of ecological balance.
- 3. Increased Groundwater Levels:** Rainwater harvesting and the construction of check dams may help in recharging groundwater levels, ensuring a steady

flow of water in the river even during dry periods. This will alleviate water scarcity issues for the local communities and improved agricultural productivity.

4. **Community Empowerment and Participation:** The active involvement of local communities in the rejuvenation efforts can foster a sense of ownership and responsibility towards the river. Community-led initiatives will play a crucial role in sustaining the project's momentum and ensuring its long-term success.
5. **Sustainable Agricultural Practices:** The promotion of sustainable farming techniques will reduce the reliance on chemical fertilizers and pesticides, leading to a decrease in agricultural runoff and its associated pollution. Farmers will report improved soil health and crop yields, demonstrating the benefits of environmentally friendly practices.
6. **Policy and Governance Reforms:** The strengthened regulatory framework and inter-agency coordination can ensure effective implementation and enforcement of environmental laws. Regular monitoring and penalties for non-compliance may create a deterrent effect, encouraging adherence to pollution control measures.

Conclusion

The rejuvenation of the Solani River stands as a testament to the power of collective action and the importance of adopting a holistic approach to environmental restoration. Through a combination of pollution control measures, ecosystem restoration, water resource management, community engagement, and policy reforms, the project can be successfully revived a vital waterway and improved the quality of life for the communities dependent on it. The positive outcomes might be achieved which can underscore the need for continued efforts to sustain the river's health and serve as a model for similar initiatives worldwide. As we move forward, it is imperative to build on the lessons learned and further strengthen our commitment to preserving and restoring our natural ecosystems for future generations.











ANNEXURE 1:

LIST OF VILLAGES IN THE CATCHMENT OF SOLANI RIVER

S.No	Village name	subdistric	district	state	lgd_vil I
1	Rampur	Roorkee	Haridwar	Uttarakhand	56502
2	Ibrahimpurdeh	Roorkee	Haridwar	Uttarakhand	56492
3	Mohd Pur Bazurg Aht	Laksar	Haridwar	Uttarakhand	56795
4	Abdipur	Laksar	Haridwar	Uttarakhand	56902
5	Kuwan Khera Aht	Laksar	Haridwar	Uttarakhand	56798
6	Karaundi	Roorkee	Haridwar	Uttarakhand	56403
7	Kuwan Khera Must	Laksar	Haridwar	Uttarakhand	56797
8	Bhainsarhedi Ah	Narsan	Haridwar	Uttarakhand	56532
9	Alampur	Laksar	Haridwar	Uttarakhand	56915
10	Dhadhekidhana Majahidpur Aht	Laksar	Haridwar	Uttarakhand	56804
11	Jalalpur Mu	Roorkee	Haridwar	Uttarakhand	56505
12	Bhainsarhedi Mu	Narsan	Haridwar	Uttarakhand	56527
13	Shikarpur	Narsan	Haridwar	Uttarakhand	56592
14	Uleheri	Narsan	Haridwar	Uttarakhand	56531
15	Mandawar	Bhagwanpur	Haridwar	Uttarakhand	56347
16	Sisauna	Bhagwanpur	Haridwar	Uttarakhand	56352
17	Kishanpur Jamalpur	Roorkee	Haridwar	Uttarakhand	56404
18	Saliyer Salhapur	Roorkee	Haridwar	Uttarakhand	56406
19	Hazzarpur Ah	Narsan	Haridwar	Uttarakhand	56594

20	Sikanderpur	Laksar	Haridwar	Uttarakhand	56901
21	Hasanpur Madanpur M	Bhagwanpur	Haridwar	Uttarakhand	56345
22	Kagwali	Narsan	Haridwar	Uttarakhand	56624
23	Mukeempur Ah	Narsan	Haridwar	Uttarakhand	56611
24	Shahpur CT	Bhagwanpur	Haridwar	Uttarakhand	56627
25	Sikandarpur Mawal	Narsan	Haridwar	Uttarakhand	56619
26	Khanjarpur CT	Roorkee	Haridwar	Uttarakhand	56634
27	Lawwa	Bhagwanpur	Haridwar	Uttarakhand	56350
28	Naqibpur Ghosipura	Narsan	Haridwar	Uttarakhand	56615
29	Bheekar Gospur	Narsan	Haridwar	Uttarakhand	56616
30	Lodiwala	Bhagwanpur	Haridwar	Uttarakhand	56338
31	Toda Kalyanpur Ah	Roorkee	Haridwar	Uttarakhand	56508
32	Aurangzeb Pur	Bhagwanpur	Haridwar	Uttarakhand	56337
33	Ahamadpur Khedi	Bhagwanpur	Haridwar	Uttarakhand	56342
34	Dhadheki Dhana Majamidpur Must	Laksar	Haridwar	Uttarakhand	56803
35	Kanhapur M	Roorkee	Haridwar	Uttarakhand	56433
36	Makanpur Mahmood Alampur	Bhagwanpur	Haridwar	Uttarakhand	56354
37	Gin Mohd Shaheed Pur	Bhagwanpur	Haridwar	Uttarakhand	56351
38	Bhagwanpur CT	Bhagwanpur	Haridwar	Uttarakhand	56628
39	Puhana	Roorkee	Haridwar	Uttarakhand	56405
40	Chauli Shahbuddin Pur	Bhagwanpur	Haridwar	Uttarakhand	56348
41	Malakpur Latifpur	Roorkee	Haridwar	Uttarakhand	56503
42	Thoi	Narsan	Haridwar	Uttarakhand	56625
43	Madarpur	Laksar	Haridwar	Uttarakhand	56913
44	Jalalpur Ah	Roorkee	Haridwar	Uttarakhand	56507
45	Bangherimahabatpur Must CT	Roorkee	Haridwar	Uttarakhand	56635
46	Aamkheri	Narsan	Haridwar	Uttarakhand	56614
47	Khedi Shikohpur	Bhagwanpur	Haridwar	Uttarakhand	56341
48	Latifpur Khubban Pur	Bhagwanpur	Haridwar	Uttarakhand	56349
49	Sundhari	Narsan	Haridwar	Uttarakhand	56526
50	Hasanawala	Bhagwanpur	Haridwar	Uttarakhand	56336
51	Roorkee Npp	Roorkee	Haridwar	Uttarakhand	24847 8
52	Yahayyapur	Laksar	Haridwar	Uttarakhand	56903
53	Mundalana	Narsan	Haridwar	Uttarakhand	56613
54	Hazzarpur Mu	Narsan	Haridwar	Uttarakhand	56593
55	Zaurasi Mu	Narsan	Haridwar	Uttarakhand	56534
56	Zaurasi Ah	Narsan	Haridwar	Uttarakhand	56533
57	Abul Hasanpur Urf Ghisarpadi M	Narsan	Haridwar	Uttarakhand	56608
58	Abul Hasanpur Urf Ghisarpadi A	Narsan	Haridwar	Uttarakhand	56609
59	Mominpur	Hardwar	Haridwar	Uttarakhand	56696
60	Majri Akbarpur	Laksar	Haridwar	Uttarakhand	56788
61	Jogawala	Laksar	Haridwar	Uttarakhand	56945

62	Bhadoli	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110882
63	Nanupur	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110879
64	Damaatpatti	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110877
65	Razkallapur	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110890
66	Faridpur	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110905
67	Hajipur Jahangirpur	Jansath	Muzaffarnagar	Uttar Pradesh	111327
68	Bulakipur	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110876
69	Mandanwala	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110894
70	Nurnagar	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110865
71	Majlishpur	Jansath	Muzaffarnagar	Uttar Pradesh	111323
72	Bhadola	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110881
73	Sherpur	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110891
74	Almawala	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110897
75	Firozpur Khadar	Jansath	Muzaffarnagar	Uttar Pradesh	111330
76	Sukertari	Jansath	Muzaffarnagar	Uttar Pradesh	111329
77	Kherki	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110887
78	Farakhpur	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110889
79	Baikunthpur	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110886
80	Chamrawala	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110895
81	Dadupur	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110880
82	Panchli	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110888
83	Suheli	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110909
84	Marakpur	Muzaffarnagar	Muzaffarnagar	Uttar Pradesh	110883
85	Sikari	Jansath	Muzaffarnagar	Uttar Pradesh	111319
86	Badshahpur	Behat	Saharanpur	Uttar Pradesh	109071
87	Khushalipur	Behat	Saharanpur	Uttar Pradesh	109070
88	Thappel Ismailpur	Behat	Saharanpur	Uttar Pradesh	109072

