

## Inheritance and constructors in Java

In Java, constructor of base class with no argument gets automatically called in derived class constructor. For example, output of following program is:

*Base Class Constructor Called*

*Derived Class Constructor Called*

```
// filename: Main.java
class Base {
    Base() {
        System.out.println("Base Class Constructor Called ");
    }
}

class Derived extends Base {
    Derived() {
        System.out.println("Derived Class Constructor Called ");
    }
}

public class Main {
    public static void main(String[] args) {
        Derived d = new Derived();
    }
}
```

But, if we want to call parameterized constructor of base class, then we can call it using `super()`. The point to note is **base class constructor call must be the first line in derived class constructor**. For example, in the following program, `super(_x)` is first line derived class constructor.

```
// filename: Main.java
```

Google™ Custom Search



GeeksforGeeks



53,527 people like GeeksforGeeks.



Interview Experiences

Advanced Data Structures

Dynamic Programming

Greedy Algorithms

Backtracking

Pattern Searching

Divide & Conquer

Mathematical Algorithms

Recursion

```

class Base {
    int x;
    Base(int _x) {
        x = _x;
    }
}

class Derived extends Base {
    int y;
    Derived(int _x, int _y) {
        super(_x);
        y = _y;
    }
    void Display() {
        System.out.println("x = "+x+", y = "+y);
    }
}

public class Main {
    public static void main(String[] args) {
        Derived d = new Derived(10, 20);
        d.Display();
    }
}

```

Output:

$x = 10, y = 20$

Please write comments if you find anything incorrect, or you want to share more information about the topic discussed above.




## Popular Posts

[All permutations of a given string](#)

[Memory Layout of C Programs](#)

[Understanding "extern" keyword in C](#)

[Median of two sorted arrays](#)



Tree traversal without recursion and without stack!

Structure Member Alignment, Padding and Data Packing

Intersection point of two Linked Lists

Lowest Common Ancestor in a BST.

Check if a binary tree is BST or not

Sorted Linked List to Balanced BST



## Related Tpoics:

- Inner class in java
- How to compare two arrays in Java?
- Can we override private methods in Java?
- Can we Overload or Override static methods in java ?
- Static class in Java
- Do we need forward declarations in Java?
- Checked vs Unchecked Exceptions in Java
- Bitwise right shift operators in Java



1



0



0

Writing code in comment? Please use [ideone.com](https://www.ideone.com) and share the link here.

2 Comments

GeeksforGeeks

Sort by Newest ▾



Join the discussion...



**Zack** · 3 months ago

Typo: base class "comstructor" call must be the first line in derived class cons

^ | ▾ · Reply · Share ›



**muthusi** · 4 months ago

Thanks man saved me a whole lot of trouble

^ | ▾ · Reply · Share ›

Subscribe

Add Disqus to your site



705



Subscribe

## Recent Comments

Abhi You live US or India?

[Google \(Mountain View\) interview](#) · 35 minutes ago

**Aman** Hi, Why arent we checking for conditions...

[Write a C program to Delete a Tree.](#) · 1 hour ago

kzs please provide solution for the problem...

[Backtracking | Set 2 \(Rat in a Maze\)](#) · 1 hour ago

**Sanjay Agarwal** bool

tree::Root\_to\_leaf\_path\_given\_sum(tree...

Root to leaf path sum equal to a given number · 1 hour ago

**GOPI GOPINATH** @admin Highlight this


sentence "We can easily...

[Count trailing zeroes in factorial of a number](#) · 1

[hour ago](#)

**newCoder3006** If the array contains negative numbers also. We...


[Find subarray with given sum](#) · 2 hours ago

AdChoices 

[▶ Java Array](#)

[▶ Inheritance Java](#)


[▶ Constructor Java](#)

AdChoices 

[▶ Main Class Java](#)

[▶ Java VS C#](#)

[▶ C++ Java](#)

AdChoices 

[▶ Java Void](#)

[▶ String Java](#)

[▶ Java Override](#)

@geeksforgeeks, **Some rights reserved**

**Contact Us!**

Powered by **WordPress** & **MooTools**, customized by geeksforgeeks team