GeeksforGeeks

A computer science portal for geeks

	\sim	\sim	ın	١.
_	u	u		

Home	Algorithms	DS	GATE	Interv	view Corner	Q&A	С	C++	Java	Books	Contribute	Ask a Q	About
Array	Bit Magic	C/C+	+ Arti	cles	GFacts	Linked L	ist	MCQ	Misc	Outpu	t String	Tree	Graph

Static class in Java

Can a class be static in Java?

The answer is YES, we can have static class in java. In java, we have static instance variables as well as static methods and also static block. Classes can also be made static in Java.


Java allows us to define a class within another class. Such a class is called a nested class. The class which enclosed nested class is known as Outer class. In java, we can't make Top level class static. *Only nested classes can be static*.

What are the differences between static and non-static nested classes?

Following are major differences between static nested class and non-static nested class. Non-static nested class is also called Inner Class.

- 1) Nested static class doesn't need reference of Outer class, but Non-static nested class or Inner class requires Outer class reference.
- **2)** Inner class(or non-static nested class) can access both static and non-static members of Outer class. A static class cannot access non-static members of the Outer class. It can access only static members of Outer class.
- **3)** An instance of Inner class cannot be created without an instance of outer class and an Inner class can reference data and methods defined in Outer class in which it nests, so we don't need to pass reference of an object to the constructor of the Inner class. For this reason Inner classes can make program simple and concise.

```
/* Java program to demonstrate how to implement static and non-static
  classes in a java program. */
class OuterClass{
   private static String msg = "GeeksForGeeks";
```





53,527 people like GeeksforGeeks.





Interview Experiences

Advanced Data Structures

Dynamic Programming

Greedy Algorithms

Backtracking

Pattern Searching

Divide & Conquer

Mathematical Algorithms

Recursion

Coomatria Algorithma

```
// Static nested class
   public static class NestedStaticClass{
       // Only static members of Outer class is directly accessible in
       // static class
      public void printMessage() {
         // Try making 'message' a non-static variable, there will be
         // compiler error
         System.out.println("Message from nested static class: " + msg
    // non-static nested class - also called Inner class
    public class InnerClass{
       // Both static and non-static members of Outer class are access.
       // this Inner class
      public void display() {
          System.out.println("Message from non-static nested class: "+
class Main
    // How to create instance of static and non static nested class?
    public static void main(String args[]){
       // create instance of nested Static class
       OuterClass.NestedStaticClass printer = new OuterClass.NestedState
       // call non static method of nested static class
       printer.printMessage();
       // In order to create instance of Inner class we need an Outer
       // instance. Let us create Outer class instance for creating
       // non-static nested class
       OuterClass outer = new OuterClass();
       OuterClass.InnerClass inner = outer.new InnerClass();
       // calling non-static method of Inner class
      inner.display();
      // we can also combine above steps in one step to create instan-
       // Inner class
       OuterClass.InnerClass innerObject = new OuterClass().new InnerC
```

Deploy Early. Deploy Often. DevOps from Rackspace: **Automation** FIND OUT HOW ▶ 🗗 rackspace.

Popular Posts

All permutations of a given string

Memory Layout of C Programs

Understanding "extern" keyword in C

Median of two sorted arrays

Tree traversal without recursion and without stack!

Structure Member Alignment, Padding and

Data Packing

Intersection point of two Linked Lists

Lowest Common Ancestor in a BST.

Check if a binary tree is BST or not

Sorted Linked List to Balanced BST

```
// similarly we can now call Inner class method
innerObject.display();
}
```


Output:

```
Message from nested static class: GeeksForGeeks
Message from non-static nested class: GeeksForGeeks
Message from non-static nested class: GeeksForGeeks
```

Reference Book:

Introduction To Java Programming by Y. DANIEL LIANG

This article is contributed by **Chandra Prakash**. Please write comments if you find anything incorrect, or you want to share more information about the topic discussed above



Related Tpoics:

- Inner class in java
- How to compare two arrays in Java?



- Can we override private methods in Java?
- Can we Overload or Override static methods in java?
- Do we need forward declarations in Java?
- Checked vs Unchecked Exceptions in Java
- · Bitwise right shift operators in Java
- · Private and final methods in Java









Writing code in comment? Please use ideone.com and share the link here.

21 Comments

GeeksforGeeks

Sort by Newest ▼



Join the discussion



Anand Kumar • a month ago

static inner class is like static member of enclosing class with only static meth that static inner class as top level class



Raj Kumar • 2 months ago

we can create static class inside the class.



Sachin Sabbarwal • 3 months ago

I Don't think we have static classes in java.

You are confusing inner classes which are static members of a class.

3 A Property Reply • Share >





Recent Comments

Abhi You live US or India?

Google (Mountain View) interview · 38 minutes ago

Aman Hi, Why arent we checking for conditions...

Write a C program to Delete a Tree. 1 hour ago

kzs please provide solution for the problem...

Backtracking | Set 2 (Rat in a Maze) 1 hour ago

Sanjay Agarwal bool

tree::Root_to_leaf_path_given_sum(tree...

Root to leaf path sum equal to a given number · 1

hour ago

GOPI GOPINATH @admin Highlight this sentence "We can easily...

Count trailing zeroes in factorial of a number 1

hour ago

newCoder3006 If the array contains negative numbers also. We...

Find subarray with given sum · 2 hours ago

AdChoices [>

- ▶ Java Array
- ► Class Class Java
- ▶ Java Void



Josiah → Sachin Sabbarwal • 3 months ago

With all static methods of course.



Josiah → Sachin Sabbarwal • 3 months ago

I think what we are looking for is a non-instantiable class that forces all doesn't seem to exist. The closest thing I can come up with is a final all



Ankit Singh • 3 months ago

Awesome Example



Chandan Kumar → Ankit Singh • 3 months ago

Hey Yor are Right



Sree • 3 months ago

Really a crystal clear explanation...!!!! tq so much....



dd • 5 months ago

good one buddy!!



Mahendra H. Bagul • 5 months ago

Thanks for nice explanation!!!



shwetank • 5 months ago

open in browser PRO version Are you a developer? Try out the HTML to PDF API

AdChoices [>

▶ Java Void

▶ Java Object

► Instance Java
AdChoices ▶

▶ String Java

► C# Java

► Java Interface

pdfcrowd.com



manks, nice explanation.



Nagendra Kamisetti • 5 months ago

static members cant be defined in a non-static inner classes



NONAME • 6 months ago

Clean.



andy qi • 8 months ago

I like it



vishal agrawal • 8 months ago

Awesome Explanation



Rishab Dev • 9 months ago

really turned into fan of this site.



Ravi Phad • 9 months ago

Awesome Article



Suresh Uppathala • 10 months ago good explanation.



Antonio081014 · 10 months ago



I really should read this blog before my recent interview, damn...

1 ^ Reply • Share >



Kumar Sawan • 11 months ago good concept......

2 ^ Reply · Share >



srb • 11 months ago can u explain 3rd point...plz

5 A Reply • Share >



Subscribe



Add Disgus to your site

@geeksforgeeks, Some rights reserved

Contact Us!

Powered by WordPress & MooTools, customized by geeksforgeeks team