

SwiftShip Tracker

Use Case Scenario

“Customers often face delays and confusion while booking, tracking, and managing parcel deliveries because they need to call support or use multiple apps. A conversational AI agent can simplify this by allowing customers to book parcels, get live tracking, and manage deliveries in one place.

Objective:

A comprehensive Parcel Management Portal on Salesforce CRM that enables customers to book parcels, track delivery status, and manage shipments through an intuitive and user-friendly interface. Agents can easily update parcel details, delivery timelines, and status to ensure transparent customer communication.

Student Outcomes:

Hands-on Experience with Salesforce Development: Students gain practical skills in configuring custom objects (Parcel_c), automating processes with Flows, and integrating real-time CRM functionalities.

Understanding of CRM Project Lifecycle: Students learn the complete end-to-end process from requirement gathering to deployment in Salesforce.

Problem-Solving Skills: Students develop the ability to design, troubleshoot, and implement parcel tracking solutions in a CRM environment.

System Requirements:

Hardware Requirements:

Computer with minimum 4 GB RAM, Dual-core processor

Stable internet connection

Software Requirements:

Salesforce Developer Edition Org

Modern Web Browser (e.g., Google Chrome, Firefox)

Skills Required:

Salesforce Platform Expertise

Data Modeling & Security Management

Automation with Flows

Reporting and Analytics

Key Features:

- Parcel booking and record creation
- Parcel status tracking (Booked, In Transit, Out for Delivery, Delivered)

- Weight & delivery date management
- Automated customer notifications for delivery updates
- Agent interface to manage and update parcel details

Phase 1: Requirement Analysis & Planning

Objective:

“Customers often face delays and confusion while booking, tracking, and managing parcel deliveries because they need to call support or use multiple apps. A conversational AI agent can simplify this by allowing customers to book parcels, get live tracking, and manage deliveries in one place.”

Key Requirements:

- Requirement gathering from end users and delivery agents.
- Defining system scope and user personas (Customer, Agent, Admin).
- Designing the data model with relationships between Parcel, Sender, Receiver, and Delivery.
- Identifying use cases such as parcel booking, tracking, and delivery update automation.
- Selecting tools: Salesforce Flows, Prompt Builder, and AgentForce AI.

Defining Project Scope & Objectives

Project Scope:

1. Build a scalable CRM solution for parcel delivery businesses to manage customer bookings, shipments, and delivery operations efficiently.
2. Support the end-to-end parcel lifecycle — from parcel booking → dispatch → tracking → delivery confirmation.
3. Include comprehensive data model design, automation (Flows, Apex, Email Alerts), AI-powered prompt builder, and reporting dashboards for effective management.
4. Provide role-based access for admins, delivery agents, and customers through Salesforce profiles, permission sets, and Experience Cloud.
5. Ensure real-time parcel visibility for customers and simplified operational tracking for agents through AI-integrated conversational support.

Objectives Summary:

- Streamline parcel operations by automating booking, tracking, and delivery notifications to reduce manual updates.
- Improve customer satisfaction with transparent, real-time shipment status and self-service tracking options.
- Enhance agent efficiency through centralized dashboards and guided Flows for quick status updates.
- Enable business insights with reports and dashboards showing parcel trends, delivery performance, and agent activity.
- Ensure security and reliability by implementing Salesforce role hierarchies, sharing rules, and audit-based data access.

Gathering & Analysing User Needs

Users Involved:

- **Customers / Senders** – End users who book parcels, track deliveries, and receive real-time updates through the portal or AI agent.
- **Delivery Agents** – Manage assigned parcels, update delivery status, and ensure timely handover to customers.
- **Customer Support Team** – Handle delivery-related issues, respond to customer queries, and ensure smooth communication.
- **Admin Team** – Configure the Salesforce environment, manage user roles, security settings, and monitor operational performance.

- System Integrator / Developer – Responsible for implementing automation, AI agent setup, and backend integrations.

Key Functional Needs:

- Seamless parcel booking and tracking interface for customers through Salesforce Experience Site or agent assistance.
- Ability for agents to update parcel status (Booked → In Transit → Out for Delivery → Delivered) in real time.
- Automated notifications and email alerts to customers on every delivery stage update.
- Support for Sender and Receiver details management with address, contact, and email fields for communication.
- AI Agent integration (via Prompt Builder) for real-time parcel status queries and automated assistance.
- Reports and dashboards to monitor parcel flow, delivery performance, and agent activity for admins.
- Security controls with role-based access, profiles, and permission sets for different user levels.

Tools Used:

- Salesforce Developer Org – For configuration, development, and testing.
- Prompt Builder (AgentForce AI) – To create intelligent parcel tracking prompts and responses.
- Salesforce Flow Builder – To automate booking, tracking, and delivery updates.
- Google Sheets / Docs – For initial data planning, requirement documentation, and system mapping.

Identifying Key Salesforce Features & Tools Required

Salesforce Features Planned:

- Custom Objects:

Parcel__c, Delivery__c, Sender__c, Receiver__c

- Standard Objects:

Account, Contact, Case, Task, EmailMessage, User

- Automations:

Record-Triggered Flows, Auto-Launched Flows, Approval Processes, Scheduled Flows

- Apex: Apex Classes for automated parcel operations (e.g., Lead-to-Parcel mapping, delivery notifications), Batch Apex for periodic updates or notifications

- UI: Lightning App Page (SwiftShip Tracker App), Dynamic Forms for Parcel Details, Lightning Record Pages, and Experience Cloud for Customer Access

- AgentForce AI & Prompt Builder: Integrated AI agent trained to fetch parcel data based on Parcel ID and respond to tracking or delivery status queries

- Email Services: Custom Email Alerts and Templates for booking confirmations, delivery updates, and completion acknowledgments

- Security: Profiles, Permission Sets, Role Hierarchies, Field-Level Security, and Sharing Rules to ensure controlled access for Admin, Agent, and Customer roles

Designing Data Model and Security Model

Data Model Includes:

- Parcel__c (Custom Object)
- Stores core parcel details such as Parcel ID, Status, Weight, and Estimated Delivery Date.
- Linked to Sender__c and Receiver__c objects to fetch sender and receiver details.
- Connected with Delivery__c object to track real-time parcel location and status.
- Delivery__c (Custom Object)
- Stores delivery-specific information such as current location, estimated delivery date, and linked parcel.
- Connected with Sender__c and Parcel__c for relationship-based tracking.

- Used by agents to update and monitor delivery status during the parcel lifecycle.
- Sender__c (Custom Object)
- Captures sender-related information such as address, contact number, and email.
- Linked to multiple parcels to track sender history and associated deliveries.
- Used for sending booking confirmations and delivery updates via automated emails.
- Receiver__c (Custom Object)
- Stores receiver details such as address, contact, and email for communication and delivery confirmation.
- Linked to Sender__c and Parcel__c to associate both ends of the shipment process.
- Used by agents for delivery reference and automated email notifications upon completion.

Security Model Design:

- Role Hierarchy:

Administrator → Delivery Manager → Agent → Customer

- Profiles:

Admin Profile: Full access to all objects and records.

Delivery Agent Profile: Read/Edit access to Parcel, Delivery, Sender, and Receiver objects.

Customer Profile: Read-only access to their own parcel details via Experience Cloud.

Support Staff Profile: Access to Cases and Parcel details for issue resolution.

- Permission Sets:

Used to grant additional privileges (e.g., “Update Delivery Status,” “Access Agent Console”).

- Record-Level Security:

Sharing Rules applied for Parcel__c and Delivery__c to allow controlled access for agents and managers.

Customers can only view records linked to their own Sender or Receiver details.

- Field-Level Security:

Sensitive fields like Sender Email, Receiver Contact, and Location Coordinates restricted to Admin and Agent profiles only.

Phase 2: Salesforce Development –Backend & Configurations

This phase focused on developing the core logic of SwiftShip Tracker. Custom objects were created for Parcel, Sender, Receiver, and Delivery with relationships. Automations were built using Flows for parcel status updates and approval processes.

Milestone 1- Salesforce Account

Introduction:

Are you new to Salesforce? Not sure exactly what it is, or how to use it? Don't know where you should start on your learning journey? If you've answered yes to any of these questions, then you're in the right place. This module is for you.

Welcome to Salesforce! Salesforce is game-changing technology, with a host of productivity-boosting features, that will help you sell smarter and faster. As you work toward your badge for this module, we'll take you through these features and answer the question, “What is Salesforce, anyway?”.

What Is Salesforce?

Salesforce is your customer success platform, designed to help you sell, service, market, analyse, and connect with your customers.

Creating Developer Account

Creating a developer org in salesforce.

1. Go to <https://developer.salesforce.com/signup>
2. On the sign-up form, enter the following details:

Build enterprise-quality apps fast and get hands-on with Agentforce and Data Cloud.

Sign up for your Developer Edition.

- ✓ Build apps fast with drag-and-drop tools
- ✓ Go further with Apex code
- ✓ Build AI agents with Agentforce
- ✓ Harmonize your data with Data Cloud
- ✓ Ground Agentforce with structured and unstructured data
- ✓ Integrate with anything using APIs

Sign up for your Developer Edition

A free Salesforce Platform environment with Agentforce and Data Cloud

First name: Annapurna, Last name: Guram

Job title: Student, Work email: annapurnabethi.A@gmail.com

Company: The SmartBridge, Country/Region: India

I agree to the Master Services Agreement – Developer Edition and Salesforce Program Agreement, as described in the Developer Documentation. (1) the Developer Edition includes autonomous and other generative AI features, and (2) Salesforce may limit use of those features and the org, and may terminate any org that has been inactive for 60 days.

We value your privacy. To learn more, visit our Privacy Statement.


☐ I'm not a robot

Sign Me Up

- 1) First name & Last name
- 2) Email
- 3) Job Title: Developer
- 4) Company: College Name
- 5) Country: India

Click on sign me up after filling these.

1. Go to the inbox of the email that you used while signing up. Click on the verify account to activate your account. The email may take 10-30mins and sometimes 2 hours.



2. Click on Verify Account
3. Give a password and answer a security question and click on change password.

Change Your Password

Enter a new password for lead@sb.com.
Make sure to include at least:

- 8 characters
- 1 letter
- 1 number

* New Password
***** Good


* Confirm New Password
***** Match

Security Question
In what city were you born?

* Answer
asdfghjkl

Change Password

4. Then you will redirect to your salesforce setup page.



Milestone 2- Objects Creation

To create an object:

1. From the setup page
2. Click on Object Manager
3. Click on Create >> Click on Custom Object.
4. Enter the label name as Parcel
5. Enter Plural label name as Parcels
6. Enter Record Name as Parcel Name
7. Select Data Type as Text: Parcel Name
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History

11. Click on Save and New

Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing [s](#)

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

Deployment Status [What is this?](#)

- ☐ In Development
- ☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more](#)

- ☒ Allow Search

Object Creation Options (Available only when custom object is first created)

- ☒ Add Notes and Attachments related list to default page layout
- ☐ Launch New Custom Tab Wizard after saving this custom object

[Save](#) [Save & New](#) [Cancel](#)

Setup > OBJECT MANAGER

Parcel

[Edit](#) [Delete](#)

Details

Description

API Name
Parcel__c

Custom
✓

Singular Label
Parcel

Plural Label
Parcel's

Enable Reports
✓

Track Activities
✓

Track Field History
✓

Deployment Status
Deployed

Help Settings
Standard salesforce.com Help Window

- Details
- Fields & Relationships
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters
- Search Layouts
- List View Button Layout

Creating Delivery Object

To create an object:

1. From the setup page
 2. Click on Object Manager
3. Click on Create >> Click on Custom Object.
4. Enter the label name as Delivery
5. Enter Plural label name as Deliveries
6. Enter Record Name as DeliveryName
7. Select Data Type as Text: DeliveryName
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History

11. Click on Save and New

The image shows two screenshots from the Salesforce Setup interface. The top screenshot is the 'New Custom Object' page. It has several sections: 'Optional Features' with checkboxes for 'Allow Reports', 'Allow Activities', 'Track Field History', 'Allow in Chatter Groups', and 'Enable Licensing'; 'Object Classification' with checkboxes for 'Allow Sharing', 'Allow Bulk API Access', and 'Allow Streaming API Access'; 'Deployment Status' with radio buttons for 'In Development' and 'Deployed'; 'Search Status' with a checkbox for 'Allow Search'; and 'Object Creation Options' with checkboxes for 'Add Notes and Attachments related list to default page layout' and 'Launch New Custom Tab Wizard after saving this custom object'. At the bottom of this page are 'Save', 'Save & New', and 'Cancel' buttons. The bottom screenshot shows the 'Delivery' object details page. It has a left sidebar with a list of configuration options: 'Details', 'Fields & Relationships', 'Page Layouts', 'Lightning Record Pages', 'Buttons, Links, and Actions', 'Compact Layouts', 'Field Sets', 'Object Limits', 'Record Types', 'Related Lookup Filters', 'Search Layouts', 'List View Button Layout', 'Restriction Rules', and 'Scoping Rules'. The main area is titled 'Details' and contains a table of settings for the 'Delivery' object, including 'API Name', 'Custom', 'Singular Label', 'Plural Label', 'Deliveries', 'Enable Reports', 'Track Activities', 'Track Field History', 'Deployment Status', 'Help Settings', and a link to 'Standard salesforce.com Help Window'.

Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing [x](#)

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

Deployment Status [What is this?](#)

☐ In Development
☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more](#)

- ☒ Allow Search

Object Creation Options (Available only when custom object is first created)

- ☒ Add Notes and Attachments related list to default page layout
- ☐ Launch New Custom Tab Wizard after saving this custom object

[Save](#) [Save & New](#) [Cancel](#)

Setup > OBJECT MANAGER

Delivery

Details [Edit](#) [Delete](#)

Description

API Name	Enable Reports
Delivery__c	☒
Custom	Track Activities
☒	☒
Singular Label	Track Field History
Delivery	☒
Plural Label	Deployment Status
Deliveries	Deployed
	Help Settings
	Standard salesforce.com Help Window

Creating Sender Object

To create an object:

1. From the setup page
 2. Click on Object Manager
3. Click on Create >> Click on Custom Object.
4. Enter the label name as Sender
5. Enter Plural label name as Sender's
6. Enter Record Name as SenderName
7. Select Data Type as Text: SenderName
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History
11. Click on Save and New

SETUP
New Custom Object

Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing [x](#)

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

Deployment Status [What is this?](#)

☐ In Development
☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more](#)

- ☒ Allow Search

Object Creation Options (Available only when custom object is first created)

- ☒ Add Notes and Attachments related list to default page layout
- ☐ Launch New Custom Tab Wizard after saving this custom object

[Save](#) [Save & New](#) [Cancel](#)

SETUP **Object Manager**

Sender

Details

- Fields & Relationships
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters
- Search Layouts
- List View Button Layout

Details

Description

API Name
Sender_c

Custom
✓

Singular Label
Sender

Plural Label
Sender's

Enable Reports
✓

Track Activities
✓

Track Field History
✓

Deployment Status
Deployed

Help Settings
[Standard salesforce.com Help Window](#)

[Edit](#) [Delete](#)

Creating Receiver Object

To create an object:

1. From the setup page
 2. Click on Object Manager
3. Click on Create >> Click on Custom Object.
4. Enter the label name as Receiver
5. Enter Plural label name as Receiver's
6. Enter Record Name as ReceiverName
7. Select Data Type as Text: ReceiverName
8. Select Allow reports.
9. Select Allow search.
10. Allow Track Field History
11. Click on Save and New

SETUP
New Custom Object

Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing [x](#)

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

Deployment Status [What is this?](#)

- ☐ In Development
- ☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more](#)

- ☒ Allow Search

Object Creation Options (Available only when custom object is first created)

- ☒ Add Notes and Attachments related list to default page layout
- ☐ Launch New Custom Tab Wizard after saving this custom object

Milestone 3 - Tabs

Creating a tab for Parcel Object

1. Go to the setup page → type Tabs in Quick Find bar
2. Click on tabs
3. Click on New (under custom object tab).
4. Select Object (Parcel) >> Select the tab style
5. Click on Next >> (Add to profiles page) keep it as default >> Click on Next (Add to Custom App) uncheck the include tab.
6. Make sure that the Append tab to the user's existing personal customizations is checked.
7. Click save

The top screenshot shows the Salesforce Setup interface. In the left sidebar, the 'Setup' menu is open, and 'Tabs' is highlighted under the 'User Interface' section (labeled 2). The main content area shows the 'Custom Tabs' page. Under the 'Custom Object Tabs' section, the 'New' button is highlighted (labeled 3). The bottom screenshot shows the 'Edit Custom Object Tab' page for 'Parcel's'. The 'Custom Tab Definition Edit' section is visible, with fields for 'Tab Label' (Parcel's), 'Object' (Parcel), and 'Tab Style' (Box). There is also a field for 'Description'.

More Tab Creation

1. Go to Setup → type Tabs in the Quick Find box.
2. Click Tabs under the User Interface section.
3. Click New under Custom Object Tabs.
4. Select the object (Delivery, Sender, or Receiver) → choose a Tab Style.
5. Click Next → keep the Add to Profiles settings as default → click Next.
6. On the Add to Custom Apps page, uncheck “Include Tab.”
7. Ensure Append tab to the user’s existing personal customizations is checked.
8. Click Save and repeat the steps for each object (Delivery, Sender, Receiver).

Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Action	Label	Tab Style	Description
Edit Del	Articles	Shopping Cart	
Edit Del	Deliverables	Alarm clock	
Edit Del	Parcels	Box	
Edit Del	Purchases	Stack of Cash	
Edit Del	Purchase Invoice's	Desk	
Edit Del	Receives	People	
Edit Del	Reviews	Form	
Edit Del	Senders	People	

Action	Label	Tab Style	Description
--------	-------	-----------	-------------

Milestone 4- Fields & Relationships

Create fields and Relationships for the custom objects created in the previous milestone.
Creating Fields and Relationships for Parcel Object

Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your Parcel object.

Field 1: Parcel ID

- Go to Fields & Relationships → click New

Enter:

- Data type== auto number→P-{000}

SETUP > OBJECT MANAGER

Parcel

Details

Fields & Relationships

9 Items, Sorted by Field Label

Q, Quick Find **New** Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		

SETUP > OBJECT MANAGER

Parcel

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

New Custom Field

Step 2. Enter the details

Field Label: Parcel ID

Display Format: P-{000} Example: A-{0000} What Is This?

Starting Number: 1

☐ Generate Auto Number for existing records

Field Name: Parcel_ID

Description:

Help Text:

External ID: ☐ Set this field as the unique record identifier from an external system

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

- Click Next → Next → Save & New.

3. Follow step 1 and 2 to create the remaining fields(Status, Weight, Estimated Delivery, Sender) of the Parcel object mentioned in the table below.)

1. Parcel Object

- **API Name:** Parcel__c
- **Purpose:** Store parcel information

Field Name	API Name	Data Type	Description
Parcel ID	Parcel_ID__c	Auto number	Unique ID for each parcel
Status	Status__c	Picklist	[Booked, In Transit, Out for Delivery, Delivered]
Weight	Weight__c	Number	Weight of Parcel
Estimated Delivery	Estimated_Delivery_Date__c	Date	Expected Delivery Date
Sender	Sender__c	Lookup Relationship	Gets Details from Sender


Creating Fields And Relationships For Delivery Object

Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your Delivery object.

Field 1: Current Location

- Go to Fields & Relationships → click New



The screenshot shows the Salesforce Setup interface. At the top, there's a search bar and navigation icons. Below that, the 'Setup' menu is open, showing 'Object Manager' selected. The main area is titled 'Delivery' and contains a 'Fields & Relationships' section. This section has a table with columns: FIELD LABEL, FIELD NAME, DATA TYPE, CONTROLLING FIELD, and INDEXED. The table lists two fields: 'Created By' (CreatedByid, Lookup(User)) and 'Current Location' (Current_Location__c, Geolocation). A 'New' button is highlighted with a red box in the top right of the 'Fields & Relationships' section.

- Choose Data Type: Geolocation → click Next.

Field Label: Current Location

Click Next → Next → Save & New.

Setup | Home | Object Manager | Delivery

Delivery

New Custom Field

Step 2 of 4: Enter the details

Field Label: Enter the name of the location, such as Main Office. Be descriptive and specific, and remember that one record may have multiple locations, such as West Coast Sales Office and East Coast Sales Office.

Latitude and Longitude Display Notation: ☒ Degrees, Minutes, Seconds ☐ Decimal

Decimal Places: Number of digits to the right of the decimal point

Field Name:

Description:

Help Text:

Required: ☒ Always require a value in this field in order to save a record

- 3. Follow step 1 and 2 to create the remaining fields(Estimated Delivery, Sender, Parcel) of the Delivery object mentioned in the table below.

Field Name	API Name	Data Type	Description
Current Location	Current_Location__c	Geolocation	Location in terms of longitude and latitude.
Estimated Delivery	Estimated_Delivery_Date__c	Date	Expected Delivery Date
Sender	Sender__c	Lookup Relationship	Gets Details from Sender
Parcel	Parcel__c	Lookup Relationship	Gets Details from Parcel

Creating Fields And Relationships For Sender Object

Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your Sender object.

Field 1: Sender Address

- Go to Fields & Relationships → click New

SETUP > OBJECT MANAGER
Sender

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions

Fields & Relationships
7 Items, Sorted by Field Label

Q, Quick Find **New** Deleted Fields Field Dependencies Set History Tracking
Custom Field

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Last Modified By	LastModifiedById	Lookup(User)		

- Choose Data Type: Geolocation → click Next.
- Field Label: Sender Address
Click Next → Next → Save & New.

SETUP > OBJECT MANAGER
Sender

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules

Sender
New Custom Field

Step 2. Enter the details Step 2 of 4

Field Label: **Sender Address**
Enter the name of the location, such as Main Office. Be descriptive and specific, and remember that one record may have multiple locations, such as West Coast Sales Office and East Coast Sales Office.

Latitude and Longitude Display Notation: ☒ Degrees, Minutes, Seconds ☐ Decimal

Decimal Places: **15**
Number of digits to the right of the decimal point

Field Name: **Sender_Address**

Description:

Help Text:

Required: ☐ Always require a value in this field in order to save a record

- 3. Follow step 1 and 2 to create the remaining fields (Sender Contact, Sender Email) of the Sender object mentioned in the table below.

Field Name	API Name	Data Type	Description
Sender Address	Sender_Adress__c	Geolocation	Location in terms of longitude and latitude.
Sender Contact	Sende_Contact__c	Phone	To contact the sender
Sender Email	Sender_Email__c	Email	To send email Notification.

Creating Fields And Relationships For Receiver Object

Beside the Quick Find box you have, Object Manager click on it.

1. Search for and select your Receiver object.

Field 1: Receiver Address

- Go to Fields & Relationships → click New

SETUP > OBJECT MANAGER
Receiver

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions

Fields & Relationships
9 Items, Sorted by Field Label

Q, Quick Find

New Deleted Fields Field Dependencies Set History Tracking

Custom Field

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Last Modified By	LastModifiedById	Lookup(User)		

- Choose Data Type: Geolocation → click Next.
Field Label: Receiver's Address
Click Next → Next → Save & New.

SETUP > OBJECT MANAGER
Receiver

Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules

Receiver
New Custom Field

Step 2 of 4

Step 2. Enter the details

Field Label: Receiver's Address

Enter the name of the location, such as Main Office. Be descriptive and specific, and remember that one record may have multiple locations, such as West Coast Sales Office and East Coast Sales Office.

Latitude and Longitude Display Notation: ☒ Degrees, Minutes, Seconds ☐ Decimal

Decimal Places: 15

Number of digits to the right of the decimal point

Field Name: Receiver__s_Address

Description:

Help Text:

Required: ☐ Always require a value in this field in order to save a record

- 3. Follow step 1 and 2 to create the remaining fields (Receiver Contact, Receiver Email, Sender, Parcel) of the Receiver object mentioned in the table below.

Field Name	API Name	Data Type	Description
Receiver Address	Receiver_Adress__c	Geolocation	Location in terms of longitude and latitude.
Receiver Contact	Receiver_Contact__c	Phone	To contact the Receiver
Receiver Email	Receiver_Email__c	Email	To send email Notification.
Sender	Sender__c	Lookup Relationship	Gets Details from Sender
Parcel	Parcel__c	Lookup Relationship	Gets Details from Parcel

Milestone 5 - Prompt Builder

Designing Prompts for Agent Building.

In Salesforce, go to Setup.


1. In the Quick Find box, type Prompt Templates (or in Agent Console, go to Agent Builder → Prompt Templates).
2. Click New Prompt Template.-- Record summary template

The screenshot shows the Salesforce Prompt Builder interface. On the left, the Setup menu is open, and 'Prompt Builder' is selected. The main area displays the 'Explore Prompt Builder' section with three cards: 'Get to Know Prompt Builder', 'Build Your Knowledge', and 'Take a Tour of Prompt Builder'. Below this is a table of 'All Prompt Templates' with 13 items. The table has columns: Name, Template Type, Category, Status, and Date Modified. The first two rows are 'Account Summary' (Record Summary, Standard, Active) and 'Generate Case Description - Message' (Case Details, Standard-Overridable, Active).

4. Enter the details

- Label: Retrieve Parcel Details

- API Name: Retrieve_Parcel_Details
- Description: Retrieves parcel details where Parcel_ID matches the user input.



5. Enter the Prompt Template Content


In the Prompt Template Text area, paste the following exactly:

Retrieve details from Parcel__c where Parcel_ID__c matches user input. Return response in this format:

Parcel Tracking Update

📦 Parcel Tracking Update

- Parcel Name: {\$Input:Parcel__c.Name}
- Parcel ID: {\$Input:Parcel__c.Parcel_ID__c}
- Status: {\$Input:Parcel__c.Status__c}
- Weight: {\$Input:Parcel__c.Weight__c}
- Estimated Delivery Date: {\$Input:Parcel__c.Estimated_Delivery_Date__c}



6. Add Resource Mapping

7. Scroll down to the Resources / Insert Resources section.


- Click Insert Resource → choose Object.
- Select Parcel__c.
- Add the following fields:
- Name
- Parcel_ID__c
- Status__c
- Weight__c

- Estimated_Delivery_Date__c
- Click Insert Resource (or Add) for each one.
 - Click Save.
 - Then click Activate to make this Prompt Template available for your agent or flow.

Testing the Prompt

Test the Prompt:

- Open your Agent preview.
- Type: "Track parcel P-12345".
- It should return details from the Parcel record.




Milestone 6 - Flows

Create flows for capturing the response as shown.


Go to Setup → search Flows → click New Flow.

- Choose Auto-Launched Flow (No Trigger) → click Create





3. Add Input Variables (to allow Agent to pass values):

- Click On New Recourse → Variable → Available for Input.



- Ids → Data Type: Text → Available for Input.
- Output → Data Type: Text → Available for Output.



4. Click on the Add icon to add Element: Get Records→ Label: Get Parcel Records

The screenshot shows the Flow Builder interface for a flow named 'parcel details - V4'. The flow diagram on the left consists of the following steps: 'Autolaunched Flow' (Start), 'get parcel records' (Get Records), 'thud' (Action), 'assignment output' (Assignment), and 'End'. The right panel is the configuration for the 'Get Records' step. It includes fields for 'Label' (get parcel records) and 'API Name' (get_parcel_records). The 'Get Records of This Object' section shows the object is 'Parcel'. The 'Filter Parcel Records' section shows a condition requirement of 'All Conditions Are Met (AND)' with a single condition: 'Parcel ID' equals 'ids'. The 'Sort Parcel Records' section is currently empty.

- Object: Parcel
- Field = Parcel_ID__c
- Operator = Equals
- Value = ids

5. Element : Action

1. Find Retrieve parcel details
 2. Click Retrieve parcel details
- Label: Parcel Updates.
 - Object To Summarize : Parcel from get Parcel records.

The screenshot shows the configuration panel for the 'Parcel Updates' action. The 'Set Input Values' section is highlighted, showing a dropdown menu for the 'objectToSummarize' input. The dropdown is open, showing 'All Resources' and 'Get Records'. Under 'Get Records', the option 'Parcel from get parcel records' is selected and highlighted. To the right of the dropdown, there is a toggle switch labeled 'Not Included' which is currently turned off. Below the dropdown, there is a 'View C' button and a note about automatic output resources.

6. Element : Assignment

- Label: Assignment Outputs.
- Variable= Output

- Operator = Equals
- Value = Outputs from Action>Prompt Response

7. Connect Start → Get Records → Action → Assignment → End.


8. Save Flow → Name: Parcel Details.

9. Activate Flow.

10. Once the flow is saved go back to the flows, Click on the drop down near the flow that is just created, click on edit access.

Flow Label	Process Type	Active	Templ...	Package State	Packag...	Last Mo...	Last ...
Enablement: Send Feedback Ready Notification	Autolaunched Flow	✓	□	Managed-Installed			
Get Transcript for a Messaging Session in Copilot	Prompt Flow	✓	□	Managed-Installed			
CMS: Withdraw Review Request	Screen Flow	✓	✓	Managed-Installed			
CMS: Submit Content for Review	Screen Flow	✓	✓	Managed-Installed			
CMS: Review Content	Screen Flow	✓	✓	Managed-Installed			
CMS: Notify Content Author	Screen Flow	✓	✓	Managed-Installed			
CMS: Check Whether Any Step is Completed	Evaluation Flow	✓	✓	Managed-Installed			
Basic Approval Request	Flow Orchestration for CMS	✓	✓	Managed-Installed			
Route Conversations to Agentforce Service Agents	Omni-Channel Flow	□	✓	Managed-Installed			
Parcel Details	Autolaunched Flow	✓	□	Unmanaged			

11. On the top look for flow user access and then assign these available profiles, and click save.




Phase 3: UI/UX Development & Customization

To enable agents to efficiently manage parcel operations and ensure secure access control using permission sets and AI-driven agent experiences built with AgentForce.


Milestone - 1 Creating Permission Sets

In the Quick Find box (left side), type Permission Sets.


1. Click Permission Sets under Users.



1. Click the New button.
2. Enter the following details:
 - Label: Swift Ship
 - API Name: auto-fills
 - License: Choose Einstein Agent.
3. Click Save.



1. Inside the Permission Set page → under Apps → Object Settings, click Object Settings.



1. Search and click each object one by one

2. Click Edit.

Enable the following:

- ☒ Read
- ☒ Create
- ☒ Edit

(Optional: Delete, if you want agents to remove records)

Under Field Permissions, ensure at least Visible is checked for all key fields.

Click Save after each object.

Parcel__c

SETUP

Permission Sets

Available

Visible

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Field Name	Field API Name	☐ Read Access	☐ Edit Access
Created By	CreatedById	☒	☐
Estimated Delivery Date	Estimated_Delivery_Date__c	☒	☒
Last Modified By	LastModifiedById	☐	☐
Owner	OwnerId	☐	☐
Parcel ID	Parcel_ID__c	☒	☐
Parcel Name	Name	☐	☐
Sender	Sender__c	☒	☒
Status	Status__c	☒	☒

Delivery__c

SETUP

Permission Sets

Available

Visible

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Field Name	Field API Name	☐ Read Access	☐ Edit Access
Created By	CreatedById	☒	☐
Current Location	Current_Location__c	☒	☒
Delivery Name	Name	☐	☒
Estimated Delivery Date	Estimated_Delivery_Date__c	☒	☒
Last Modified By	LastModifiedById	☐	☐
Owner	OwnerId	☐	☐
Parcel	Parcel__c	☒	☒
Sender details	Sender_details__c	☒	☒

Sender__c

SETUP

Permission Sets

Available

Visible

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Field Name	Field API Name	☐ Read Access	☐ Edit Access
Created By	CreatedById	☒	☐
Last Modified By	LastModifiedById	☐	☐
Owner	OwnerId	☐	☐
Sender Address	Sender_Address__c	☒	☒
Sender Contact	Sender_Contact__c	☒	☒
Sender Email	Sender_Email__c	☐	☐
Sender Name	Name	☐	☐

Receiver__c

SETUP
Permission Sets

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Field Name	Field API Name	☐ Read Access	☐ Edit Access
Created By	CreatedById	☒	☐
Last Modified By	LastModifiedById	☒	☐
Owner	OwnerId	☒	☐
Parcel	Parcel__c	☒	☒
Receiver's Address	Receiver_s_Address__c	☒	☐
Receiver's Contact	Receiver_s_Contact__c	☒	☒
Receivers Email	Receivers_Email__c	☒	☐
Receiver	Receiver__c	☒	☒
Receiver Name	Name	☒	☐

Save the Permission set

Note :- Later we will assign this permission set to the EinsteinAgentUser

Milestone -2 Org Setup for AgentForce

Enable salesforce Default agent from Salesforce Go

1. From Quick find box→ search “Salesforce Go” → Click on it
2. Search for Default agent → click get started→ and turn on
3. And refresh the page

Enable Einstein Setup

Go to Setup → Quick Find → Einstein Setup.

1. Open Einstein Setup → click Get Started if prompted.

Toggle On these key services:


- Turn On Einstein
- Global Languages
- Deploy Prompt Template

3. Refresh your browser page.

4. Go to Setup → Quick Find → AgentForce Agents.


Toggle On these key services:

- Agentforce
- Enable Agentforce Default Agent




Adding Actions to Agentforce Assets

While still on the Agent Builder in the topics, Click on the Topics Actions



2. Click on New Agent Action.
3. For Action type, Click on Flow then Next.



4. For Reference Flow use the recently created flow, click Next.

Connect an existing action

Actions are how an agent gets things done. To create an agent action, start with the functionality you already have in Salesforce, such as flows or prompt templates. Select an action you want the agent action to reference, and then configure it for use with an agent.

* Reference Action Type

Flow

* Reference Action

Select an action...

parcel details

Cancel

Next

5. Fill the details for Agent Configurations

Milestone - 4 Building The Agent

1. In Setup, search for Agentforce Agents in Quick Find.
2. Click Agentforce Agents, then click on the +New Agent, Then click Create Agent

NEW!

Create Agents in the New Agentforce Builder

Agents are now created using the new Agentforce Builder. In the new builder, you can:

- Use Agent Script for deterministic control of your agent
- Build in the document-like Canvas, directly in Script editor, or conversationally with Agentforce
- Preview your agent with detailed interaction logs

Existing agents remain available in the legacy builder.

About the New Builder

Maybe Later

Create Agent

Agentforce Agents

On


+ New Agent

Agent



Created By	Active	Last Modified	
Pramod limma		Sep 15, 2026	
Pramod limma	✓	Sep 15, 2026	


Then select Agentforce Service agent



Then create the agent

Label: SwiftShip Tracker


Developer Name : Auto fills



Assign Sub Agents to the Agent

On the subagents Click on New.


1. Click +New Subagent next to the subagents



Please give the Instructions as :
when user asks parcel details giving parcel id please show all the parcel information

Assign Subagents Action

Click + next to subagents and Select Agent New action and add Parcel Details from Asset Library



5. Click Save.

Milestone - 4 Assigning Permissions to your Agent user

In the Quick Find box on the left, type Permission set.

1. Click Letter S
2. Find Swift Ship Permission set
3. Click Shift Ship.
4. Click Manage Assignments
5. Click Add assignments
6. Check EinsteinAgentUser
7. Assign and Done

Come Back to the Agent SwiftShip Tracker

6. Click on Commit Version and Activate, then Activate.

The screenshot shows the Agentforce Builder interface. On the left is the Explorer pane with a search bar and a tree view containing Agent Definition, Settings (Agent Settings, System Messages, Agent-Level Instructions, Agent Access, Language Settings), Subagents (Agent Router, Service Customer Verification, General FAQ, Case Management, Account Management, Reservation Management, Delivery Issues, Order Inquiries, Escalation, Off Topic, Ambiguous Question, Parcel Tracker), and Variables. The main area is titled 'Live Test' and shows a conversation with an AI assistant. The assistant's first message is 'Hi, I'm an AI service assistant. How can I help you?'. The user's input is 'give me the parcel details of P-001'. The assistant's response is 'Here are the details for parcel ID P-001: • Parcel Name: Laptop • Parcel ID: P-001 • Status: Booked • Weight: 2 kg • Estimated Delivery Date: 09/17/2026. Would you like more tracking information or help with another parcel?'. Below the conversation is a text input field 'Describe your task or ask a question...' and a 'Trace' button. On the right is the 'Agent Preview Details' pane, which shows 'Context Variables' (1), a 'Summary' button, and a list of steps: Input (Input), Transition to Subagent (Parcel Tracker), Reasoning (Parcel Tracker), Action (Parcel Details), Reasoning (Parcel Tracker), and Output Evaluation (GROUNDED). A summary text at the bottom states: 'The user asked for parcel details for ID P-001. The agent routed to the Parcel_Trac Parcel_Details action with Ids="P-001", received structured details (Laptop, P-001, responded with those details plus a follow-up question offering additional help.' and an 'Ask Agentforce' button.

Phase 4: Data Migration, Testing & Security

To validate the functionality and reliability of the Parcel Tracking Agent created in Agent Builder. This phase ensures that the agent correctly recognizes topics, triggers the assigned Flow (SwiftShip Tracker), retrieves or updates parcel data, and performs all intended actions without access or permission issues. The goal is to confirm that the AI-driven agent operates seamlessly within Salesforce and provides accurate, real-time responses to parcel management queries.

Verify Agent

Go to Setup → Agentforce Agents.

1. Open the Agents list and confirm that your agent Name: Parcel Tracking Agent, appears

The screenshot shows the Salesforce Setup page. The top navigation bar includes 'Setup', 'Home', and 'Object Manager'. The left sidebar has a 'Quick Find' box and a list of setup items: Setup Home, Salesforce Go, Service Cloud Reports, Commerce Setup Assistant, Hyperforce Assistant, Release Updates, Salesforce Mobile App, Lightning Usage, AgentExchange Offers, and Sales Cloud Essentials. The main content area is titled 'SETUP > AGENTFORCE STUDIO Agentforce Agents'. It features a toggle for 'Agentforce' (checked) and a '+ New Agent' button. Below this is a section 'Try the new Agentforce Builder!' with a 'Let's Go' button. At the bottom is a table with columns: Agent Name, Type, Description, Created By, Active, and Last Modified. The table contains one entry: 'SwiftShip Tracker' (Employee) with the description 'An AI assistant for in-org business tasks.', created by 'Sargana T', and marked as 'Active'.

Validate Assigned Topic

In Agent Builder → SubAgent, confirm that the SubAgent you created (e.g., *Parcel Tracking* or *SwiftShip Tracker*) is listed.

Open the topic to verify:

- It contains a prompt or description related to parcel management.
- The Action/Flow (SwiftShip Tracker) is linked to this topic.

2. Click Save and ensure the topic is Active.

The image displays two screenshots of the Salesforce Agent Builder interface, specifically the 'Subagent Details' page for a subagent named 'Parcel Details Inquiry'.

Top Screenshot: The 'Subagent Configuration' tab is active. The subagent is named 'Parcel Details Inquiry' with API Name 'Parcel_Details_Inquiry_16jf000002sRwX'. The classification description is 'Handles user requests to retrieve parcel details by asking for the parcel ID.' The scope is 'Your job is only to provide parcel details by obtaining the parcel ID from the user and retrieving the relevant information.'

Bottom Screenshot: The 'This Subagent's Actions' tab is active. It shows a list of actions assigned to the subagent. The list contains one item: 'Parcel Details'. The search bar is empty, and the list is sorted by 'Agent Action Label (asc)'.

Check the Flow Association


Go to Setup → Flows.

1. Locate the Flow named SwiftShip Tracker.

2. Confirm:

- The Flow is Activated.
- The Flow includes screens or actions that handle:
 - Parcel ID input
 - Parcel details retrieval
 - Status update or confirmation message

3. Open the Flow's Advanced Settings → ensure Run in System Context (Without Sharing) if data access is restricted.



Activate and Test the Agent

1. Return to Setup → Agent Builder → Parcel Tracking Agent.
2. Click Activate (if not already activated).
3. Once active, test using Preview / Try it Out mode:
Type a query such as:
"Track parcel ID P12345" or
"Update delivery status for parcel P67890 to Delivered."
4. Observe the agent's response.

Batch test
Deactivate

▼ "sure my parcel ID is P-123" Plan ID: 42103d1fafa5

User Prompt

sure my parcel ID is P-123

Reasoning: Topic Selection ⌚ 0.22 sec

> Prompt Used

Topic Selected: Parcel Details (Parcel_Details)

Handles user inquiries related to parcel details, including tracking, delivery status, and parcel specifications.

> Instructions 5

> Actions 1

Reasoning: Action Selection ⌚ 0.38 sec

> Prompt Used

Conversation Preview

hi

Hello! How can I assist you today?

👍 🗨 📄

can I get my parcel details.

Could you please provide your parcel ID so I can retrieve the details for you?

👍 🗨 📄

sure my parcel ID is P-123

Here are the details of your parcel. Let me know if you need further assistance!

Parcel Tracking Update

- Parcel Name: Sanjana
- Parcel ID: P-123
- Status: Booked
- Weight: 10

Validate Data in Salesforce

1. After the agent runs the Flow:

- Go to App Launcher → Parcels (Parcel__c).

Search for the Parcel ID you used during testing.

Verify:

- The Status or related field is updated.
- Any Flow-created records (bookings, updates) appear correctly.

Parcel Tracker

Receiver's ▾ Sender's ▾ Parcel's ▾ Article's ▾ Purchase's ▾ Review's ▾ Purchase Invoice's ▾ Deliveries ▾

Receiver

Sanjana

New Contact Edit New Opportunity ▾

Related **Details**

Receiver Name	Sanjana	Owner	Sanjana Tunk
Receiver's Email	sanjana@gmail.com		
Receiver's Contact	(123) 456-7890		
Receiver's Address	17.45455992741661, 78.52133768118193		
Parcel	Sanjana		
Receiver	Kareena		
Created By	Sanjana Tunk, 9/18/2025, 11:10 PM	Last Modified By	Sanjana Tunk, 9/18/2025, 11:10 PM

Activity

Filters: All time • All activities • All types

Refresh Expand All View All

Upcoming & Overdue

No activities to show.

Get started by sending an email, scheduling a task, and more.

No past activity. Past meetings and tasks marked as done show up here.

Phase 5: Deployment, Documentation & Maintenance

- In the scope of our SwiftShip Tracker (AgentForce) project implementation:
- The purpose of this phase is to validate that the Parcel Tracking Agent, created using Salesforce Agent Builder, works as intended within the Salesforce Developer Org environment.
- The main goal is to understand how an AI-powered Service Agent can be tested to ensure correct topic recognition, Flow execution, and data retrieval from Salesforce custom objects.

- Testing is conducted within the Developer Org to simulate how the Agent would perform in a live setup, ensuring that permissions, flows, and interactions function correctly before any deployment stage.
- Real-world production testing (UAT or sandbox deployment) is not performed in this project because:
 - Developer Edition orgs are standalone environments and do not support production-linked testing environments.
 - Enterprise-level AgentForce deployment involves sandbox testing, staging environments, and CI/CD automation, which are outside the scope of this academic/prototype implementation.

Maintenance, Monitoring & Troubleshooting

In the SwiftShip Tracker (AgentForce) project, ongoing maintenance ensures that Parcel, Customer, and Delivery data remain accurate, synchronized, and up to date. Regular monitoring helps detect issues such as misrouted agent queries, failed Flow executions, or performance delays in AgentForce responses.

Troubleshooting activities include resolving configuration errors, updating Flow logic, refining agent topics, and improving prompts to enhance user interactions.

Although this project is implemented within a Salesforce Developer Org for learning purposes, in real-world enterprise deployments, these maintenance and monitoring practices are essential. They ensure that AI-powered service agents remain reliable, scalable, and continuously aligned with evolving customer service operations and business goals.

