Result & Analysis

Student: Viswanathan T J   Test: Zoho Test_3   Course: 2023 Batch Compan...

Attempt 1

IP Address: 49.204.113.147   **Tab switches:** 0   **OS used:** Windows   **Browser used:** Firefox

Test Duration: 00:08:23   **Test Start Time:** Apr 3, 2022 | 03:45 PM

Test Submit Time: Apr 3, 2022 | 03:54 PM

Overall score

46 / 47

Rank: NA

Topper score: 46.00 / 47

Average score: 19.00 / 47

Least score: 0.00 / 47

MCQ

46 / 47

Rank: NA

Topper score: 46.00 / 47

Average score: 19.00 / 47

Least score: 0.00 / 47

Overall Question Status

45 / 45

Total Questions: 45

Questions Attempted: 45

Questions Correct: 44

Question Wrong: 1

Partially Correct: 0

Question Not Viewed: 0

MCQ - Question Status

45 / 45

Total Questions: 45

Questions Attempted: 45

Questions Correct: 44

Question Wrong: 1

Partially Correct: 0

Question Not Viewed: 0

Topic wise Analysis   MCQ   ▼

Question No: 1   **Multi Choice Type Question**

What is getattr() used for?

○ To access the attribute of the object   CORRECT

○ To delete an attribute

○ To check if an attribute exists or not

○ To set an attribute

Status: Correct	Mark obtained: 1/1	Hints used: 0	Level: Medium

Question No: 2

Question type: MCQ Single Correct   Multi Choice Type Question

☐ Show solution

A manufacturer makes a profit of 15% by selling a colour TV for Rs. 5750. If the cost of manufacturing increases by 30% and the price paid by the retailer is increased by 20%, find the profit percent made by the manufacturer.

○ 6(2/13)%   CORRECT

○ 4(8/13)%

○ 6(1/13)%

○ 7(4/13)%

Status: Correct	Mark obtained: 1/1	Hints used: 0	Level: Medium

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability
Subject: Profit and Loss

☐ Show solution

Question No: 3   **Multi Choice Type Question**

Excluding stoppages, the speed of a bus is 54 km/hr and including stoppages, it is 45 km/hr. For how many minutes does the bus stop per hour?

○ 9 min

○ 12 min

○ 10 min   CORRECT

○ 20 min

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Hard

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Time, Speed And Distance

☐ Show solution
Question No: 4   **Multi Choice Type Question**

There are 6 members (A, B, C, D, E, F) in a family who are spread across 3 generations.
There are two couples in the family and no one from the third generation is married. E is the
wife of C. F and B are the only people belonging to their generation and they are also a
couple. There are 4 male members in the family.
Which of the following must be true?

Question No: 5   **Multi Choice Type Question**

◯   D is the grandson of A

The product of the two numbers remains constant. If one of them increases by 40% then by
what percent does the second diminish?

◯   A and D belong to the same generation

◯   There is no female in the third
◯   40%
generation

◯   17.5%   E is the father of F

◯   60%

| | Hints used: 0 | **Level:** Hard |
| | Aptitude   **Subject:** Reasoning Ability |
◯   28.57% | CORRECT | |

Subject: Blood Relations

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Hard

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Percentages

☐   Show solution

Question No: 6   **Multi Choice Type Question**

Which of the following functions are considered as overriding?

```
1   class A
2   {
3       public:
4           void fun(int, int); // 4
5           void fun(int, int, int); //5
6   };
7   class B : public A
8   {
9       public:
10          void fun(int, int, int); //10
11          void fun(float, float);  //11
12  };
```

◯ Line no.s 4 & 5

◯ Line no.s 4 & 10

◯ Line no.s 5 & 11

◯ Line no.s 5 & 10   CORRECT

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct   **Subject:** Programming   **Subject:** C++ Programming

Subject: Object Oriented Concepts

Question No: 7   **Multi Choice Type Question**

If $(1.1025)^{25}$ = 11.468, then $\sum (1.05)^n$ (where n varies from 1 to 49) is

◯ 213.16

◯ 212.16

◯ 220.12

◯ 208.36   CORRECT

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct   **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Arithmetic Progression

☐ Show solution

Question No: 8   **Multi Choice Type Question**

One sixth of half of three fourth of a number is 25. What will be 30% of that number?

◯ 800

◯ 120   CORRECT

◯ 340

◯ 300

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct   **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Percentages

☐ Show solution

Question No: 9   **Multi Choice Type Question**

Which of the following relation (s) is/are true?
I. $\sqrt{5} > \sqrt[3]{9}$
II. $\sqrt[3]{9} > \sqrt{5}$
III. $\sqrt{5} = \sqrt[3]{9}$

◯ Only I   CORRECT

◯ Only II

◯ Neither I nor II

◯ Either I or II

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Hard

Question type: MCQ Single Correct   **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Speed Maths

☐ Show solution

Question No: 10   **Multi Choice Type Question**

A, B, C, D and E are sitting on a bench. A is sitting next to B, C is sitting next to D, D is not sitting with E who is on the left end of the bench. C is on the second position from the right. A is to the right of B and E. A and C are sitting together. In which position A is sitting ?

○ Between B and D

○ Between B and C   CORRECT

○ Between E and D

○ Between C and E

Status: Correct	**Mark obtained:** 1/1	**Hints used:** 0	**Level:** Medium
Question type: MCQ Single Correct	**Subject:** Aptitude	**Subject:** Reasoning Ability	
Subject: Seating Arrangement			

☐ Show solution

Question No: 11   **Multi Choice Type Question**

Which of the following statements follows the conclusion?
Conclusions:
Some A's are C
Some C's are E
Statements:
Statements – 1: Some A's are B's. Some B's are C's. No C is D. No D is E.
Statements – 2: All A's are B's. All B's are C's. Some C's are D's. All D's are E's
Statements – 3: Some A's are B's. All B's are C's. Some C's are D's. All D's are E's
Statements – 4: All A's are B's. Some B's are C's. No C is D. All D's are E's
Statements – 5: All A's are B's. All B's are C's. No C is D. All D's are E's

○ Only Statements – 1 & 2

○ Only Statements – 2 & 3   CORRECT

○ Only Statements – 3 & 4

○   Only Statements − 4 & 5

Status: Correct	**Mark obtained:** 1/1	**Hints used:** 0	**Level:** Medium
Question type: MCQ Single Correct	**Subject:** Aptitude	**Subject:** Reasoning Ability	
Subject: Syllogism			

☐ Show solution

Question No: 12   **Multi Choice Type Question**

Two stations B and M are 465 km distant. A train starts from B towards M at 10 AM with the speed 65 km / hr. Another train leaves from M towards B at 11 AM with the speed 35 km / hr. Find the time when both the trains meet.

○   4 PM

○   2 PM

○   3 PM   CORRECT

○   5 PM

Status: Correct	**Mark obtained:** 1/1	**Hints used:** 0	**Level:** Medium
Question type: MCQ Single Correct	**Subject:** Aptitude	**Subject:** Quantitative Ability	
Subject: Time, Speed And Distance			

☐ Show solution

Question No: 13   **Multi Choice Type Question**

A company needs to choose a team of 4 from a group of 3 content managers, 3 R&D engineers and 5 client engagement managers for the completion of a project. What is the probability that exactly 3 of them are client engagement managers?

◯   2/11   CORRECT

◯   1/11

◯   3/11

◯   4/11

Status: Correct   Mark obtained: 1/1   Hints used: 0   Level: Hard

Question type: MCQ Single Correct Subject: Aptitude   Subject: Quantitative Ability

Subject: Probability

Question No: 14   **Multi Choice Type Question**
☐ Show solution

A compass was damaged and its needle turned in such a manner that the pointer which was showing west is now showing south. Raja went towards the geographical east as per the above compass. In which direction did he want to go?

◯   East

◯   West

◯   North   CORRECT

◯   South

Status: Correct   Mark obtained: 1/1   Hints used: 0   Level: Medium

Question type: MCQ Single Correct Subject: Aptitude   Subject: Reasoning Ability

Subject: Direction

☐   Show solution

Question No: 15   **Multi Choice Type Question**

There is a certain relation between two given words on one side of :: and one word is given on another side of :: while another word is to be found from the given alternatives, having the same relation with this word as the given pair has. Select the best alternative.

Pig : Farrow :: Dog : ?

◯ Bark

◯ Puppy   CORRECT

◯ Bitch

◯ Colt

Status: Correct	Mark obtained: 1/1	Hints used: 0	Level: Medium

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Reasoning Ability

Subject: Coding and Decoding

☐ Show solution
Question No: 16   **Multi Choice Type Question**

A boy has five coins, each of a different value. How many different sums of money can be totaled with these five coins?

◯ 28

Question No: 17   **Multi Choice Type Question**
◯ 29

8 men with 2 boys can do a piece of work in 7 days, which 25 men with 13 boys can do in 2
d◯s.30hat fraction of the whole work, can be done in 1 day by 11 men with 20 boys?

◯ $\frac{31}{2}$

◯ $\frac{1}{3}$ CORRECT Hints used: 0   **Level:** Hard

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability
◯ $\frac{1}{4}$

☐ Show solution
$\frac{?}{5}$

Status: Correct	**Mark obtained:** 1/1	**Hints used:** 0	**Level:** Hard
Question type: MCQ Single Correct	**Subject:** Aptitude	**Subject:** Quantitative Ability	
Subject: Time and work			

☐ Show solution

Question No: 18   **Multi Choice Type Question**

80 litres solution has juice and water in the ratio 3:2. 20 litres of this solution is taken out
and replaced with 20 litres of water. Find the quantity of juice left in the mixture after this
operation.

○ 35 litres

○ 40 litres

○ 36 litres   CORRECT

Question No: 19   **Multi Choice Type Question**

○ none of these

Ram has got only 2,5,10,25 and 50 paise coins with him. Now how many minimum number of coins he needed to pay an amount of 78 paise, 69 paise and Re 1.01 to three different persons?

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability

○ 19   CORRECT

□ Show solution
○ 20

○ 17

○ 18

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Number systems

□ Show solution

Question No: 20   **Fill in the blanks Type Question**

The value in x is_____

```
1   #include<stdio.h>
2   void main()
3   {
4       int x=5;int y=2;char opt='+';
5       switch (opt)
6       {
7           default:
8           x+=1;
9           case '+':
10          x+=y;
```

Blank
1   10

Correct Answer: 10

Status: Correct	**Mark obtained:** 2/2	**Hints used:** 0	**Level:** Hard

Question type: Fill ups **Subject:** Programming **Subject:** C Programming

Subject: Branching and Looping

☐ Show solution

First   1   2   3   Last

Result & Analysis

Student: Viswanathan T J   **Test:** Zoho Test_3   **Course:** 2023 Batch Compan...

Attempt 1

IP Address: 49.204.113.147   **Tab switches:** 0   **OS used:** Windows   **Browser used:** Firefox

Test Duration: 00:08:23   **Test Start Time:** Apr 3, 2022 | 03:45 PM

Test Submit Time: Apr 3, 2022 | 03:54 PM

Overall score

46 / 47

Rank: NA

Topper score: 46.00 / 47

Average score: 19.00 / 47

Least score: 0.00 / 47

MCQ

46 / 47

Rank: NA

Topper score: 46.00 / 47

Average score: 19.00 / 47

Least score: 0.00 / 47

Overall Question Status

45 / 45

Total Questions: 45

Questions Attempted: 45

Questions Correct: 44

Question Wrong: 1

Partially Correct: 0

Question Not Viewed: 0

MCQ - Question Status

45 / 45

Total Questions: 45

Questions Attempted: 45

Questions Correct: 44

Question Wrong: 1

Partially Correct: 0

Question Not Viewed: 0

Topic wise Analysis   MCQ   ▼

Question No: 21   **Multi Choice Type Question**

Which of these is a private data field?

```
def Demo:
def __init__(self):
  __a = 1
```

```
self.__b = 1
self.__c__ = 1
__d__= 1
```

○   __a

○   __b   CORRECT

○   __c__

○   __d__

Status: Wrong   **Mark obtained:** 0/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct

☐   Show solution

Question No: 22   **Multi Choice Type Question**

Common content

There are five companies and we have been given the number of employees working in different companies. In the table we have also been given the percentage of male and female employees in HR and Marketing department.

Company	Employees	HR		Marketing	
		Male	Female	Male	Female
P	400	12	14	9	7
Q	650	19	10	11	13
R	500	28	14	4	7
S	550	31	9	6	4
T	300	12	18	3	7

Question

What is the ratio of the number of female employees of Company Q in HR department to the number of male employees of Company R in Marketing department?

⭕ 4 : 13

⭕ 5 : 22

⭕ 22 : 5

⭕ 13 : 4   CORRECT

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Reasoning Ability
Question No: 23   **Multi Choice Type Question**
Subject: Data Interpretation

Predict the output for the below code.
☐ Show solution

```
1   #include<iostream>
2   using namespace std;
3   class Sample
4   {
5       private:
6           int x;
7           int y;
8       public:
9           Sample(int p, int q) : x(5), y(15)
10          {
11              this -> x = p;
12              this -> y = q;
13          }
14          void printxy()
15          {
16              cout << x << " " << y << "\n";
```

○ 5 15

○ 10 20   CORRECT

Question No: 24   **Multi Choice Type Question**
○ 10 15

Suhit borrowed a sum of Rs. 6,300 from Vikas at the rate of 14% for 3 years. He then added
s○ 5 20ore money to the borrowed sum and lent it to Mohit at the rate of 16% of simple
interest for the same time. If Suhit gained Rs. 618 in the whole transaction, then what sum
did he lend to Mohit?

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Hard

Programming **Subject:** C++ Programming
○ Rs. 5000

Subject: Object Oriented Concepts

○ Rs. 7000

○ Rs. 6500

○ Rs. 6800   CORRECT

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Simple Interest

☐ Show solution

Question No: 25   **Multi Choice Type Question**

Output for the below code snippet

```
1  String s = "Java String Quiz";
2  System.out.println(s.charAt(s.toUpperCase().length()));
3
```

○ Runtime Exception   CORRECT

○ Prints "z"

○ Prints "Z"

○ Convert "Z" to int 90 and prints "90"

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Easy

Question type: MCQ Single Correct **Subject:** Programming **Subject:** Java Programming

Subject: Strings

Question No: 26   **Multi Choice Type Question**

If $\log_7 2 = m$, then $\log_{49} 28$ is equal to

○ 2(1 + 2m)

Question No: 27   **Multi Choice Type Question**

What is the value of the positive integer n?   **CORRECT**
(A) $n^4 < 25$
(B) $n \neq n^2$

○ (1 + 2m)/2

○ 2/(1 + 2m)

○   if statement (A) alone is sufficient to
1 + m   solve the question, but statement (B)
       alone is not.

Status: Correct   Mark obtained: 1/1   **Hints used:** 0   **Level:** Hard

○   if statement (B) alone is sufficient to
     solve the question, but statement (A)   Aptitude   **Subject:** Quantitative Ability
     alone is not.

○   sif neither statement (A) nor
Show solution statement (B) is individually
       sufficient to solve the
       question, but a combination   CORRECT
       of both is sufficient to solve
       the question.

○   if both the statements(A) and (B) are
     individually sufficient to solve the
     question.

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Reasoning Ability

Subject: Data Sufficiency

☐ Show solution

Question No: 28   **Multi Choice Type Question**

What will be the output of the following code?

```
1  class array_output
2     {
3         public static void main(String args[])
4         {
5             int array_variable [] = new int[10];
6             for (int i = 0; i < 10; ++i)
```

○ 0 2 4 6 8   CORRECT

○ 1 3 5 7 9

○ 0 1 2 3 4 5 6 7 8 9

○ 1 2 3 4 5 6 7 8 9 10

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Hard

Question type: MCQ Single Correct   **Subject:** Programming   **Subject:** Java Programming

Subject: Arrays

Question No: 29   **Multi Choice Type Question**

Two circles with center A and B intersect at P and Q. Then which of the following is false?

○ AB is the perpendicular bisector of PQ

○ PQ is the perpendicular
bisector of AB   CORRECT

○ $\angle APQ = \angle AQP$

○ $\angle PBA = \angle QBA$

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Geometry

☐ Show solution

Question No: 30   **Multi Choice Type Question**

Braun invested a certain sum of money at 8% p.a. simple interest for 'n' years. At the end of 'n' years, Braun got back 4 times his original investment. What is the value of n?

◯ 50 years

◯ 25 years

◯ 12 years 6 months

◯ 37 years 6 months   CORRECT

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Simple Interest

☐ Show solution

Question No: 31   **Multi Choice Type Question**

Complete the series:
16, 8.5, 9.5, 21, 88, ?

○ 512

○ 624

○ 712   CORRECT

Question No: 32   **Multi Choice Type Question**

Find the mean proportional between $9a^2b$ and $25b^3$.

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Hard

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Reasoning Ability

○ $15ab^2$

☐ Show solution
○ $-15ab^2$

○ $\pm15ab^2$ CORRECT

○ $\pm15a^2b$

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Hard

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Ratio and Proportion

☐ Show solution

Question No: 33   **Multi Choice Type Question**

Point out the wrong statement.

○ The @stmt parameter in sp_executesql
is a Unicode string containing valid SQL
commands

○ The input type @Type is
passed as the first parameter   CORRECT

to sp_executesql

◯ We can specify the parameters for both input and output in sp_executesql

◯ None of the mentioned

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Easy

Question type: MCQ Single Correct   **Subject:** Programming   **Subject:** MySQL

Subject: Basics

Question No: 34   **Multi Choice Type Question**

A trader buys goods at a 19% discount on the label price. If he wants to make a profit of 20% after allowing a discount of 10%, by what % should his marked price be greater than the original label price?

◯ +8%   CORRECT

◯ -3.8%

◯ +33.33%

◯ None of these

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Hard

Question type: MCQ Single Correct   **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Profit and Loss

☐ Show solution

Question No: 35   **Multi Choice Type Question**

The total age of 45 boys and 40 girls is 1540 years. The total age of 50 boys and 20 girls is 1320. Then the average age of boys is

⊙ 18 years

⊙ 16 years

⊙ 20 years   CORRECT

⊙ 15 years

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Averages

☐ Show solution
Question No: 36   **Multi Choice Type Question**

Which of the following is a calling syntax for sp_executesql?

⊙ sp_execute <@stmt> [<@param1
data_type>,<@param2 data_type>, …]

⊙ sp_sql <@stmt> [<@param1 data_type>,
<@param2 data_type>, …]

⊙ sp_executesql <@stmt>
[<@param1 data_type>,   CORRECT
<@param2 data_type>, …]

⊙ sp_executesql [<@param1 data_type>,
<@param2 data_type>, …]

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Easy

Question type: MCQ Single Correct **Subject:** Programming **Subject:** MySQL

Subject: Basics

Question No: 37   **Multi Choice Type Question**

Find the sum of the series 9 − 99 + 999 − 9999 + ... till n terms.

○ $-10/11\{(-10)^n - 1\}$

○ $-10/11\{(-10)^n - 1\} - 1$

○ Both A and B, depending on n,   CORRECT
   where n is even or odd

○ one of these

|			
Status: Correct	**Mark obtained:** 1/1	**Hints used:** 0	**Level:** Hard
Question type: MCQ Single Correct	**Subject:** Aptitude		**Subject:** Quantitative Ability
Subject: Number systems			

☐ Show solution

Question No: 38   **Multi Choice Type Question**

Two positions of a dice are shown below. When 3 points are at the bottom, how many points will be at the top?

○ 2

○ 4   CORRECT

○ 5

○ 6

Status: Correct	**Mark obtained:** 1/1	**Hints used:** 0	**Level:** Medium
Question type: MCQ Single Correct	**Subject:** Aptitude		**Subject:** Reasoning Ability

Subject: Dice

☐ Show solution

Question No: 39   **Multi Choice Type Question**

The average salary of Sanjay from January to June is Rs. 12000 and from July to
September is Rs. 13000 and for last 3 months the average salary is Rs. 1500 more than
July to September. Find the average annual salary of Sanjay.

◯ Rs. 12785

◯ Rs. 12585

◯ Rs. 12675

◯ Rs. 12875   CORRECT

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Hard

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Averages

☐ Show solution

Question No: 40   **Multi Choice Type Question**

Erdogan is thrice more good a worker as Kovind and together they finish a piece of work in
32 days. In how many days will Kovind will finish the work alone?

◯ 160 days   CORRECT

◯ 128 days

◯ 96 days

◯ 72 days

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Time and work

☐ Show solution

First   1   2   3   Last

Result & Analysis

Student: Viswanathan T J   Test: Zoho Test_3   Course: 2023 Batch Compan...

Attempt 1

IP Address: 49.204.113.147   **Tab switches:** 0   **OS used:** Windows   **Browser used:** Firefox

Test Duration: 00:08:23   **Test Start Time:** Apr 3, 2022 | 03:45 PM

Test Submit Time: Apr 3, 2022 | 03:54 PM

Overall score

46 / 47	
Rank: NA	
Topper score: 46.00 / 47	
Average score: 19.00 / 47	
Least score: 0.00 / 47	

MCQ

46 / 47	
Rank: NA	
Topper score: 46.00 / 47	
Average score: 19.00 / 47	
Least score: 0.00 / 47	

Overall Question Status

45 / 45

- **Total Questions:** 45
- **Questions Attempted:** 45
- **Questions Correct:** 44
- **Question Wrong:** 1
- **Partially Correct:** 0
- **Question Not Viewed:** 0

MCQ - Question Status

45 / 45

- **Total Questions:** 45
- **Questions Attempted:** 45
- **Questions Correct:** 44
- **Question Wrong:** 1
- **Partially Correct:** 0
- **Question Not Viewed:** 0

Topic wise Analysis   MCQ   ▼

Question No: 41   **Multi Choice Type Question**

The area of the greatest circle, which can be inscribed in a square whose perimeter is 360 cm, is

○ $(22/7) \times (21/2)^2$ cm^2

○ $(22/7) \times (45)^2$ cm^2 CORRECT

○ $(22/7) \times (45/2)^2$ cm^2

○ $(22/7) \times (27/2)^2$ cm^2

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Mensuration

Question No: 42   **Fill in the blanks Type Question**

☐ Show solution
The output of the given code is_____

```c
1   #include <stdio.h>
2   int *f();
3   int main()
4   {
5       int *p = f();
6       printf("%d\n", *p);
7   }
8   int *f()
9   {
10      int *j = (int*)malloc(sizeof(int));
11      *j = 10;
12      return j;
13  }
```

Blank
1   10

Question No: 43   **Multi Choice Type Question**

Correct Answer: 10 participated in the competition and each got different score. In how many
ways can three different prizes would have been given ?

Status: Correct   **Mark obtained:** 2/2   **Hints used:** 0   **Level:** Hard

Subject: C Programming

⃝ 1320   CORRECT

⃝ 1240

☐ Show solution

⃝ 1650

⃝ 1870

Status: Correct   **Mark obtained:** 1/1   **Hints used:** 0   **Level:** Medium

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Quantitative Ability

Subject: Combination

☐ Show solution

Question No: 44   **Multi Choice Type Question**

A problem of mathematics is given to three students whose chances of solving the
problem are 1/3, 1/4 and 1/5 respectively. What is the probability that the question will be
solved?

○ 3/5   CORRECT

○ 2/5

○ 3/4

Question No: 45   **Multi Choice Type Question**

○ 1/12

In the given problem, the first figure is related to the second figure in a certain way. Find the fourth figure, which is related to the third figure in the same way.

PROBLEM PATTERN

ANSWER PATTERN

☐ Show solution

○ A

○ B

○ C

○ D

○ E   CORRECT

Status: Correct	**Mark obtained:** 1/1	**Hints used:** 0	**Level:** Hard

Question type: MCQ Single Correct **Subject:** Aptitude   **Subject:** Reasoning Ability

Subject: Visual Reasoning

☐ Show solution

First   1   2   3   Last