

Postman interface showing a POST request to `https://petstore.swagger.io/v2/store/order`. The request body is a JSON object:

```
{  "id": 4,  "petId": 12,  "quantity": 1,  "shipDate": "2024-02-17T15:32:57.504Z",  "status": "placed",  "complete": true}
```

The response status is 200 OK, Time: 892 ms, Size: 434 B. The response body is a JSON object:

```
{  "id": 4,  "petId": 12,  "quantity": 1,  "shipDate": "2024-02-17T15:32:57.504+0000",  "status": "placed",  "complete": true}
```

Postman interface showing a GET request to `https://petstore.swagger.io/v2/store/order/{orderId}`. The request body is empty. The response status is 200 OK, Time: 756 ms, Size: 434 B. The response body is a JSON object:

```
{  "id": 4,  "petId": 12,  "quantity": 1,  "shipDate": "2024-02-17T15:32:57.504+0000",  "status": "placed",  "complete": true}
```

Postman interface showing a DELETE request to `https://petstore.swagger.io/v2/store/order/{orderId}`. The request is part of a collection named "Pet store popeluha". The response status is 404 Not Found, with a message: "Order Not Found".

Request Details:

- Method: DELETE
- URL: `https://petstore.swagger.io/v2/store/order/{orderId}`
- Params: Key, Value, Description

Response Details:

- Status: 404 Not Found
- Time: 217 ms
- Size: 390 B
- Body (JSON):

```
{  "code": 404,  "type": "unknown",  "message": "Order Not Found"}
```

Postman interface showing a GET request to `https://petstore.swagger.io/v2/store/inventory`. The request is part of a collection named "Pet store popeluha". The response status is 200 OK, with a message: "pet inventory by status".

Request Details:

- Method: GET
- URL: `https://petstore.swagger.io/v2/store/inventory`
- Params: Key, Value, Description

Response Details:

- Status: 200 OK
- Time: 474 ms
- Size: 444 B
- Body (JSON):

```
{  "sold": 1,  "string": 718,  "Notavailable": 1,  "pending": 7,  "sell": 2,  "available": 235,  "not available": 2,  "awaivable": 1,  "petic": 4}
```

Postman interface showing a REST client request for the endpoint `https://petstore.swagger.io/v2/user/createWithArray`. The request is a POST method with a JSON body containing user details:

```
1 {
2   {
3     "id": 3,
4     "username": "david",
5     "firstName": "devids",
6     "lastName": "davidov",
7     "email": "davidov@gmail.com",
8     "password": "1111",
9     "phone": "0987777777",
10    "userStatus": 1
11  }
12 }
```

The response is displayed in the Body tab, showing a JSON object:

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "ok"
5 }
```

The status is 200 OK, Time: 1074 ms, Size: 370 B. The interface also shows a sidebar with collections and environments, and a bottom status bar with system information.

Postman interface showing a REST client request for the endpoint `https://petstore.swagger.io/v2/user/createWithList`. The request is a POST method with a JSON body containing user details:

```
1 {
2   {
3     "id": 3,
4     "username": "david",
5     "firstName": "devids",
6     "lastName": "davidov",
7     "email": "davidov@gmail.com",
8     "password": "1111",
9     "phone": "0987777777",
10    "userStatus": 1
11  }
12 }
```

The response is displayed in the Body tab, showing a JSON object:

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "ok"
5 }
```

The status is 200 OK, Time: 932 ms, Size: 370 B. The interface also shows a sidebar with collections and environments, and a bottom status bar with system information.

Postman interface showing a GET request to `https://petstore.swagger.io/v2/user/{username}` with the response body:

```
1 {
2   "id": 3,
3   "username": "david",
4   "firstName": "devids",
5   "lastName": "davidov",
6   "email": "davidov@gmail.com",
7   "password": "1111",
8   "phone": "0987777777",
9   "userStatus": 1
10 }
```

Status: 200 OK Time: 763 ms Size: 472 B

Postman interface showing a GET request to `https://petstore.swagger.io/v2/user/{username}` with the response body:

```
1 {
2   "id": 4,
3   "username": "Kazolina",
4   "firstName": "Kazolina",
5   "lastName": "Kazolina",
6   "email": "Kazolina@gmail.com",
7   "password": "22222",
8   "phone": "0685555555",
9   "userStatus": 5
10 }
```

Status: 200 OK Time: 639 ms Size: 485 B

Postman interface showing a DELETE request to `https://petstore.swagger.io/v2/user/{username}`. The request is part of a collection named "Vitaliy education popeluha" under the "Pet users" folder. The response is a JSON object:

```
1 {
2   "id": 3,
3   "username": "david",
4   "firstName": "david",
5   "lastName": "davidov",
6   "email": "davidov@gmail.com",
7   "password": "1111",
8   "phone": "0987777777",
9   "userStatus": 1
10 }
```

Status: 200 OK, Time: 180 ms, Size: 477 B.

Postman interface showing a GET request to `https://petstore.swagger.io/v2/user/login`. The request is part of a collection named "Vitaliy education popeluha" under the "Pet users" folder. The response is a JSON object:

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "logged in user session:1708190291250"
5 }
```

Status: 200 OK, Time: 137 ms, Size: 466 B.

Postman interface showing a GET request to `https://petstore.swagger.io/v2/user/logout`. The request is part of a collection named "Vitality education popeluha" under the "Pet users" folder. The response status is 200 OK, Time: 682 ms, Size: 370 B. The response body is JSON:

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "ok"
5 }
```

Postman interface showing a POST request to `https://petstore.swagger.io/v2/user`. The request is part of a collection named "Vitality education popeluha" under the "Pet users" folder. The request body is JSON:

```
1 {
2   "id": 43,
3   "username": "Marina",
4   "firstName": "Marina",
5   "lastName": "Marisha",
6   "email": "Marina@gmail.com",
7   "password": "5656",
8   "phone": "0503333332",
9   "userStatus": 9
10 }
```

The response status is 200 OK, Time: 637 ms, Size: 370 B. The response body is JSON:

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "43"
5 }
```