


BOARD OUTLINE AND DIMENSIONS

View from Top side (Scale 4:1)



A

B

C

D

E


F

G

H

DRILL DRAWING


Drill Drawing View (Scale 4:1)



DRILL TABLE - THROUGH HOLE

Symbol	Count	Hole Size	Plated	Drill Layer Pair	Hole Tolerance
○	184	0.30mm	Plated	Top Layer - Bottom Layer	
□	5	0.50mm	Plated	Top Layer - Bottom Layer	
▽	8	0.90mm	Plated	Top Layer - Bottom Layer	
✱	1	1.40mm	Plated	Top Layer - Bottom Layer	
⊕	4	1.60mm	Plated	Top Layer - Bottom Layer	
☆	4	2.00mm	Plated	Top Layer - Bottom Layer	
	206 Total				

CONNECTOR DRAWING



LAYER STACK LEGEND

	Material	Layer	Thickness	Dielectric Material	Type	Gerber #
		Top Overlay			Legend	GTO
	Surface Material	Top Solder	0.020mm	Solder Resist	Solder Mask	GTS
 	Copper	Top Layer	0.035mm		Signal	GTL 1
 	Prepreg		0.110mm	FR-4	Dielectric	
 	Copper	Ground layer	0.035mm		Internal Plane	GP1 2
 	Core		1.200mm	FR-4	Dielectric	
 	Copper	Power layer	0.035mm		Internal Plane	GP2 3
 	Prepreg		0.110mm	FR-4	Dielectric	
 	Copper	Bottom Layer	0.035mm		Signal	GBL 4
	Surface Material	Bottom Solder	0.020mm	Solder Resist	Solder Mask	GBS
		Bottom Overlay			Legend	GBO

Total thickness: 1.6mm+/-0.16mm